


ABOUT ARTITEQ

Based in Tilburg (NL), Artiteq is a specialist in hanging concepts, and has been developing flexible hanging systems for pictures and other wall decorations since 1995. Since decorating walls involves more than just hanging pictures, Artiteq combines this philosophy with its product specialism and has developed an extensive range of products in recent years. In addition to the picture hanging systems, Artiteq also markets display systems and solo hanging systems (separate from a rail system). Thanks in part to in-house expertise, and combined with its own product development and quality control departments, Artiteq also offers successful customised solutions for a variety of hanging needs. Flexibility and a continuous drive to keep innovating are Artiteq's strengths. In designing and producing our hanging systems, we aim to offer the best quality, whilst always placing a high priority on the environment and sustainability. Artiteq hanging systems are sold worldwide in over 60 countries.





Artiteq has its own Research & Development department and generally develops all products with a Safety Factor of 3. In terms of products with higher safety risks (f.e. products which hang in open spaces not against walls) or when specific materials are used, this safety factor can even be 5 or higher. The Quality Control department checks safety in relation to the weight that can be hung from the products, but also checks the appearance and functionality of the products. In terms of the Micro Grip hook, Artiteq applies the quality assurance of TÜV, a certification that is extended to more Artiteq products. Based on the foregoing, Artiteq provides a 10-year* guarantee on all of its products (with the exception of Combi Rail Pro Light: a 2-year guarantee applies to electrical components).











IN-HOUSE
QUALITY CONTROL



WWW.ARTITEQ.COM

2 | ARTITEQ.COM | 3



WALL SYSTEMS	06
CEILING SYSTEMS	20
INTEGRATED SYSTEMS	26
SOLO SYSTEMS	40
ALL-IN-ONE KITS	48
HANGINGS WIRES AND HOOKS	56
FRAME ACCESSORIES	70


CABLE HANGING SYSTEMS	78
RAIL HANGING SYSTEMS	94
MISCELLANEOUS	106



PICTURE HANGING SYSTEMS

WALL

FLEXIBLE SAFE STRONG



CLICK RAIL







	CLICK RAIL - WHITE RAL 9010			NHITE PRIMER 9016
	P/1*	P/20*	P/1*	P/20*
ARTICLE NO. 150 cm				9.4360
ARTICLE NO. 200 cm	9.4303	9.4353	9.4348	9.4350
ARTICLE NO. 300 cm	9.4304	9.4354	9.4349	9.4351
ARTICLE NO. 600 cm	9.4372		9.4346	

FASTENER KIT WHITE		FASTENER KIT WHITE
ARTICLE NO. 200 cm	4065	4065
ARTICLE NO. 300 cm	4061	4061





	CLICK RAIL -	CLICK RAIL - ALU BRUSHED		ACK STRUCTURE
	P/1*	P/20*	P/1*	P/20*
ARTICLE NO. 150 cm				
ARTICLE NO. 200 cm	9.4341	9.4340		05.01210
ARTICLE NO.300 cm	9.4343	9.4342		05.01310
ARTICLE NO.600 cm	9.4339			
	FASTENE	R KIT GREY	FASTENER	KIT BLACK
ARTICLE NO. 200 cm	4	064	50	194
ARTICLE NO. 300 cm	4	060	50	195




8 | ARTITEQ.COM

ONTENT FASTENER KIT					
				QUANTITY 200 cm	QUANTITY 300 cm
	-02" mil	9.4113	CLICK&CONNECT	6x	9x
	CUCKNAL	9.4929	SCREW	6x	9x
		9.4931	PLUG	6x	9x
	33-31-H	9.4105 (WHITE) / 9.4104 (GREY) / 9.4112 (BLACK)	END CAP	2x	2x
	1000	9.4107 (WHITE) / 9.4108 (GREY) / 9.4114 (BLACK)	CORNER CONNECTOR	1x	1x
12103		2386	INSTRUCTION	1x	1x

ALL MOUNTING MATERIAL MAY BE ORDERED SEPERATELY. SEE OVERVIEW ON PAGE 38 * P/1: PACKAGED BY THE PIECE IN FOIL / P/20: PACKAGED PER 20 IN FOIL






The Click Rail is a flexible picture hanging system that you mount to the wall. Using the Click&Connect system, mounting the rail system is fast and easy. The Click Rail may be installed flush against the ceiling and may also be repainted, for example in the same colour as the wall or ceiling. This helps the picture hanging system 'blend in' with the wall or ceiling, making it nearly invisible. The hanging rail's appearance makes it easy to integrate in any room or interior. You always have flexibility in hanging posters, pictures or photo frames thanks to the hanging wires with hooks that you can click into any desired location on the rail system.

CLICK RAIL PRO



The Click Rail Pro hanging system is the professional, heavy-duty version of the Click Rail. The rail is quick and easy to instal thanks to the Click&Connect clips, and can be mounted on the wall, flush against the ceiling. It is possible to mount the rail in such a way that the sliders for the hanging wire may be subtly hidden behind the rail. The Click Rail Pro picture hanging system has a maximum load capacity of 50 kg/m. Hanging heavy pictures and wall decorations is no problem with the Click Rail Pro. Click Rail Pro is a strong picture hanging system that you can trust when it comes to hanging your art on the wall. The hanging wires may be moved and clicked into the rail again at any desired location. This assures you of flexibility in what you display on your walls. Moving or replacing a work of art is fast and easy, and there's no risk of damaging the walls.






PICTURE HANGING SYSTEMS - WALL

CLICK RAIL PRO



CONTENT FASTENER KIT					
				QUANTITY 200 cm	QUANTITY 300 cm
TOTAL NO.	9.4124	CLICK&CONNECT	6x	9x	
	9.4929	SCREW	6x	9x	
	9.4931	PLUG	6x	9x	
	9.4120 (WHITE) /9.4121 (GREY)	END CAP	2x	2x	
	216	9 .4122 (WHITE) / 9.4123 (GREY)	CORNER CONNECTOR	1x	1x
1210		2387	INSTRUCTION	1x	1x

ALL MOUNTING MATERIAL MAY BE ORDERED SEPERATELY. SEE OVERVIEW ON PAGE 38



CONTOUR RAIL



Compact and attractive hanging system

"Less rail, more art". Contour Rail gets the job done in spite of its minimal dimensions, and has an attractive, sleek design. Hanging pictures, or hanging and moving framed photos is easy thanks to the Contour Rail. Using the clips, the picture rails may be mounted to the wall (minimum distance from the ceiling: 15 mm). In addition to the aluminium version of the rail, the available model in white may be painted in any colour. The refined style of the 1 mm Twister hanging wires with Micro Grip 1 mm suspension hook make them a perfect match for the compact shape of this hanging system.



	CONTENT
stallation video	Print mornores

FA	FASTENER KIT				
			QUANTITY 200 cm	QUANTITY 300 cm	
	30.31110	CLICK&CONNECT	6x	9x	
	9.4929	SCREW	6x	9x	
	9.4931	PLUG	6x	9x	
	30.31210 (WHITE) /30.31220 (GREY)	END CAP	2x	2x	
	2388	INSTRUCTION	1x	1x	

ALL MOUNTING MATERIAL MAY BE ORDERED SEPERATELY. SEE OVERVIEW ON PAGE 38 * P/1: PACKAGED BY THE PIECE IN FOIL


CONTOUR RAIL GLUED



Contour Rail glued - hanging without drilling

Looking for a compact hanging rail that 'disappears' in a room? Contour Rail offers the solution: the rail can also be mounted to the ceiling using glue. Thanks to the special design, the glue may be applied in and on the profile in the desired manner. When the Contour Rail is glued and painted in the same colour as the wall, it becomes inconspicuous while still offering all the advantages of a flexible hanging system: the ability to hang and move pictures without damaging the walls.







	E	ND CAP
COLOUR	WHITE	GREY
ARTICLE NO.	30.31210	30.31220



^{*} P/1: PACKAGED BY THE PIECE IN FOIL


12 | ARTITEQ.COM ARTITEQ.COM | 13

WARRANTY

3 CLIPS / M

COMBIRAIL PRO LIGHT









FLEXIBLE SAFE HIGH END



Flexible picture hanging and lighting system in one

Combi Rail Pro Light combines picture hanging and lighting in one system. The rail's attractive, neutral design enables it to be integrated in almost every style of interior. Use the adjustable fittings to provide optimum and high-quality lighting for pictures and other wall decoration on your wall. You can position the Twister suspension wires anywhere along the rail, making it easy to change and move artwork an pictures. This flexible and user-friendly picture hanging system guarantees that the walls in your room will stay undamaged.

Easy installation in three steps

in 3 quick steps you can fit the rail and connect the power supply without requiring special tools and techniques. Step 1 comprises fitting the clips (Click&Connect) to the wall and clicking the rail to the clips. The rail immediately fits firmly in place after which you can carry out Step 2; connecting the power supply. Step 3 involves installing the picture lighting fittings: with just one quarter turn you can position these where you want on the rail. The fittings are suitable for LED and halogen lamps and are available in lengths of 20 cm, 50 cm and 70 cm. You can adjust the high-temperature resistant luminaire cover, manufactured from high-quality plastic, to direct the lighting onto your picture. The conductive and hanging functions for the hanging rail with picture lighting are separated. All Combi Rail Pro Light components are approved by reputable, independent certification authorities.

CLASSIC RAIL





Change pictures quickly and easily with Classic Rail

The Classic Rail is a wall rail that is often used in galleries and at exhibitions. This hanging system has an open J-shape which, with the aid of rods and sliding springs, makes it easy to hang pictures and other wall decorations. If you are looking for a discreet alternative to a rod, it is possible to use a cylinder hook with a transparent perlon cord in the rail. Depending on the weight of the picture or wall decoration, various hooks may be slid onto the perlon hanging wire.

A hanging rail for a contemporary interior


The Classic Rail is a J-shaped, open rail system with a modern look. This picture hanging system is available in white or aluminium. The rods that may be placed in the rail vary in thickness from 2 to 3 mm, and have a maximum load capacity of 20 kg. Available in white or steel, the rods use various sliding springs.





CONTENT FASTENER KIT	QUANTITY 200 cm	QUANTITY 300 cm	
9.4901 (WHITE) /9.4902 (GREY)	SCREW	8x	12x
9.4931	PLUG	8x	12x
2389	INSTRUCTION	1x	1x

ALL MOUNTING MATERIAL MAY BE ORDERED SEPERATELY. SEE OVERVIEW ON PAGE 38 * P/1: PACKAGED BY THE PIECE IN FOIL / P/20 PACKAGED PER 20 IN FOIL




SLIDING SPRING

SLIDING SPRING
STAINLESS STEEL
3 mm MAX. 20 kg

9.4170

9.4171

*COMPATIBLE WITH HOOKS 9.4207, 9.4261, 3041200/50 - SEE PAGE 58



* FOR USE WITH HANGING WIRE PERLON + SLIDER





FOR MORE PICTURE HOOKS SEE PAGE 58

CLASSIC RAIL+



The Classic Rail+ is a picture hanging system for walls that has been specially developed for hanging heavier pictures and wall decorations (up to 100 kg). This hanging system is often used in galleries, at exhibitions and in museums. The hanging rail has an open, J-shaped design that makes it possible to hang a variety of rods equipped with rod hooks. This makes it extremely easy to hang or change art on the wall. The Classic Rail+ is available in white and aluminium. A variety of aluminium or steel rods may be used for decorations weighing up to a maximum of 100 kg.

Secure picture hanging system

The Classic Rail+ makes it possible to hang pictures and wall decorations in a secure manner in rooms where this is required. Thanks to a blocking device, the rod is blocked in the rail and the picture enjoys extra protection when special anti-theft hooks are used on the rod itself.






WARRANTY

DE)


100



ALL MOUNTING MATERIAL MAY BE ORDERED SEPERATELY. SEE OVERVIEW ON PAGE 38 * P/1: PACKAGED BY THE PIECE IN FOIL



	ROD ALUMINIUM S-BEND WIT	ROD ALUMINIUM S-Bend Alu
	MAX. 20 KG	MAX. 20 KG
ARTICLE NO. 100 cm	9.4277	9.4271
ARTICLE NO. 150 cm	9.4278	9.4272
ARTICLE NO. 200 cm	9.4279	9.4273
ARTICLE NO. 250 cm	9.4280	9.4274





	HOOKS			
	CLAMPING HOOK 40 kg	CLAMPING HOOK 100 kg		
	4 x 4 mm	4 x 4 mm		
ARTICLE NO.	9.4253	9.4255		
COMPATIBLE WITH ALL 4 X 4 mm RODS				

	ANTI-THEFT	DEVICES*		
	5 •	DE)		5
	BLOCKING DEVICE WHITE	2,5 mm ALLEN CLAMPING HOOK STEEL ANTI-THEFT 60 kg	2,5 mm ALLEN CLAMPING HOOK STEEL ANTI-THEFT 100 kg	2 mm ALLEN BLOCKING SLEEVE
	4 x 4 mm	4 x 4 mm	4 x 4 mm	6 x 12 x 8 mm
ARTICLE NO.	9.4290	9.4291	9.4256	9.4293
	ALLEN KEY	ALLEN KEY		
	2,5 mm	2,0 mm		
ARTICI F NO	9.3390	9.3394		


*ONLY FOR USE WITH ROD U-TOP STEEL WHITE 9.4220/9.4221/9.4222



PICTURE HANGING SYSTEMS

UP RAIL







10 YEAR WARRANTY



3 CLIPS / M

The Up Rail is the leading ceiling rail par excellence; the rail is especially suitable when used in combination with concrete. The picture hanging system is clicked into place using clips (3 clips each metre) which are attached to the ceiling. The beautiful rounded shape of the rail fills the space between the wall and ceiling, therefore the picture hanging system is discrete and unobtrusive. The maximum bearing capacity of 20 kg/m makes the Up Rail a solid and reliable hanging system. The rail has a white, primed finish: the hanging rail can be painted in any preferred colour (for example, in the colour of the wall or ceiling). The Twister hanging wires can be clicked anywhere along the rail. If a ceiling mounting is required, for example if the walls may not be damaged or because it is not possible to attach a rail to the walls, the Up Rail is the ideal solution for flexible adornment of the walls.



	UP RAIL WHITE PRIMER RAL 9016
ARTICLE NO. 200 cm	05.06200
ARTICLE NO. 300 cm	05.06300


	FASTENER KIT WHITE
ARTICLE NO. 200 cm	4098
ARTICLE NO. 300 cm	4099



CON	TENT FAST	TENER KIT			
				QUANTITY 200 cm	QUANTITY 300 cm
	Jake Committee	05.06010	CLICK&CONNECT	6x	9 _X
ì	Heli bra	9.4929	SCREW	6x	9x
1		9.4931	PLUG	6x	9x
	عَن ب	05.06020	SET END CAPS L&R	2x	2x
		2563	INSTRUCTION	1x	1x
11.10	6000	ALL MOUNTING MATERIALS MAY BE ORDERED	SEPERATELY, SEE PAGE 38		




22 | ARTITEQ.COM | 23




The flexible picture hanging system Top Rail is mounted to the ceiling. This ceiling rail that is discreet in its dimensions is an ideal hanging system to use in combination with recessed ceilings. By mounting the ceiling rail to the wooden side strip of a recessed ceiling, the rail 'disappears' into the ceiling. This 'invisible' picture hanging system then offers a flexible way to hang, change and replace pictures and wall decorations throughout the entire room.










ALL MOUNTING MATERIALS MAY BE ORDERED SEPERATELY. SEE PAGE 38 - 8 SCREWS /m * P/1: PACKAGED BY THE PIECE IN FOIL / P/10 PACKAGED PER 10 IN FOIL

24 | ARTITEQ.COM | 25




► PICTURE HANGING SYSTEMS

DECORAIL / DECORAIL LED / ART STRIP

DECO RAIL

DECO RAIL LED





ART STRIP (IN COMBINATION WITH RECESSED CEILINGS)







CEILING STRIP / SHADOWLINE

CEILING STRIP (IN COMBINATION WITH RECESSED CEILINGS)






SHADOWLINE DRYWALL (IN COMBINATION WITH DRYWALL)





SHADOWLINE MASONRY (IN COMBINATION WITH BRICKWALL)





28 | ARTITEQ.COM ARTITEQ.COM | 29

DECO RAIL



Flexible options for smooth walls with Deco Rail


The Deco Rail is a hanging rail for pictures and wall decorations that is mounted behind a cornice. The hanging system becomes invisible as a result, while still offering all the advantages of a flexible hanging system. Walls with a clean, smooth finish remain undamaged, even though it is still possible to hang and move paintings continually. Hanging wires may be clicked into the rail behind the cornice at any desired location. This is the major benefit of the Deco Rail; flexibility and a guarantee for a high-quality finish. There are many different styles of cornice rails, and this hanging rail can be installed behind every type. The Deco Rail is available in combination with a selection of three different types of cornices: Basic, Modern and Classic.













DECO RAIL LED



Invisible hanging system with subtle indirect lighting

The Deco Rail LED is a hanging system and lighting profile, with subtle indirect LED lighting in one. With the lighting profile C362 by ORAC, you add indirect lighting by diffusing light from the wall. A modern, ambient finish within the interior. Combining the Deco Rail with the lighting profile results in an invisible hanging system and allows flexible adornment of the walls. With no damage to sleekly finished walls, pictures can be hung and moved around whenever you please. Hanging wires can be clicked anywhere along the rail behind the lighting profile. The indirect lighting profile is supplied without the LED.





4 SCREWS / M



ART STRIP





Hanging rail integrated in side strip - suitable for recessed ceilings using a side strip

The Art Strip is the picture hanging system that may be hidden in a recessed ceiling. It replaces the side strip which is used for the installation of recessed ceilings. During a tear-down phase or renovation work, the Art Strip can be installed at the same time as the recessed ceiling. The corner profile for the recessed ceiling is then mounted to the Art Strip. When you mount the Art Strip during the installation of recessed ceilings, you will have a picture hanging system available throughout the entire space, giving you a flexible way to decorate the walls. The Twister hanging cords may be clicked into any desired location in the rail next to the recessed ceiling.





PICTURE HANGING SYSTEMS - INTEGRATED

CEILING STRIP





Hanging rail integrated in corner profile - suitable for recessed ceilings that don't use a side strip

When recessed ceilings are installed during a building project without side strips, then the Ceiling Strip offers many benefits. The Ceiling Strip replaces the corner profile used in recessed ceilings, and at the same time, creates a completely invisible picture hanging system. When this ceiling system is installed, the only element that is visible is a discreet shadow line along the edge of the recessed ceiling where the flexible picture hanging system is hidden. This shadow line can also camouflage any imperfections in the wall, such as those masked by a side strip. Thanks to the integration of the corner bracket and hanging system, the Twister gliders on the hanging cord also disappear completely into the ceiling: the hanging system is fully integrated and not visible.



	ARTICLE NO.
FISCHER UX 5 x 30 R UNIVERSAL PLUG 5 mm	9.4931
SCREW 3,5 mm x 45 mm	9.4929
SCREW METAL STUD 3,5 mm x 38 mm	9.4928
4 SCREWS PER m	
341S	
NG-962 MG-963	

PICTURE HANGING SYSTEMS - INTEGRATED

SHADOWLINE

DRYWALL - FIXATION DRYWALL





The Shadowline rail - drywall enables the placement of an invisible picture hanging system between plasterboard walls and ceiling panels. A discreet shadow line is the only element that appears between the wall and ceiling, and this is where the flexible picture hanging system is hidden. It is possible to install a hanging cord in the rail, anywhere you like in the room. Since the rail itself isn't visible, the hanging cords are suspended directly from the ceiling. If you choose the transparent perlon hanging cords for the rail, you will have the most discreet picture hanging system at your disposal. Using the Shadowline ceiling system means you will always have a guarantee of smooth, clean walls, and the flexibility to decorate them any way you like, without the need for tools.



FASTENER MATERIAL				
	ARTICLE NO.			
FISCHER UX 5 x 30 R UNIVERSAL PLUG 5 mm	9.4931			
SCREW 3,5 mm x 45 mm	9.4929			
THE RAIL IS NOT PRE DRILLED				




PICTURE HANGING SYSTEMS - INTEGRATED

SHADOWLINE

MASONRY - FIXATION STONE WALLS






Hanging rail for plasterboard ceilings and masonry walls

The Shadowline rail - masonry offers the same advantages as the plasterboard version, yet has been specially designed for use with masonry walls. The Shadowline rail is installed on a masonry wall during the building or renovation phase. The Shadowline profile disappears completely in the shadow line next to the ceiling panels, yet still offers all the advantages of a flexible hanging system: undamaged, clean walls and the flexibility to quickly and easily hang paintings and other wall decorations and move them around as desired.





SHADOWLINE MASONRY RAL 9016


ARTICLE NO. 250 cm USE WITH BRICKWALL 13 mm 05.08430




36 | artiteq.com | 37

WARRANTY

FASTENER MATERIAL






			-		PZ2	PZ2	PZ2	PZ2	PZ1	
+ advised o possible		PLUG 4 mm	FISCHER UX 5 X 30 R 5 mm	PLUG UNIVERSAL 6 mm	SCREW WHITE 3,5 mm x 45 mm	SCREW ALU 3,5 mm x 45 mm	SCREW 3,5 mm x 45 mm	SCREW METAL STUD 3,5 mm x 38 mm (For USE WITH METAL) (NO PLUG)	SCREW 9.4912 (WHITE) / 9.4913 (ALU) / 9.4903 (BLACK)	
		9.4900	9.4931	9.4930	9.4901	9.4902	9.4929	9.4928	9.4912/13/03	
CONTOUR RAIL	P. 12		+	0			+	+		
CLICK RAIL	P. 08		+	0			+	+		
CLICK RAIL PRO	P. 10		+	0			+	+		
CLASSIC RAIL	P. 16		+	0	+	+				
CLASSIC RAIL+	P. 18		+	0	+	+				
UP RAIL	P.22		+	0			+	+		
TOP RAIL	P.24	+							+	
DECO RAIL	P.30		+				+	+		
CEILING STRIP	P.35		+				+	+		
SHADOWLINE DRYWALL	P.36						+			
SHADOWLINE MASONRY	P.37		+				+			

DECO RAIL / CLASSIC RAIL AND CLASSIC RAIL+: 4 SCREWS PER m CLASSIC RAIL, CLASSIC RAIL+, DECO RAIL AND CEILING STRIP: 1 SCREW PER 250 mm SHADOWLINE MASONRY: 1 SCREW PER 300 mm TOP RAIL: 1 SCREW PER 125 mm

FASTENER MATERIAL




	WHITE		WHITE	PRIMER	ALU		BLACK	
	200 cm	300 cm	200 cm	300 cm	200 cm	300 cm	200 cm	300 cm
CONTOUR RAIL			30.31310	30.31330	30.31320	30.31340		
CLICK RAIL	4065	4061	4065	4061	4064	4060	5094	5095
CLICK RAIL PRO			4067	4074	4066	4073		
CLASSIC RAIL	4072	4079	4072	4079	4071	4078		
CLASSIC RAIL +	4072	4079			4071	4078		
UP RAIL			4098	4099				
TOP RAIL	4070	4077	4070	4077	4069	4076	4068	4075








38 | ARTITEQ.COM



► PICTURE HANGING SYSTEMS

BOTANIQ







Make room for plants on the wall

There is always room for plants in your home or office. Create a surprising and dynamic effect with the Artiteq Botaniq hanging flowerpot. Hang your plants optimally with the stylish Botaniq with soft round shapes. The Botaniq comes with two 1mm perlon Twister hanging wires and two Micro Grip hooks, so you can easily hang it at the right height within Artiteq's hanging rail. The Botaniq hanging flowerpot can only be used in combination with a picture hanging rail. Choose your color and combine with several other hanging pots at different heights to give your interior an urban jungle and natural touch!







UNIQ HANGER



A different way to hang wall decorations

In some spaces, it either isn't possible or desirable to use a hanging rail. The Uniq Hanger offers a solution for these situations. Not only is it easy and safe to hang a picture frame on the wall and easily adjust the height, but it also creates a certain look. The combination of the stainless steel button with the steel wire might result in just the look you want to create in an interior. You also have the option of fully concealing the system behind your photo frame or painting.

Hanging a frame without a rail

The Uniq Hanger consists of a wall fitting with cover, Twister 1 mm steel wire and a Micro Grip 1 mm suspension hook. It's easy to insert the steel wire in the wall fitting, and then just slide the stainless steel cover over this. After you slide the Micro Grip 1 mm over the steel wire, you can adjust the height.

The Uniq Hanger may also be used with perlon hanging wires.



ICTURE HANGING SYSTEMS - SOLO

DISPLAY IT SOLO SET





A sleek hanging system for walls

Display It Solo Set is a hanging system for plates with thicknesses ranging from 3 to 6 mm, making it ideal for hanging Plexiglas and acrylic plates. with this system photos can be displayed in a sleek and safe way on the wall. Display It Solo Set is a display system that is easy to mount to the wall. The system consists of 2 buttons that are mounted to the wall, and then the Twister hanging cords are then Twister hanging cords hooked into them. Using the 4 clamps, you then attach the acrylic or Dibond plate to the perlon wire. This display system may also be used in combination with our hanging rails.



44 | artiteq.com | 45

WARRANTY

PARTITION WALL HOOKS





	PARTITION WALL HOOK				
SIZE	16 mm	21 mm	31 mm		
COLOUR	WHITE	WHITE	WHITE		
MAX. CAPACITY	15 kg	15 kg	15 kg		
ARTICLE NO.	9.4503	9.4504	9.4506		

HANGING WIRES								
	9.4424	SLIDER + PERLON	2 mm	100 cm				
	9.4425	SLIDER + PERLON	2 mm	150 cm				
	9.4426	SLIDER + PERLON	2 mm	200 cm				
	9.4427	SLIDER + PERLON	2 mm	250 cm				
	9.4428	SLIDER + PERLON	2 mm	300 cm				





MICRO GRIP 2 mm MICRO GRIP LOCK 2 mm 30.41200 | 20 kg

FOR OVERVIEW HOOKS AND HANGING SETS SEE PAGE 58-65

Flexible and solid

Since it is not always possible (or allowed) to hang rails in every room, we also offer solutions for hanging pictures and wall decorations in the form of partition wall hooks. We offer a range of various types of partition wall hooks for rooms with partitions, giving you a solid, practical way to hang pictures and decorations even on these types of walls. Partition wall hooks are hung over the top of a wall, and then used in combination with a perlon or other type of cord fitted with a picture hook. We offer a variety of solutions depending on the weight of the picture or decoration to be hung.

HOOKS





	PARTITION WALL HOOK			PARTITION WALL HOOK FLEX		
SIZE	16 mm	21 mm	31 mm	11-30 mm		
COLOUR	WHITE	WHITE	WHITE	STAINLESS STEEL	WHITE	
MAX. CAPACITY	15 kg	15 kg	15 kg	3 kg	3 kg	
ARTICLE NO.	9.4503	9.4504	9.4506	9.4540	9.4541	

HOOKS





	S-HOOK	GALLERY HOOK				GALLERY HOOK LARGE	
SIZE	2 mm		18 mm			20 mm	
COLOUR	WHITE	WHITE	NICKEL-PLATED	BRASS	WHITE	NICKEL-PLATED	BRASS
MAX. CAPACITY	20 kg	12,5 kg	12,5 kg	12,5 kg	20 kg	20 kg	20 kg
ARTICLE NO.	9.4500	9.4239	9.4238	9.4241	9.4247	9.4246	9.4248

HANGING WIRES



9.4412	PERLON + LOOP	2 mm	100 cm
9.4413	PERLON + LOOP	2 mm	150 cm
9.4414	PERLON + LOOP	2 mm	200 cm
9.4415	PERLON + LOOP	2 mm	250 cm
9.4416	PERLON + LOOP	2 mm	300 cm
9.4975	STEELWIRE + LOOP	2 mm	100 cm
9.4976	STEELWIRE + LOOP	2 mm	150 cm
9.4977	STEELWIRE + LOOP	2 mm	200 cm
9.4978	STEELWIRE + LOOP	2 mm	250 cm
9.4979	STEELWIRE + LOOP	2 mm	300 cm



MICRO GRIP 2 mm 30.41200 | 20 kg



MICRO GRIP Lock 2 mm 30.41250 | 20 kg

FOR MORE HOOKS SEE PAGE 58

MAGNETIC PICTURE HOOKS



7410.001	MAGNETIC PICTURE HOOK STEEL	100 x 53 mm	MAX. 1 kg
7410.002	MAGNETIC PICTURE HOOK STEEL	100 x 200 mm	MAX. 4 kg
7410.003	MAGNETIC PICTURE HOOK STEEL	150 x 250 mm	MAX. 6 kg
7410.004	MAGNETIC PICTURE HOOK STEEL	200 x 300 mm	MAX. 12 kg

46 | ARTITEQ.COM artiteq.com | 47



► PICTURE HANGING SYSTEMS

CLICK RAIL



The Click Rail flexible picture hanging system is available in a variety of all-in-one kits: economy, a Twister with a 15-kg hook and a Twister with a 20-kg Micro Grip hook. These retail packages contain the rail, mounting materials and instruction sheet, hanging wires and hooks, and are available in 2-m, 4-m and/or 6-m sets. The all-in-ones kits offer a complete solution and are ready for immediate onward sale.

ALL-IN-ONE CLICK RAIL ECONOMY








ALL-IN-ONE CLICK RAIL ECONOMY










CLICK RAIL


CLICK RAIL

ALL-IN-ONE CLICK RAIL TWISTER 15 KG HOOK










ALL-IN-ONE CLICK RAIL TWISTER MICRO GRIP 20 KG HOOK








52 | ARTITEQ.COM | 53

COMBIRAIL PRO LIGHT

The flexible picture hanging system, including Combi Rail Pro Light lighting, is available in 4 different all-in-one kits: 2, 4, 6 and 8 metres. As well as the rail, these sets contain all the required parts, as well as the following accessories: Twister perlon hanging wire with a Micro Grip 20-kg hook.







FLEXIBLE DESIGN HIGH-END

HANGING WIRES AND HOOKS non arte FLEXIBLE SAFE STRONG

Credits: @huisjeboompjeliefde

HANGING WIRES

TWISTERTM



20 KG



S

SIMPLE-SAFE-STRONG

Artiteq developed the Twister glider system for all its hanging rails. Twister offers the most Logical and user-friendly way to hook the hanging wire into the rail: insert, twist, click and you're done. Since the Twister may be clicked anywhere on the rail, you can hang a picture anywhere you like on the wall. You have the option of using Twister in perlon, steel wire or rods for all the Artiteq hanging systems. The perlon and steel hanging wires with the Twister mechanism are available in 1 or 2 mm thicknesses, and in lengths ranging from 100 to 500 cm.



1 mm



TWISTERTM

Twister is a European Registered Community Design.









20 KG

2

EXTRA EASE-OF-USE

Thanks to the development of the Twister Cliq2Fix perlon system, perlon cord now has an additional functionality when it comes to hanging pictures. The hanging wire equipped with the Twister Cliq2Fix system may be inserted in the rail, eliminating the risk of the perlon cord popping loose from the rail as a result of its recoiling effect. This makes it extra safe, and easy to slide into the rail. In other words, extra ease-of-use.



HANGING WIRES AND HOOK!


HANGING WIRES

SOLID SLIDER





SLIDER ECONOMY not visible in the rail



15 KG

er syste

SLIDE INTO SIDE

Artiteq developed the Solid Slider system which attaches the hanging wire with glider via the side of the rail. This system is available for 2 mm perlon and 2 mm steel wire. The hanging wire may be freely slid into the hanging rail, yet may not be removed from the rail as easily. Hanging wires with the Solid Slider mechanism are available in lengths of 100, 150, 200, 250, 300 en 500 cm. A slanted stop system is available for slanted walls. This system makes it possible to use a flexible picture hanging system even with slanted walls, for example in a staircase.



2 mm

TWISTER 1 mm	
	100

1 mm				
30.21150	TWISTER	1 mm	PERLON	150 cm
30.21200	TWISTER	1 mm	PERLON	200 cm
30.21300	TWISTER	1 mm	PERLON	300 cm
30.22150	TWISTER	1 mm	STEEL	150 cm
30.22200	TWISTER	1 mm	STEEL	200 cm
30.22300	TWISTER	1 mm	STEEL	300 cm
09.63150	TWISTER	1 mm	STEEL BLACK	150 cm
09.63200	TWISTER	1 mm	STEEL BLACK	200 cm
09.63300	TWISTER	1 mm	STEEL BLACK	300 cm

	2 mm				
TWISTER 2 mm					
	09.23100	TWISTER	2 mm	PERLON	100 cr
7 7 7	09.23150	TWISTER	2 mm	PERLON	150 cr
NE NE NE	09.23200	TWISTER	2 mm	PERLON	200 cr
	09.23250	TWISTER	2 mm	PERLON	250 cr
	09.23300	TWISTER	2 mm	PERLON	300 cr
	09.23500	TWISTER	2 mm	PERLON	500 cr
	09.33100	TWISTER	2 mm	STEEL	100 cr
	09.33150	TWISTER	2 mm	STEEL	150 cr
	09.33200	TWISTER	2 mm	STEEL	200 cr
	09.33250	TWISTER	2 mm	STEEL	250 cr
	09.33300	TWISTER	2 mm	STEEL	300 cr
	09.33500	TWISTER	2 mm	STEEL	500 cr
	9.4196	TWISTER	2 mm	ROD WHITE	100 cr
	9.4198	TWISTER	2 mm	ROD WHITE	200 cr


	2 mm				
X PERLON					
	09.13100	TWISTER CLIQ2FIX	2 mm	PERLON	100 cm
	09.13150	TWISTER CLIQ2FIX	2 mm	PERLON	150 cm
	09.13200	TWISTER CLIQ2FIX	2 mm	PERLON	200 cm
	09.13250	TWISTER CLIQ2FIX	2 mm	PERLON	250 cm
	09.13300	TWISTER CLIQ2FIX	2 mm	PERLON	300 cm

	09.13300	CLIQ2FIX	2 mm	PERLUN	300 cm
	2 mm				
OLID SLIDER					
	08.23100	SOLID SLIDER	2 mm	PERLON	100 cm
77	08.23150	SOLID SLIDER	2 mm	PERLON	150 cm
ų ų	08.23200	SOLID SLIDER	2 mm	PERLON	200 cm
W	08.23250	SOLID SLIDER	2 mm	PERLON	250 cm
8 II	08.23300	SOLID SLIDER	2 mm	PERLON	300 cm
	08.23500	SOLID SLIDER	2 mm	PERLON	500 cm
8	08.43100	SOLID SLIDER	2 mm	STEEL	100 cm
	08.43150	SOLID SLIDER	2 mm	STEEL	150 cm
W 11	08.43200	SOLID SLIDER	2 mm	STEEL	200 cm
	08.43250	SOLID SLIDER	2 mm	STEEL	250 cm
	08.43300	SOLID SLIDER	2 mm	STEEL	300 cm
	08 43500	SOLID SLIDER	2 mm	STEFI	500 cm

Depending on the weight of a frame or other wall decoration, the right picture hook must be selected. The wide product range offers hooks with maximum load capacities varying from 4 kg to 20 kg.

	30.41200 20 kg	30.41250 20 kg	30.41100 10/5 kg	9.4264 15 kg	9,4261 15 kg
	AUTO GRIP	AUTO GRIP	AUTO GRIP	AUTO GRIP	AUTO GRIP
	100000	LOCK		LOCK	1010 0111
TWISTER 1 mm PERLON 150 / 200 / 300 cm		LOUN	*	Louix	
TWISTER 1 mm STEELWIRE 150 / 200 / 300 cm			V		
TWISTER 1 mm STEELWIRE BLACK 150/200/300 cm					
TWISTER 2 mm PERLON 100 / 150 / 200 250 / 300 / 500 cm		V		Y	*
TWISTER 2 mm STEELWIRE 100/150/200 250/300/500 cm	*	V			*
TWISTER 2 mm 2 mm ROD WHITE 100 / 200 cm		V			V
TWISTER CLIQ2FIX 2 mm PERLON 100/150/200 250/300 cm	Y	V		*	Y
SOLID SLIDER 2 mm PERLON* 100 / 150 / 200 250 / 300 / 500 cm vanaf zijkant in te brengen		V			
SOLID SLIDER 2 mm STEELWIRE* 100 / 150 / 200 250 / 300 / 500 cm vanaf zijkant in te brengen					


^{*} SOLID SLIDER 2 mm PERLON/STEELWIRE ARE NOT ADVISED FOR CEILING SYSTEMS AND INTEGRATED SYSTEMS



* SOLID SLIDER 2 mm PERLON/STEELWIRE ARE NOT ADVISED FOR CEILING SYSTEMS AND INTEGRATED SYSTEMS

The maximum weight carrying capacity of a picture hook is only valid when the frame is correctly applied to the hook. This illustration shows how to correctly charge the picture hook.

Micro Grip represents the newest generation of hooks. A high-quality plastic reinforced with fibreglass was chosen for this hook, leading to a 70% reduction in the use of materials compared with previous generations of hooks. In addition to the ecological advantages, the hook is extremely lightweight as a result, and very easy to use. The **Micro Grip** technology has been developed and patented by Artiteq. To guarantee the quality of the Micro Grip hooks, Artiteq has developed quality assurance procedures together with TÜV Nederland. The execution is under supervision of TÜV Nederland.







MICRO GRIP 1 mm MICRO GRIP 2 mm MICRO GRIP LOCK 2 mm


LIGHTWEIGHT

STRONG (20 kg)

ERGONOMIC












60 | ARTITEQ.COM ARTITEQ.COM | 61

HOOKS






COMBINATIONS

A picture hanging system comprises the following elements: **rail**, **hanging wire** and **hanging hook**. Artiteq guarantees the functionality of the products because it carefully coordinates the various elements of a picture hanging system. The quality can only be guaranteed when original (Artiteq) products are combined correctly. The guarantee is null and void if there are combinations other than with the correct Artiteq products. A frame or canvas will always hang more steadily if **2 hanging wires** are used.

The weight of the frame determines the choice of the hook and wire, in combination with the maximum weight carrying capacity of one metre of the rail.




HANGING WIRES AND HOOK!

HANGING SETS







MISCELLANEOUS



Instead of a hanging wire and hook, a Twister Hook can be used. This plastic hook can provide an inexpensive and practical solution for hanging light panels in combination with a picture hanging system.



MISCELLANEOUS




The Loop Maker offers a solution for hanging objects if a hook cannot be used. As it is possible to create a loop with the 2-mm perlon hanging wire, it is possible to hang much more than just a picture frame!








MISCELLANEOUS



Picture Mouse is a handy and original hanging cord for displaying several documents, such as cards and photos. It can also be used as a 'solo' version rather than as part of a picture hanging system. The Picture Mouse Solo system is simple to install by mounting the wall clip to the wall. The steel Picture Mouse cord can be inserted and is hung from the wall



As well as the transparent clips, magnets can also be used on the Picture Mouse cord. The Mouse Magnets, available in white or in colour, combine perfectly with the Picture Mouse cord.








ARTITEQ.COM | 69

► FRAME ACCESSORIES




SIMPLE SAFE STRONG

► ARTITEQ BACK FRAME HANGING SYSTEM




SAFE SOLID EASY HANGING

00





ARTITEQ BACK FRAME HANGING SYSTEM









05.16301









05.16060

05.16030

05.16040


























ARTITEQ BACK FRAME HANGING SYSTEM

EASY HANGING




FIXED

Power Corners include a levelling system for the mounted panel, enabling accurate hanging without new holes having to be drilled.




SECURED

The panel can be fixed and secured to the wall using 4 Back Frame Security Clips.



FLEXIBLE

Combining the Back Frame Hanging System with a picture hanging system means flexibility and ease-of-use whilst adding decoration to walls.




ACCESSORIES FOR FRAMES AND PANELS











SPOOL				
				Continue of the Continue of th
_	STEELWIRE 1 mm SPOOL	STEELWIRE 1,2 mm SPOOL	STEELWIRE 1,5 mm SPOOL	PERLON 2 mm SPOOL
ARTICLE NO. 100 m	9.4904	9.4955	9.4990	9.4404
ARTICLE NO. 500 m	-	-	-	9.4421S



FRAME ACCESSORIES

ACCESSORIES FOR FRAMES AND PANELS







ARTICLE NO.	809.500	ROUND 42 mm (MAX. 0,5 KG)
ARTICLE NO.	809.510	50 X 52 mm (MAX. 1 KG)
ARTICLE NO.	809.520	70 X 70 mm (MAX. 2 KG)
ARTICLE NO.	809.530	100 X 100 mm (MAX. 4 KG)
ARTICLE NO.	809.540	100 X 200 mm (MAX. 8 KG)







809.002

20 x 20 x 15 mm




DISPLAY HANGING SYSTEMS

CABLE SYSTEMS

MULTIFUNCTIONAL SAFE STRONG



IMAGINE IT magazines



Dynamic hanging system in the workspace


IMAGINE IT magazines is a dynamic hanging system that injects more colour and energy into ordinary workplaces. This new

Artiteq concept allows inspirational magazines and trade journals to become part of the office in an appealing way. The great
thing about this system is that it is unobtrusive: because of its minimalistic design, IMAGINE IT magazines almost appears to float.

As well as being a presentation system, IMAGINE IT magazines is the fastest and most stylish way of dividing a department into
different autonomous workstations. This ensures that a pleasant and open atmosphere is preserved, at the same time allowing
sufficient privacy to enable individuals to focus on their work.

A narrow cable runs along both sides of the IMAGINE IT magazines hanging system which connects the horizontal rails to one another. Through a special mechanism in the end caps, the height of the various magazine rails can be adjusted. This enables a rail to easily be slid upwards or downwards, thereby immediately creating a different look. The rails are available in a 99 cm, 133 cm and 166 cm design, for 3, 4 or 5 magazines. You can also opt for magnetic suspension against a steel wall.


IMAGINE IT magazines



SUITABLE FOR USE IN OPEN SPACES, FOR EXAMPLE AS A ROOM DIVIDER (FIXED MOLINTING ABOVE)




IMAGINE IT smart pockets



Stylish presentation in a modern workspace

IMAGINE IT Smart Pockets is the most flexible system for presenting ambient images, documents and product photos. Unleash your imagination and vary the layout and size. The double-sided Smart Pockets are available in A3 and A4 versions and the rails are height adjustable, immediately giving a different effect. But better still, the system as a whole looks splendid. Streamlined, uncluttered and modern. As well as the practical considerations, IMAGINE IT Smart Pockets is an extremely aesthetic choice that merges with interior décor and design. The double-sided Smart Pockets can easily be clicked into the rail and they have a subtle notch at the side where you can easily change the content. Opt for an A3 or A4 size, or combine both for a more playful result.

IMAGINE IT smart pockets



A1

2 SLANTING WALL

A2





IMAGINE IT SMART POCKETS IMAGINE IT RAIL BLACK 166 cm 05 09166 IMAGINE IT RAIL ALU 166 cm IMAGINE IT RAIL INSTALLATION KIT 400 cm 7820.200 IMAGINE IT RAIL INSTALLATION KIT MAGNETIC 400 cm 7820.210 IMAGINE IT RAIL ENDCAP BLACK 05.10010



7804.210	SMART POCKET A4	PORTRAIT
7804.310	SMART POCKET A3	PORTRAIT
7804.220	SMART POCKET A4	LANDSCAPE
7804.320	SMART POCKET A3	LANDSCAPE

82 | ARTITEQ.COM ARTITEQ.COM | 83

DISPLAY IT LED FLEX



Make a statement with LED panels

This cable system, with LED lighting, enables documents, products and services to be displayed perfectly. It is ideal as a display system in display cabinets, where the information can stand out both day and night! The rail can be mounted to the wall or the ceiling. The adaptors can be twisted into and out of the rail in an instant, allowing flexible use of the system.

The A3 and A4 LED panels can be used in either horizontal or portrait orientation and have clear LED lighting. The steel cables run through an auto-grip mechanism through the LED panels, connecting these together. This gives a professional, streamlined display and allows the height of the panels to be quickly and easily adjusted. This system allows double-sided displays: translucent paper can be inserted into the front and back of the LED panels.

DISPLAY HANGING SYSTEMS - CABLE SYSTEMS

DISPLAY IT LED FLEX



*RAIL INCLUDES FASTENER MATERIAL AND END CAPS








84 | ARTITEQ.COM artiteq.com | 85

DISPLAY IT LED FIXED



An eye-catcher on the wall

The Display It LED Fixed cable system is mounted to the wall or ceiling and because of the LED panels, this creates a striking display. Like the Flex version, the Display It LED Fixed can be used in display cabinets or in other places in a building. The content of the panels can be changed in no time.

The A3 and A4 LED panels can be used in either horizontal or portrait orientation and have clear LED lighting. The steel cables run through an auto-grip mechanism through the panels, connecting these together. This gives a professional, streamlined display and allows the height of the panels to be quickly and easily adjusted. This system allows double-sided displays: translucent paper can be inserted into the front and back of the LED panels.

DISPLAY IT LED FIXED





PREMIUM NEVERTEAR BACKLIT PAPER



7706.004	A4
7706.003	А3














DISPLAY IT FIXED

DISPLAY IT FIXED









DISPLAYS



ARTICLE NO.

30 x 21 cm LANDSCAPE	2 mm A4	7803.211	ARTICLE NO.
21 x 30 cm PORTRAIT	2 mm A4	7803.212	ARTICLE NO.
42 x 30 cm LANDSCAPE	2 mm A3	7803.301	ARTICLE NO.
30 x 42 cm PORTRAIT	2 mm A3	7803.302	ARTICLE NO.



7805.003







EASY TO CHANGE CONTENT




The Display It presentation system gives you a professional and orderly way to display your announcements or documents. The system's acrylic frames are easy to mount and adjust to the desired height. Thanks to the E-Clip for Display It, you can change the contents of the acrylic frames in seconds. The clip also makes it easy to connect the frames to one another, making both horizontal and vertical displays possible. This display system is ideal for estate agents and is often used as a 'face wall' for photos of staff displayed on the wall in hospitals and other institutions. Display It is available in Flex and Fixed mounting models. The Display It Flex version is used in combination with a hanging rail and stainless steel rods that are easy to reposition along the rail.

88 | ARTITEQ.COM artiteq.com | 89

E-CLIP

DISPLAY IT FLEX



Display It: professional and orderly

The Display It presentation system gives you a professional and orderly way to display your announcements or documents. The system's acrylic frames are easy to mount and adjust to the desired height. Thanks to the E-Clip for Display It, you can change the contents of the acrylic frames in seconds. The clip also makes it easy to connect the frames to one another, making both horizontal and vertical displays possible. This display system is ideal for estate agents and is often used as a 'face wall' for photos of staff displayed on the wall in hospitals and other institutions. Display It is available in Flex and Fixed mounting models. The Display It Flex version is used in combination with a hanging rail and stainless steel rods that are easy to reposition along the rail.

DISPLAY HANGING SYSTEMS - CABLE SYSTEMS

DISPLAY IT FLEX

CAN BE USED WITH ALL ARTITEQ PICTURE HANGING SYSTEMS



EASY TO CHANGE CONTENT









	ICDI	AYS
1 /	1.721	A I .




ARTICLE NO.	7803.211	2 mm A4	30 x 21 cm LANDSCAPE
ARTICLE NO.	7803.212	2 mm A4	21 x 30 cm PORTRAIT
ARTICLE NO.	7803.301	2 mm A3	42 x 30 cm LANDSCAPE
ARTICLE NO.	7803.302	2 mm A3	30 x 42 cm PORTRAIT



CLAMP DISPLAY	
7805.003	

90 | ARTITEQ.COM artiteq.com | 91

HANGING WHITEBOARDS



There are a variety of ways to hang a whiteboard on the wall. Hanging a whiteboard with the aid of the Whiteboardset offers the option of repositioning the whiteboard either horizontally or vertically. The Artiteq Whiteboardset has been designed to make it easy to hang a whiteboard on the wall, and offers flexibility since it may be used in combination with our hanging rails. The clamps ensure a stable mounting of the whiteboard to the wall. By combining the Whiteboardset with the hanging rail, it is extremely easy to mount the whiteboard to the precise desired spot.




WHITEBOARDSET / HANGING MAGNET FOR WHITEBOARDS







* TO BE USED WITH TWISTER 2 mm STEELWIRE (SEE PAGE 59)





SELF-ADHESIVE HANGING MAGNET FOR WHITEBOARDS


SELF-ADHESIVE HANGING MAGNET FOR WHITEBOARDS 75 x 50 x 11 mm MAX. 3 kg

92 | ARTITEQ.COM artiteq.com | 93

DISPLAY HANGING SYSTEMS

RAIL SYSTEMS

FLEXIBLE MULTIFUNCTIONAL EASE-OF-USE



INFO RAIL




INFO RAIL				
	05.55025	INFO RAIL WHITE	25 cm	INCLUDES FASTENER MATERIAL AND END CAPS
_	05.55050	INFO RAIL WHITE	50 cm	INCLUDES FASTENER MATERIAL AND END CAPS
	05.55100	INFO RAIL WHITE	100 cm	IINCLUDES FASTENER MATERIAL AND END CAPS
	05.55200	INFO RAIL WHITE	200 cm	INCLUDES FASTENER MATERIAL AND END CAPS
	05.55300	INFO RAIL WHITE	300 cm	INCLUDES FASTENER MATERIAL AND END CAPS
_	05.54025	INFO RAIL ALU	25 cm	INCLUDES FASTENER MATERIAL AND END CAPS
	05.54050	INFO RAIL ALU	50 cm	INCLUDES FASTENER MATERIAL AND END CAPS
	05.54100	INFO RAIL ALU	100 cm	INCLUDES FASTENER MATERIAL AND END CAPS
	05.54200	INFO RAIL ALU	200 cm	INCLUDES FASTENER MATERIAL AND END CAPS
	05.54300	INFO RAIL ALU	300 cm	INCLUDES FASTENER MATERIAL AND END CAPS
	05.56025	INFO RAIL BLACK STRUCTURE	25 cm	INCLUDES FASTENER MATERIAL AND END CAPS
	05.56100	INFO RAIL BLACK STRUCTURE	100 cm	INCLUDES FASTENER MATERIAL AND END CAPS
	05.56200	INFO RAIL BLACK STRUCTURE	200 cm	INCLUDES FASTENER MATERIAL AND END CAPS

END CAP INFO RAIL WHITE (L&R)

END CAP INFO RAIL GREY (L&R)

END CAP INFO RAIL BLACK (L&R)

05.47150





The Info Rail is the ideal display system for displaying cards, posters, drawings and photos on the wall. Thanks to the Info Rail, you can create a tidy, orderly display of your documents. This system means no more damaged walls from thumbtacks, tape and so on, and changing drawings or posters is fast and easy. This hanging system has become particularly indispensable in classrooms and school corridors. The Info Rail is also an ideal system for displaying or sharing information at home and the office.

Easy assembly thanks to clips

The Info Rail has been developed for hanging documents using a triple rubber clamping mechanism in the rail. Paper from 80 g to cardboard 2 mm thick can be firmly clamped into the rail. After mounting the Click & Connect clips to the wall, it's easy to attach the Info Rail to the clips. Available in different lengths, the Info Rail is easy to link to other Info Rails or shortened. Whether you want to display photos or drawings or keep recipes within easy reach, the Info Rail offers the solution.



INFO RAIL CLIP HANGER



05.47200

CLIP HANGER

59 x 8,5 x 23 mm

DISPLAY HANGING SYSTEMS - RAIL SYSTEMS

INFO RAIL me-CLIP



05.4710

me-CLIP

44,5 x 74 x 13 mm



DISPLAY HANGING SYSTEMS - RAIL SYSTEMS

INFO RAIL me



INICO DAII	144.0	ALL-IN SET	
INFO RAIL	me	ALL-IIN SET	



V JL I				
05.53100	INFO RAIL ME WHITE	100 cm	includes 4 x <i>me</i> -clip	INCLUDES FASTENER AND END CAF
05.53200	INFO RAIL ME WHITE	200 cm	includes 4 x <i>me</i> -clip	IINCLUDES FASTENER AND END CAF




Info Rail me-personal and organised

The *me*-clip adds an extra personal and beautifully designed element to the Info Rail system. A name can be added to the contents of the clip. A great solution for the perfect presentation and communication tool. The clip is always adaptable and always keeps its 100% quality appearance, no matter how often the clip is used. It's handy, and directly and rapidly adaptable thanks to Info Rail's smart, flexible properties.

Clip Hanger voor Info Rail

With a simple click, the Clip Hanger is attached to the Info Rail, allowing a craft project to be hung up. In combination with the meclip, art creations can be presented in a fun and personal manner.





DISPLAY HANGING SYSTEMS - RAIL SYSTEMS

CARD RAIL






7220.110 **CARD RAIL WHITE (RAL 9016)** 114 cm INCLUDES FASTENER MATERIAL, END CAPS AND 4 MOUSE MAGNETS (WHITE)

EXTRA / OPTIONAL











Practical use of narrow wall spaces

100 | ARTITEQ.COM ARTITEQ.COM | 101

MAGAZINE RAIL



MAGAZINE RAIL BLACK


MAGAZINE RAIL ALU

05.14010 FASTENER SET (CLIP + END CAPS L&R + SCREWS AND PLUGS)

05.14166

166 cm INCLUDES FASTENER MATERIAL + END CAPS

166 cm INCLUDES FASTENER MATERIAL + END CAPS



KG

WARRANTY











Attractive presentation: magazines on the wall

MAGAZINE RAIL

Get rid of those messy piles of magazines. Magazine Rail organises periodicals and magazines in a very attractive manner. Unlike other presentation systems, it all looks orderly and eye-catching. Suitable for a modern interior, decorated with attention to detail and the experience of users. The Magazine Rail has fixed mounting, directly to the wall. Several rails below one another allow several magazines to be presented. The rail is available in 99 cm, 133 cm and 166 cm, for 3, 4 or 5 magazines and in a black or aluminium finish.

SMART POCKET RAIL



SMART F	OCKET F	RAIL	-			
		-				
			05.61200	SMART POCKET RAIL BLACK	200 cm	INCLUDES FASTENER MATERIAL + END CAPS
		Į	05.60200	SMART POCKET RAIL WHITE PRIMER	200 cm	INCLUDES FASTENER MATERIAL + END CAPS
		1				
		J				
		_				
		Π.	7804.210	SMART POCKET A4 (21 X 30 cm)	PORTRAIT	
			7804.310	SMART POCKET A3 (30 X 42 cm)	PORTRAIT	
			7804.220	SMART POCKET A4 (30 X 21 cm)	LANDSCAPE	
EASY TO CHANGE CONTENT	•		7804.320	SMART POCKET A3 (42 X 30 cm)	LANDSCAPE	





Stylish presentation of pictures. ideas and information

A speedy solution for improved, more stylish presentation of pictures, ideas and information. From charts and models to photos of employees. The Smart Pocket Rail can be used for a very wide range of applications and is suitable for internal and external use. It is an ideal system for presenting content in a vivid way. It also transforms a boring wall into a dynamic part of the room. The Smart Pocket Rail is mounted to the wall with clips. You can easily click the acrylic pockets into this rail. You can choose from an A4 or A3 size. Because of the notch at the back and side of the pocket, you can change the content very quickly and easily, without having to remove the smart pockets from the rail.

102 | ARTITEQ.COM ARTITEQ.COM | 103

CLICK RAIL WITH TWISTER HOOK








Twister Hooks, designed by Artiteq, combined with one of the Artiteq hanging rails provide a perfect way of working flexibly with cards or light panels. In classrooms with suspended ceilings, a Top Rail can be attached next to the ceiling. Another option is the Click Rail: a rail that is attached to the wall. The Twister Hook can easily be clicked anywhere on the rail and is simple to move around. The cards will be hanging in a jiffy.

TOP RAIL WITH TWISTER HOOK



_	TOP RAIL BLACK	TWISTER HOOK
ARTICLE NO. 9.6741.	2 x 200 cm*	50x
	*INCLLIDES EAST	ΓΕΝΕΡ ΜΛΤΕΡΙΛΙ

DISPLAY HANGING SYSTEMS

MISCELLANEOUS

FLEXIBLE HIGH QUALITY MULTIFUNCTIONAL



CLICK FRAMES AND POSTER SYSTEMS CLICK FRAMES AND POSTER SYSTEMS



CLICK FRAMES





CLICK FRAME 20 mm A4 21 x 30 cm	7020.021
CLICK FRAME 25 mm A3 30 x 42 cm	7025.030
CLICK FRAME 25 mm A2 42x 60 cm	7025.042

POSTER SYSTEMS





POSTER SNAP 50 cm	7350.050	
POSTER SNAP 70 cm	7350.070	
POSTER SNAP 100 cm	7350.100	
POSTER SNAP 120 cm	7350.120	




SIGN HANGING SYSTEMS



PROFESSIONAL SAFE FLEXIBLE


110 | ARTITEQ.COM ARTITEQ.COM | 111


XPO RAIL LOW HANGING



SIGN HANGING SYSTEMS


XPO RAIL LOW HANGING







XPO RAIL









	3			1
STEELWIRE HOOK AUTO GRIP 1,2 mm STO1BL	STEELWIRE HOOK AUTO GRIP 1,2 mm STO1NI	STEELWIRE HOOK AUTO GRIP 1,2 mm STO2NI	STEELWIRE HOOK AUTO GRIP 1,2 mm STO3NI	STEELWIRE CLAMPHOOK AUTO GRIP 1,2 mm STCO1NI
7807.010	7807.020	7807.030	7807.040	7807.050


* CONTENT FASTENER KIT | 05.15010 | CLIP XPO RAIL | 6x | | 9.4931 | PLUG FISCHER 5 mm | 6x | | 9.4929 | SCREW FOR PLUG FISCHER 5 mm | 6x | | 05.15020 / 05.15030 | END CAP XPO RAIL WHITE / BLACK | 2x | | 2639 | INSTRUCTION | 1x |



POSSIBLE COMBINATIONS:

A + B1/B2 + C1/C2/C3/C4/C5

CEILING



COMBINATION SHOWN:

A2 + B2+ C3


POSSIBLE COMBINATIONS: A1 /A2 + B1/B2/B3 + C1/C2/C3/C4/C5 SIGN HANGING SYSTEMS

CEILING





RECESSED CEILING




COMBINATION SHOWN:

A1 + B1 + C3

POSSIBLE COMBINATIONS: A1 + B1 + C1/C2/C3/C4/C5 A2 + B2 + C1/C2/C3/C4/C5


SIGN HANGING SYSTEMS

RECESSED CEILING





CEILING ACOUSTIC



CEILING ACOUSTIC





COMBINATION SHOWN:


A2 + B2 + C4 + D

POSSIBLE COMBINATIONS:

A1/A2 + B1/B2 + C1/C2/C3/C4 + D A3 + B3 + C1/C2/C3/C4 + D

120 | ARTITEQ.COM ARTITEQ.COM | 121


LOOP HANGER



COMBINATION SHOWN: A + B + C5

POSSIBLE COMBINATIONS: A + B + C1/C2/C3/C4/C5

LOOP HANGER










UNI HANGER / PANEL GRIPS

SIGN HANGING SYSTEM

UNI HANGER / PANEL GRIPS








SIGN HANGING SYSTEMS

SIGN HANGING SYSTEMS















Artited has selected the Fischer UX 5x30 R plug to be used in combination with its hanging systems. The Fischer UX 5x30 R plug can be used in different kinds of materials, such as concrete, stone and plasterboard. Depending on the material, the plug can support a maximum load of 30 kg. The drill used with the plug must have a diameter of 5 mm. The plug is 30 mm in length. The screw used with the plug is 38 mm long and has a diameter of 3.5 mm (to be used in combination with a PZ2 bit).

To determine the maximum load of a signing hanging system, it must be known what type of mounting materials will be used and what surface (i.e. type of material) these will be attached to. The components of the signing hanging system all have a maximum bearing capacity. This is the maximum bearing capacity for the component itself and not the maximum bearing capacity that must be taken into account for the system as a whole. For the whole system, the load capacity that is recommended for the mounting material in combination with the respective base material, takes precedence.

For every signing hanging system, the weight that you wish to hang must be balanced against the maximum load capacity of the mounting material. If systems are hung from other hanging components, such as recessed ceilings, you have to know the maximum load of this hanging component before fitting our systems. The tables below show the maximum load capacity for the Fischer plug in combination with different materials and the maximum bearing capacity for each component for the different signing hanging systems.


TYPE			UX 5X 30
RECOMMENDED LOADS IN THE RESPEC	TIVE BASE MATERIAL F _{red}	2)	
Concrete	≥ C20/25	[kN]	0,30
Solid brick	≥ Mz 12	[kN]	0,20
Perforated sand-lime brick	≥ KSL 12	[kN]	0,30
Vertically perforated brick	≥ HIz 12	[kN]	0,20
Aerated concrete	≥ AAC 4	[kN]	0,15
Gypsum plasterboard	12,5 mm	[kN]	0,10
Gypsum plasterboard	25 mm	[kN]	0,10
Gypsum fibreboard	(Fermacell)	[kN]	0,20
Gypsum block	□ ≥ 0,9 kg/dm³	[kN]	-



1 Required safety factors are considered. 2 Valid for tensile load, shear load and oblique load under any angle

ART. NO.	DESCRIPTION	MAX. LOAD Capacity
7807.060	Suspension bracket Xpo Rail 1,2 mm	15 kg
7807.200	Steelwire + slider 1,2 mm 200 cm black	15 kg
7807.210	Steelwire + slider 1,2 mm 200 cm nickel	15 kg
7807.100	Ceiling Bracket black CO1BL	15 kg
7807.110	Ceiling Bracket nickel CO1NI	15 kg
7807.140	Ceiling Suspension auto grip 1,2 mm CSO1NI	15 kg
7807.350	Steelwire 7x7 1,2 mm 10 m	15 kg
7805.052	Loop Hanger 1,0 mm - 1,5mm	10 kg
7807.120	Recessed Ceiling Clip 20 mm	5 kg
7807.130	Recessed Ceiling Clip 20 mm + suspension auto grip 1,2 mm	5 kg
7807.310	Steelwire + hook 1,2 mm 300 cm	15 kg
7807.010	Steelwire Hook auto grip 1,2 mm ST01BL	15 kg
7807.020	Steelwire Hook auto grip 1,2 mm ST01NI	15 kg
7807.030	Steelwire Hook auto grip 1,2 mm STO2NI	15 kg
7807.040	Steelwire Hook auto grip 1,2 mm STO3NI	15 kg
7807.400	Acoustic Spring 01-NI	5 kg
7807.050	Steelwire Clamphook auto grip 1,2 mm STC01NI	15 kg
	· · · · · · · · · · · · · · · · · · ·	·

SALES SUPPORT



HIGH QUALITY MULTIFUNCTIONAL DESIGN

DISPLAYS & DEMONSTRATION TOOLS



DISPLAY HANGIN	DISPLAY HANGING SOLUTIONS MICRO GRIP			
3291C	DISPLAY HANGING SOLUTIONS MICRO GRIP	50x34x212 cm		
CONTENT DISPLA	AY HANGING SOLUTIONS MICRO GRIP (3291C)	QUANTITY		
9.7130	ALL-IN-ONE KIT 2 m CLICK MICRO GRIP RAIL WHITE PRIMER	12		
9.7131	ALL-IN-ONE KIT 4 m CLICK MICRO GRIP RAIL WHITE PRIMER	8		
9.7090	MICRO GRIP 2 mm (2X)	10		
9.7091	TWISTER 2 mm PERLON 2mm 200 cm + MICRO GRIP 2 mm	10		
9.7092	TWISTER 2 mm PERLON 2mm 200 cm (2X)	5		
9.7093	INSTALLATION SET CLICK RAIL 2 m	5		
9.7094	PICTURE MOUSE SOLO	5		
9.7141	INFO RAIL RETAIL PACK WHITE 100 cm	5		

CONTENT DISPLAY 3291C:

INFO RAIL RETAIL PACK



9.7141 INFO RAIL RETAIL PACK WHITE 100 cm

SEE PAGE 96 FOR INFO RAIL

CONTENT DISPLAY 3291C:

ALL-IN-ONE CLICK RAIL WHITE PRIMER TWISTER MICRO GRIP 20 KG HOOK





SEE PAGE 8 FOR CLICK RAIL

CONTENT DISPLAY 3291C:

	, 0_0.0.	001112111 210	
ACCESSORIES RETAIL SETS			
MICRO GRIP 2 mm (2x)	9.7090	Artical	
TWISTER 2 mm PERLON 200 cm + MICRO GRIP 2 mm	9.7091	Tel line	
TWISTER 2 mm PERLON 200 cm (2x)	9.7092		
INSTALLATION SET CLICK RAIL 2 m	9.7093	Art hall	
PICTURE MOUSE SOLO	9.7094	Sal inc	

DISPLAYS & DEMONSTRATION TOOLS



DISPLAY ART HANGING SOLUTIONS XS		
3290C	DISPLAY AHS XS	50 x 34 x 212 cm

CONTENT DISPLAY	QUANTITY	
9.7051	END CAP WHITE (2x)	6
9.7053	CORNER CONNECTOR (2x)	6
9.7055	CLICK & CONNECT (6x) + SCREWS + PLUGS	6
9.7076	TWISTER 2 mm PERLON 200 cm (2x)	12
9.7058	H00K 15 kg (2x)	6
9.7082	HOOK 4 kg +TWISTER 2 mm PERLON 150 cm	6
9.7075	H00K 4 kg (2x)	6
9.7083	HOOK 15 kg + TWISTER 2 mm PERLON 150 cm	6
9.4348	CLICK RAIL WHITE PRIMER 200 cm	20
9.7162	ALL-IN-ONE KIT CLICK RAIL WHITE PRIMER 200 cm	12
	BROCHURE	25
3290	DISPLAY	1

ACCESSORIES RETAIL SETS



9.7051	END CAP WHITE (2x)
9.7053	CORNER CONNECTOR (2x)
9.7055	CLICK & CONNECT (6x) + SCREWS+ PLUGS
9.7076	TWISTER 2 mm PERLON 200 cm (2x)
9.7058	H00K 15 kg (2x)
9.7082	HOOK 4 kg +TWISTER 2 mm PERLON 150 cm
9.7075	H00K 4 kg (2x)
9.7083	HOOK 15 kg + TWISTER 2 mm PERLON 150 cm
9.7077	TWISTER 2 mm STEELWIRE 200 cm 2X
9.7085	INSTALLATION SET WHITE

ALL-IN-ONE CLICK RAIL TWISTER 15 KG HOOK









ARTITEQ.COM | 133

DISPLAYS & DEMONSTRATION TOOLS

DEMONSTRATION TOOLS



DEMONSTRATION B	DEMONSTRATION BOARDS		
9.5730	DEMOBOARD CLICK RAIL PRO 50 x 130 cm		
9.5731	DEMOBOARD COMBI RAIL PRO LIGHT 50 x 130 cm		
9.5732	DEMOBOARD CLASSIC RAIL + CLASSIC RAIL + 50 x 130 cm		
9.5733	DEMOBOARD DECO RAIL 50 x 130 cm		
9.5735	DEMOBOARD DISPLAY IT FIXED + FLEX 50 x 130 cm		
9.5737	DEMOBOARD MAGNETIC SOLUTIONS 50 x 130 cm		
9.5739	DEMOBOARD WHITEBOARDSET + PARTITION WALL HOOKS 50 x 130 cm		
9.5740	DEMOBOARD CONTOUR RAIL 50 x 130 cm		
9.5741	DEMOBOARD LOOP HANGER 50 x 130 cm		
9.5742	DEMOBOARD INFO RAIL + INFO RAIL ME 50 x 130 cm		
9.5743	DEMOBOARD CLICK FRAMES + POSTER SNAP 50 x 130 cm		
9.5745	DEMOBOARD SHADOWLINE 50 x 130 cm		
9.5746	DEMOBOARD ARTSTRIP + CEILING STRIP 50 x 130 cm		
9.5747	DEMOBOARD TOP RAIL + UP RAIL 50 x 130 cm		





FLOORDISPLAY (DO	UBLE-SIDED)
3324	DISPLAY (150 cm HEIGHT, 40 cm WIDTH)
CHOOSE 2 PANELS:	
9.5801	PICTURE HANGING SYSTEMS - WALL SYSTEMS
9.5802	PICTURE HANGING SYSTEMS - CEILING/INTEGRATED SYSTEMS
9.5803	PICTURE HANGING SYSTEMS - FRAME ACCESSORIES
9.5807	PICTURE HANGING SYSTEMS - SOLO SYSTEMS
9.5805	DISPLAY HANGING SYSTEMS - CABLE SYSTEMS
9.5808	DISPLAY HANGING SYSTEMS - RAIL SYSTEMS
9.5804	SIGN HANGING SYSTEMS
9.5806	SIGN HANGING SYSTEMS - RAIL
9.5809	PRESENTATION SYSTEMS - DISPLAY IT LED FLEX
9.5810	PRESENTATION SYSTEMS - DISPLAY IT LED FIXED

SALES SUPPORT

DISPLAYS & DEMONSTRATION TOOLS

DEMONSTRATION TOOLS

SAMPLE K	П	
3250	PICTURE HANGING SYSTEMS - INTEGRATED	15,5 x 7,5 x 7,5 cm
3252	SAMPLE KIT PICTURE HANGING SYSTEMS - WALL (CONTOUR RAIL / CLICK RAIL / CLICK RAIL PRO)	25 x 12,5 x 2,5 cm
3254	SAMPLE KIT PICTURE HANGING SYSTEMS - CEILING (ART STRIP / TOP RAIL)	25 x 12,5 x 2,5 cm











3RO	CHI	JRES

ARTICLE NO.	DESCRIPTION
2740	ARTITEQ PRODUCT CATALOGUE NL
2741	ARTITEQ PRODUCT CATALOGUE EN
2742	ARTITEQ PRODUCT CATALOGUE FR
2743	ARTITEQ PRODUCT CATALOGUE DE
2490	BROCHURE FOR SCHOOLS NL
2491	BROCHUREFOR SCHOOLS EN
2492	BROCHURE FOR SCHOOLS FR
2493	BROCHURE FOR SCHOOLS DE
2494	BROCHURE INTEGRATED SYSTEMS NL
2495	BROCHURE INTEGRATED SYSTEMS EN
2496	BROCHURE INTEGRATED SYSTEMS FR
2497	BROCHURE INTEGRATED SYSTEMS DE
2680	BROCHURE B2B NL
2681	BROCHURE B2B EN
2685	BROCHURE BACK FRAME HANGING SYSTEM NL
2686	BROCHURE BACK FRAME HANGING SYSTEM EN

ARTICLE NO.	DESCRIPTION
3746	BROCHURE ENJOY LIFE LOVE LIVING NL
3747	BROCHURE ENJOY LIFE LOVE LIVING EN
3748	BROCHURE ENJOY LIFE LOVE LIVING FR
3450	BROCHURE ENJOY LIFE LOVE LIVING DE
2602	BROCHURE IMAGINE IT NL
2603	BROCHURE IMAGINE IT FR
2604	BROCHURE IMAGINE IT DE
2605	BROCHURE IMAGINE IT EN
2725	BROCHURE DISPLAY IT LED NL
2726	BROCHURE DISPLAY IT LED EN
2727	BROCHURE DISPLAY IT LED DE
2728	BROCHURE DISPLAY IT LED FR
1059	MINI CATALOGUE



INDEX

ARTICLE NO.	PAGE	ARTICLE NO.	PAGE	ARTICLE NO.	PAGE	ARTICLE NO.	PAGE	ARTICLE NO.	PAGE
05.01210	8	05.16050	72	05.75362	32	2493	135	30.41200	60/63
05.01310	8	05.16060	72	09.09166	79	2494	135	30.41250	60/63
05.05320	10	05.16300	72	09.13100	59	2495	135	30.42100	65
05.05330	10	05.16301	72	09.13150	59	2496	135	30.42150	65
05.05420	10	05.17010	72	09.13200	59	2497	135	30.42200	65
05.05430	10	05.17300	72	09.13250	59	2563	22	3199	132/133
05.06010	22/38	05.17301	72	09.13300	59	2602	135	3250	135
05.06020	22	05.47100	94	09.23100	59	2603	135	3252	135
05.06200	22	05.47150	98	09.23150	59	2605	135	3254	135
05.06300	22	05.47160	96	09.23200	45/59	2606	135	3255	135
05.07310	34	05.47170	96	09.23250	59	2620	135	3289	19
05.08310	34	05.47200	98	09.23300	59	2621	135	3290	132/133
05.08320	35	05.53100	98	09.23500	59	2622	135	3291C	130/131
05.08330	35	05.53200	98	09.33100	59	2623	135	3301	135
05.08410	37	05.54025	96	09.33150	59	30.11200	12/13	3324	130
05.08420	36	05.54050	96	09.33200	59	30.11201	12/13	3746	135
05.09166	81/83	05.54100	96	09.33250	59	30.11300	12/13	3747	135
05.10166	81/83	05.54200	96	09.33300	59	30.11301	12/13	3748	135
05.13099	102	05.54300	96	09.33500	59	30.21150	59	3750	135
05.13133	102	05.55025	96	09.63150	125	30.21200	59	40.11200	14
05.13166	102	05.55050	96	09.63200	125	30.21220	38	40.11300	14
05.14010	102	05.55100	96	09.63300	125	30.21300	59	40.21200	14
05.14099	102	05.55200	96	1015	30	30.22150	59	40.21500	14
05.14133	102	05.55300	96	1016	30	30.22200	59	40.21700	14
05.14166	102	05.56025	92	1017	32	30.22300	59	40.31300	14
05.15010	115	05.56100/200	92	1059	135	30.31110	38	40.31500	14
05.15020	115	05.60100	103	2386	8	30.31180	13	40.32060	14
05.15030	113/115	05.60200	103	2387	11	30.31210	12/38	40.32100	14
05.15200	115	05.61100	103	2388	12	30.31220	13/39	40.32300	14
05.15201	113/115	05.61200	103	2389	17	30.31310	12/39	40.41120	14
05.15202	115	05.75100	30/32	2390	24	30.31320	12/39	40.41135	14
05.16010	72	05.75110	30	2490	135	30.31330	12/39	40.41150	14
05.16030	72	05.75126	30	2491	135	30.31340	12/39	40.41303	14
05.16040	72	05.75213	30	2492	135	30.41100	60/63	40.41306	14

INDEX

_					_				
ARTICLE NO.	PAGE	ARTICLE NO.	PAGE	ARTICLE NO.	PAGE	ARTICLE NO.	PAGE	ARTICLE NO.	PAGE
40.41308	14	5038A	135	7803.301	85/91	7807.310	119	9.4105	38
4050	77	5092	111	7803.302	85/91	7807.350	113/117/119/ 121/123	9.4107	38
4051	77	5093	111	7804.210	83/103	7807.400	121	9.4108	38
40.51350	54	5094	8/39	7804.220	83/103	7807.900	113/117/119/ 121/123	9.4112	38
40.51360	54	5095	8/39	7804.310	83/103	7820.200	81/83	9.4113	38
4054	76	7020.021	108	7804.320	83/103	7820.210	81/83	9.4114	38
4055	76	7025.030	108	7805.001	89/91	7820.220	81/83	9.4119	38
4056	77	7025.084	108	7805.002	89/91	7820.400	89	9.4120	38
4057	76	7220.110	100	7805.003	91	7830.401	89	9.4121	38
4058	76	7350.050	108	7805.005	89/91	7835.040	103	9.4122	38
4059	76	7350.070	108	7805.007	65/68	7840.100	68	9.4123	38
4060	8/39	7350.100	108	7805.014	68	7840.150	45	9.4124	38
4061	8/39	7350.120	108	7805.016	68	7840.220	44	9.4151	17
4064	8/39	7410.001	47	7805.030	45	7840.240	44	9.4152	17
4065	8/39	7410.002	47	7805.040	45	7840.300	123	9.4153	17
4066	10/39	7410.003	47	7805.042	44	7840.310	123	9.4155	17
4067	10/39	7410.004	47	7805.050	76	7840.320	123	9.4161	17
4068	24/39	7430.001	89	7805.052	123	7840.330	123	9.4162	17
4069	24/39	7430.010	68/100	7805.055	76	805.249	72	9.4163	17
4070	24/39	7430.020	68/100	7806.140	123	807.025	77	9.4165	17
4071	17/18	7600.110	42	7806.150	123	808.130	77	9.4170	17
4072	17/18/39	7600.120	42	7807.010	113/115/117/ 119/121/123	808.600	77	9.4171	17
4073	10/39	7700.003	85	7807.020	113/115/117/ 119/121/123	808.650	77	9.4188	91
4074	10/39	7700.004	85	7807.030	113/115/117/ 119/121/123	808.720	77	9.4196	59
4075	24/39	7706.003	85/87	7807.040	113/115/117/ 119/121/123	809.001	77	9.4198	59/91
4076	24/39	7706.004	85/87	7807.050	113/115/117/ 119/121/123	809.002	77	9.4205	60/63
4077	24/39	7710.010	85	7807.060	113	809.500	77	9.4207	60/63
4078	17/18/39	7710.020	85	7807.100	113/117/121	809.510	77	9.4208	60/63
4079	17/18/39	7710.030	87	7807.110	113/117/121	809.520	77	9.4209	60/63
4098	22/39	7720.183	85	7807.120	119	809.530	77	9.4211	77
4099	22/39	7730.060	85	7807.130	119	809.540	77	9.4216	17
50.51370	54	7730.200	85	7807.140	113/117/121	9.3390	19	9.4217	17
50.51380	54	7803.211	85/91	7807.200	113/115/ 117/121	9.3394	45	9.4218	67
5038	135	7803.212	85/91	7807.210	113/115/ 117/121	9.4104	38	9.4219	60/63

ARTICLE NO.	PAGE	ARTICLE NO.	PAGE	ARTICLE NO.	PAGE	ARTICLE NO.	PAGE	ARTICLE NO.	PAGE
9.4220	19	9.4313	24	9.4414	45	9.4979	47	9.6672	65
9.4221	19	9.4314	24	9.4415	45	9.4990	76	9.6674	65
9.4222	19	9.4318	18	9.4416	45	9.5522	76	9.6740	104
9.4235	65	9.4319	18	9.4421S	76	9.5621	50	9.6741	105
9.4237	17	9.4320	18	9.4424	46	9.5622	51	9.7051	132/133
9.4238	47	9.4321	18	9.4425	46	9.5623	51	9.7053	132/133
9.4239	47	9.4323	24	9.4426	46	9.5627	50	9.7055	132/133
9.4241	45	9.4324	24	9.4427	46	9.5628	51	9.7058	132/133
9.4244	17	9.4326	24	9.4428	46	9.5629	50	9.7061	132/133
9.4246	47	9.4327	24	9.4430	76	9.5630	51	9.7062	132/133
9.4247	47	9.4339	8	9.4431	76	9.5730	134	9.7063	132/133
9.4248	47	9.4340	8	9.4500	47	9.5731	134	9.7064	132/133
9.4253	19	9.4341	8	9.4503	46	9.5732	134	9.7075	132/133
9.4255	19	9.4342	8	9.4504	46	9.5733	134	9.7076	132/133
9.4256	19	9.4343	8	9.4506	46	9.5735	134	9.7082	132/133
9.4261	60/63	9.4346	8	9.4510	66	9.5737	134	9.7083	132/133
9.4262	60/63	9.4348	8/128/129	9.4540	47	9.5739	134	9.7090	130/131
9.4271	19	9.4349	8	9.4541	47	9.5740	134	9.7091	130/131
9.4272	19	9.4350	8	9.4550	93	9.5741	134	9.7092	130/131
9.4273	19	9.4351	8	9.4900	24/38	9.5742	134	9.7093	130/131
9.4274	19	9.4353	8	9.4901	38	9.5743	134	9.7094	130/131
9.4277	19	9.4354	8	9.4902	38	9.5745	134	9.7130	53/130/131
9.4278	19	9.4357	17	9.4903	38	9.5746	134	9.7131	53/130/131
9.4279	19	9.4358	17	9.4904	76	9.5747	134	9.7141	130/131
9.4280	19	9.4362	24	9.4905	76	9.5801	134	9.7161	52/132/133
9.4290	19	9.4367	24	9.4911	76	9.5802	134	9.7162	52/132/133
9.4291	19	9.4372	8	9.4912	38	9.5803	134	9.7163	52/132/133
9.4293	19	9.4378	24	9.4913	38	9.5804	134	9.7164	52/132/133
9.4303	8	9.4379	24	9.4928	38	9.5805	134	9.9004	65
9.4304	8	9.4390	17	9.4929	38/113/115/ 117/121/125	9.5806	134		
9.4305	17	9.4391	17	9.4931	38/113/115/ 117/121/125	9.5807	134		
9.4306	17	9.4400	65	9.4955	76	9.5808	134		
9.4307	17	9.4402	65	9.4975	47	9.6644	67		
9.4308	17	9.4404	76	9.4976	47	9.6645	65		
9.4309	24	9.4412	47	9.4977	47	9.6670	65		
9.4310	24	9.4413	47	9.4978	47	9.6671	65		



ARTITEQ
HERASTRAAT 39
5047 TX TILBURG
THE NETHERLANDS
T +31 (0)13 572 90 70
F +31 (0)13 572 90 75
INFO@ARTITEQ.COM
WWW.ARTITEQ.COM