

PRODUCT CATALOGUE 2023





- 52 EGO Power⁺ Professional-X Top Handle Chainsaw
- 54 EGO Power⁺ Professional-X Telescopic Pole System
- 58 EGO Power⁺ Line Trimmers & Brush Cutter
- 65 EGO Power⁺ Professional-X Rotocut
- 66 EGO Power⁺ Professional-X Line Trimmers / Brush Cutters
- **70** EGO Power⁺ Hedge Trimmers
- 80 EGO Power⁺ Blowers
- 88 EGO Power⁺ Snow Throwers
- 92 EGO Power+ Multi-Tool
- 104 EGO Power+Lifestyle
- 110 A Greener Future
- 112 EGO Power+ Accessories
- 116 EGO Power⁺ Product Features





LEADING EUROPE TO A BATTERY POWERED FIITURE

Our unique patented 56V ARC Lithium™ batteries are designed to maximise performance. Boasting the outdoor tool industry's highest energy capacity in a portable battery, they last longer and charge quickly. Each battery is interchangeable across the entire EGO cordless range – delivering optimum power and performance for every tool and every job.

Batteries designed to be better.

Our battery's unique ARC-shaped design and KeepCool™ Technology work together to lower temperature and prevent overheating and shutdowns. Each battery's intelligent power management system works hand-in-hand with all tools to ensure the very best power, performance and run time. E60's superior battery technology really does deliver power beyond belief.

Experts in battery technology.

Our industry-leading innovation stems from a talented team of over 400 highly qualified technicians. Their expertise is the driving force behind our future-focused research and development, and our award-winning range of outdoor cordless products.

Experts in tool technology.

Our dedication to innovation doesn't stop with our battery. We listen to our users and have developed world-first patented tool technologies that answer some of the biggest user pain points in the industry, such as Line IQ™ Technology, Peak Power™ Performance and Powerload™ Technology.

SMARTER, GREENER WAYS TO WORK OUTDOORS

At EGO, we think beyond performance. Our experts are relentless in their drive to innovate tools for a better world. EGO's 56V ARC Lithium™ batteries not only outperform fuel, they are better for the environment.

Petrol-powered outdoor tools produce more nitric oxide, nitrogen dioxide and carbon dioxide than car engines. With zero toxic emissions in use, EGO power tools are cleaner, quieter, and safer. Without the need for fossil fuel, they are also cheaper to run and maintain. Our cordless tools are designed with smart features that pose no risk to users' health and are comfortable to use for prolonged periods.

Influencing change through innovation.

We're a leading manufacturer working at the forefront of transformative technology, yet our desire to create a greener future isn't limited to the products we develop. It pervades the ways we operate and the places we work, as well as the relationships we have with our customers and partners. Read more about our Challenge2025 initiative on page 110.

Our results speak for themselves.

97% of EGO customers recommend
our products and our average product
rating is 4.6 out of 5 stars.*

* Correct at time of going to press



4 | INTRODUCTION | 5





A BATTERY DESIGNED LIKE NO OTHER

EGO's unique patented 56V ARC Lithium™ battery delivers the industry's highest energy capacity.

Our team of experts has revolutionised battery technology to deliver the optimum power and performance for outdoor cordless tools. EGO's 56V batteries deliver more usable power than any other portable battery. The eight batteries in our range can be used flexibly with each one of our cordless tools.

Key to its performance is the battery's intelligent design.

The innovative ARC shape of our 56V battery increases surface area, placing the battery cells close to the surface to maximise cooling and prevent overheating. Each battery cell is surrounded by E6O's unique KeepCool™ Technology, designed to absorb heat energy and keep the cells at their optimum temperature for longer run times. Software and microprocessors monitor and optimise each cell to deliver the best power and performance for every job.

Super fast recharge.

Our commitment to innovation not only delivers the industry's highest energy capacity in a portable battery. It also means that when it's time to recharge, the EGO Power⁺ 56V ARC Lithium™ battery is one of the quickest around.



EGO POWER⁺ ARC LITHIUM™ BATTERY, DESIGNED TO MAXIMISE PERFORMANCE

The patented 56V ARC Lithium[™] battery doesn't just manage heat, it maximises cooling.


A battery gets hotter the longer it's used. The more power it generates, the more heat is released. Too much heat and the battery will shut down for safety. Heat also degrades cells over time, reducing battery life. That's why batteries must be cooled effectively to increase performance, run time and battery life.

Our batteries have been designed to cool effectively in three innovative ways: mechanically, chemically and electronically.

Unique ARC design.

Unlike conventional brick-shaped batteries where the cells are packed together, the ARC shaped design increases surface area, places the cells close to the surface and fits onto the outside of EGO tools. This dissipates heat more effectively, preventing overheating and shut-downs.









INCREASED Surface area

The battery ARC shape has been carefully designed to optimise cooling and reduce overheating. Unlike "brick shaped" batteries, the individual battery cells are positioned adjacent to the external housing so heat can be easily transferred away from the cells.



KEEPCOOL™ Technology

It's not just the innovative ARC design that helps prevent overheating. The battery has another clever way to keep cool. Each and every cell is surrounded by our unique KeepCool™ phase change material that absorbs heat energy and keeps individual cells at their optimum temperature for longer run times.



INTELLIGENT POWER

Power is nothing without control. It's why the EGO Power* 56V ARC Lithium" battery is continuously controlled by software and microprocessors within the battery and by the tools' intelligent power management systems. These constantly monitor and optimise each individual cell, to deliver the very best power, performance and run time.



EXTERIOR Mounted Battery

Unlike other manufacturers, EGO batteries fit onto the outside of the tools and are not encased within the tool, which means they stay cool to deliver longer lasting power. To keep them safe and sound, the electronics are protected from dust and moisture by a resin coating and the cells are packaged in a robust case that absorbs shocks and vibrations.

6 | EGO POWER* BATTERY TECHNOLOGY

ANY BATTERY,

Our industry-leading 56V ARC Lithium™ performance and long run times, simply select your tool, click in and go.



EGO POWER† Z6 ZERO-TURN Ride-on Mowers




EGO POWER+ Snow throwers









HEDGE TRIMMERS



CULTIVATOR





EGO POWER+ Multi-tool













EGO POWER PROFESSIONAL X









BATTERY HOLSTER



EGO POWER⁺ Professional-X TOP HANDLE CHAINSAW



EGO POWER+ Professional-X Hedge trimmers

EGO POWER*
PROFESSIONAL-X
TELESCOPIC
POLE SYSTEM

HEDGE TRIMMER

PRUNING SAW





ROTOCUT

BRUSH CUTTER

8 | THE EGO POWER+ SYSTEM THE EGO POWER+ SYSTEM 9

EGO POWER† Line trimmers & Brush Cutters





THE POWER TO **OUTPERFORM**

Introducing the innovative EGO Power+ system from the cordless specialists. EGO Power+ delivers petrol-matching power without noise, fuss, or emissions.

Our industry-leading 56V ARC Lithium™ battery technology offers a new level of performance, giving you the power you need to keep working hard until the job's done. With impressive run times and fast recharge, there's no need to purchase or store highly flammable fuel. Instead, you get the freedom to work emission-free. For total flexibility, all of EGO's 56V ARC Lithium™ batteries fit every tool in the EGO Power⁺ 56V range.* Just click in the battery and you're ready to go. When you try this revolutionary cordless system you'll never look back.

The support of our service dealer network.

EGO approved service dealers can help you select the most suitable tools for your needs, give you face-to-face advice and provide a diagnostic service to keep your tools running for years to come. With a nationwide network of EGO approved service dealers, you're never too far from the support you need.

Industry-leading warranties.

Domestic user

For domestic users we offer a 5-year warranty on all tools and a 3-year warranty on batteries, when registered within 30 days of purchase.**

Professional user

We offer professional users a 3-year warranty on the Professional-X range, and a 2-year warranty on the Professional range when tools are registered within 30 days of purchase.**

| | TO | OLS | BATTERIES | | | | | |
|----------------|-------------------------|-------------------------|-------------------------|-------------------------|--|--|--|--|
| | DOMESTIC USE | PROFESSIONAL USE | DOMESTIC USE | PROFESSIONAL USE | | | | |
| POWER | 5 YEAR TOOL WARRANTY | 1 YEAR TOOL WARRANTY | 3 YEAR RATTERY WARRANTY | | | | | |
| POFESSIONAL | 5 YEAR TOOL WARRANTY | 2 YEAR TOOL WARRANTY | 3 YEAR RATTERY WARRANTY | 2 YEAR BATTERY WARRANTY | | | | |
| PROFESSIONAL X | 5 YEAR TOOL WARRANTY | 3 YEAR TOOL WARRANTY | 3 YEAR BATTERT WARRANTY | 3 YEAR BATTERY WARRANTY | | | | |

SWITCH

The EGO Power⁺ system outperforms petrol without any of the downsides. It's simpler, cleaner, quieter - and with less vibrations, more comfortable to use. Lower running and maintenance costs means switching to EGO Power⁺ leads to long-term savings too. Its cutting-edge battery technology delivers optimum power and performance for every tool and for every job. Plus, with zero emissions during use, it reduces your impact on the environment.



WHY CHANGE FROM PETROL TO EGO POWER+?



SUPERIOR BATTERY TECHNOLOGY

Our industry-leading 56V ARC Lithium™ batteries deliver intelligent, balanced power that outperforms petrol



11/11/10

BETTER FOR THE ENVIRONMENT

BETTER FOR YOUR HEALTH


EASY SET-UP AND STARTING No filling up with fuel; with EGO Power+

just click in the battery and get to work

EGO Power⁺ tools always operate at lower noise and

vibration levels than traditional petrol-powered tools

With zero emissions during use, our 56V ARC Lithium™ battery gives petrol-matching power but without the fuss and fumes



FOLD FLAT, EASY STORE DESIGN

LOWER RUNNING COSTS

Unlike large, heavy petrol mowers, the EGO Power⁺ fold-flat design makes storage, cleaning and transportation simple

The cost of running an EGO Power⁺ product for a month is around the same as using a 2 stroke product for a day*



SAVE TIME

No more trips to the petrol station. EGO's rapid charger refuels our intelligent batteries in as little as 30 minutes



No more dangerous fuel in storage, no more fumes, make more space available for other things

*Based on average daily use of 3 litres of post mix fuel per day.

10 | EGO POWER+ WARRANTIES EGO POWER+ WARRANTIES | 11

^{* 12}V Shrub Shears are not compatible with ARC Lithium™ 56V battery system

^{**} For defects caused by material or manufacturing fault. This does not cover wear and tear. Full terms and conditions are available



NEW FOR 2023

OUR LATEST

The 2023 range pushes the boundaries of innovation, with an expanding ride-on mower and brand-new lifestyle categories.

Each new product has EGO's unrivalled ARC Lithium™ Technology at its core, giving you the power to tackle even bigger and tougher tasks with the same impressive run times and rapid recharge as always.















PAD5000E

P107





FN1800E MISTING FAN

PS1000E **POLE SAW** P53

ST1610E-T

40CM LINE

TRIMMER



PORTABLE Area light

P109







CHOOSE THE RIGHT TOOL FOR ANY TASK

EGO's range of outdoor power equipment is designed to deliver an outstanding level of performance for every outdoor job, providing the right balance of power and usability for domestic, professional and specialist users.

EGO's unique ARC Lithium™ cordless technology combines with best-in-class ergonomic design to deliver maximum power and efficiency for working outdoors.

Work smarter. Work healthier.

Any EGO battery will fit any EGO tool (see pages 8-9), so you can choose the right combination to suit your challenge:

- Range of 8 batteries and 1 backpack battery available, so you can choose the optimum power-to-weight ratio for any task.
- Belt and back harness-mounted options for lighter working.
- Backpack battery options for the most demanding jobs in all weathers.

EGO outdoor power equipment allows you to work in a cleaner, quieter and safer way. EGO delivers the power of petrol, without the emissions, noise and vibration associated with petrol-powered products - better for you and better for the environment.

The best battery power, from the cordless specialists.



PETROL-MATCHING PERFORMANCE FOR DOMESTIC GARDENS



A complete range of cordless outdoor power tools, ideal for regular domestic use.

E60 Power⁺ tools are designed for regular use in domestic gardens. E60 Power⁺ tools gives domestic users, cordless, petrol-matching power without the noise, fuss or emissions. With E60's outstanding level of performance built-in as standard - tackle every garden maintenance task with ease.



PROFESSIONAL

HARD-WEARING TOOLS FOR LARGE GARDENS AND PROFESSIONAL USE



A range designed for heavy-duty use, perfect for large garden maintenance and landscaping professionals.

Ideal for everyday use, the EGO Power⁺ Professional range gives you the edge when facing tougher tasks for longer periods. This range includes additional features, designed to make light work of larger garden maintenance tasks. Whether working in a large garden or tackling commercial jobs, you can rely on EGO Power⁺ Professional tools to be powerful, hard-wearing and robust.



SUPER-TOUGH, SUPER-POWERFUL RANGE FOR PROFESSIONAL AND SPECIALIST USE



A super-tough, super-powerful range of tools designed for garden maintenance professionals, facilities management and specialists.

The EGO Power⁺ Professional-X range is engineered to work harder, all day, every day, in the most challenging conditions. Ergonomic design meets unrivalled power and performance in the Professional-X range. These tools push the boundaries of battery technology, with the power and performance to surpass petrol-powered equivalents. Built to last, the Professional-X range delivers clean, quiet, safe and productive working.

14 | THE EGO POWER+ TOOL CATEGORIES | 15









MINIMAL VIBRATION, **NOISE AND COST**

EGO tools deliver all the power of petrol tools without the physical stresses, noise and vibration.

Choosing EGO's low-vibration cordless tools helps to avoid the risk of Hand-Arm Vibration Syndrome (HAVS). Also known as 'Vibration White Finger', it can cause painful and disabling disorders of the blood vessels, nerves and joints.

Comfortable for all day use.

With a smooth brushless motor and fewer moving parts, all EGO tools have been designed to operate with low levels of vibration, often under the 2.5m/s2 Exposure Action Value limit (EAV) and well below the Exposure Limit Value (ELV). This allows users to work comfortably all day.

Quieter working conditions.

Daily exposure to noisy petrol tools can lead to increased work-related stress, hearing loss and Tinnitus - a permanent ringing sensation in the ears. EGO tools are much quieter than petrol-powered alternatives and reduce the risk of increased stress levels and potential hearing loss over long-term use.



PETROL VS. EGO POWER+

Based on a customer purchasing three tools from the Professional-X range - the HTX7500 hedge trimmer, STX3800 line trimmer and LBX6000 leaf blower, plus the backpack harness and rapid charger to run all three tools, and petrol-powered equivalent tools and fuel.

| PETROL INITIAL OUTLAY YEAR 1 | PROFESSIONAL-X RANGE |
|--|--|
| TOOLS 2.240,00 € | TOOLS 1.267.00 € |
| SERVICING 359.99 € | BATTERIES & CHARGERS 1.286,00 € |
| FUEL 1.069,16 € | ELECTRICITY 62.91 € |
| COST YEAR 1 3.309.16 € Inc purchase of tools | 2.615.91 € Inc purchase of tools G93.25 € Year 1 saving |
| COST YEAR 2 1.506.13 € Fuel and servicing | 64.15 € 1.441.98 € Recharge cost only Year 2 saving |
| COST YEAR 3 1.588,65 € Fuel and servicing | 65,42 € 1.523,23 € Recharge cost only Year 3 saving |
| COST YEAR 4 1.677.11 € Fuel and servicing | 66.71 € Recharge cost only 1.610.40 € Year 4 saving |
| COST YEAR 5 1.771.94 € Fuel and servicing | 68.02 € 1.703.92 € Recharge cost only Year 5 saving |
| TOTAL COST OF OWNERSHIP 9.852,99€ | SAVING AT YEAR 5 BY INVESTING IN CORDLESS 6.972.78 € |

Cost Estimates are based on purchasing HTX7500 hedge trimmer, STX3800 line trimmer and LBX6000 leaf blower
plus the 2x 10Ah batteries and rapid+ charger to run all three tools, and petrol-powered equivalent tools and fuel.

[•] Fuel consumption - running these machines for 6 hours a day for 170 days a year.

TOUGH TOOLS FOR

The EGO Professional-X range redefines cordless tools. Delivering industry-leading power and performance, each tool exceeds their petrol-powered equivalent. Every Professional-X tool is compatible with all battery options, offering ultimate flexibility to complete any job of any size.





4AH BATTERY, 224WH, 1P



4AH BATTERY, 224WH, 2P



5AH BATTERY, 280WH, 2P



6AH BATTERY, 336WH, 3P



7.5AH BATTERY, 420WH, 3P




10AH BATTERY, 560WH, 4P





12AH BATTERY, 672WH, 4P












DIAMOND GROUND







WITH THE CAPABILITY TO OUTPERFORM PETROL, OUR INNOVATIVE RANGE OF BATTERIES AND CHARGERS DELIVER ALL THE POWER YOU NEED.













how EGO Power⁺ batteries work, and what makes them

so revolutionary, download the Battery FAQ document on our website.

egopowerplus.co.uk/FAQdownload



THE RIGHT POWER FOR EVERY JOB

EGO Power⁺ 56V ARC Lithium™ batteries.

From the lightest 2.5Ah to the largest 12Ah in the range, as the batteries go up in size, so does the power capacity and run time. Whichever model you choose, they have all been engineered for optimal performance and designed to fit all EGO tools*.



6AH BATTERY 336WH, 3P













5AH BATTERY 280WH, 2P



12AH BATTERY 672WH, 4P

12V Shrub Shears not compatible with ARC Lithium™ 56V battery system.

COMFORTABLE ALL-DAY USE

The ergonomic EGO Power⁺ backpack harnesses and battery holster are the most comfortable way to enjoy EGO's industry-leading power. They evenly distribute weight for an easier, more comfortable way to work.



Image shown as a kit BH1001



BACKPACK HARNESS

The BH1000 is ideal for taking the weight of the battery from your arms. This provides greater stability and comfort especially when using our larger batteries over prolonged periods.



PROFESSIONAL-X BACKPACK HARNESS

The BHX1000 has been designed with the professional user in mind and when used together with the AFH1500 harness (supplied separately or as part of a kit) provides exceptional comfort for all day use. The BHX1000 is compatible with the Professional-X series and with the ADB1000 adapter can be used with other EGO tools. The AFH1500 Harness (supplied separately) is compatible with the BHX1000 and the BAX1500 Professional-X backpack battery.



PROFESSIONAL-X BATTERY HOLSTER, CABLE AND ARBORIST'S STROP

The holster is designed to house the EGO battery, which is perfectly matched for use with the EGO Power⁺ Professional-X Top Handle Chainsaw to deliver optimal torque and power for professional arborists. The safetystrop attachment integrates with the battery cable and belt or harness to keep you and your team safe in the trees.

| | BH1000 | BHX1000 | ABH3000 |
|--------------------------|--|--|--|
| CONNECTION METHOD | Quick plug-in and out for EGO Power ⁺ Professional-X tools. Adapter ADB1000 for all other EGO Power ⁺ tools. | Quick plug-in and out for EGO Power+ Professional-X tools. Adapter ADB1000 for all other EGO Power+ tools. | Quick plug-in and out for EGO Power ⁺ Professional-X tools. Adapter ADB1000 for all other EGO Power ⁺ tools. |
| CARRYING HANDLE | Yes | Yes | No - fixed to belt or harness |
| HIP PAD FOR BRUSH CUTTER | AHP1300 (optional) | AHP1500 (optional) | No |
| UPRIGHT STAND STORAGE | Yes | Yes | No |
| WEIGHT WITHOUT BATTERY | 2.2kg | 2.9kg | 1.1kg |
| DOMESTIC WARRANTY | 3 years | 3 years | 3 years |
| PROFESSIONAL WARRANTY | 2 years | 3 years | 3 years |
| AVAILABLE AS A KIT | BH1001: Includes backpack harness and adapter | BHX1000-K0002: Includes backpack harness, harness/hip belt and adapter | - |



ADVANCED COMFORT FOR **ULTIMATE PRODIICTIV**

Team up your EGO Power⁺ tools with our backpack battery.

Balancing exceptional run time with user comfort, the ergonomic design of EGO's ARC Lithium™ BAX1500 backpack keeps you working comfortably all day long. The battery pack can be removed from the harness and is compatible with all EGO tools.

Designed to perform, huilt to last.

The EGO Power⁺ Backpack Battery can last throughout a full day's work* from a single charge. The high-quality cells, with high power rating and high energy density, can handle over 1,000 charge cycles. Plus, rapid recharging means they can go from empty to full in just 3.5 hours.



BIG POWER, **BIG BENEFITS**

COMPATIBLE WITH EVERY EGO POWER+ TOOL

HIGH-EFFICIENCY **BATTERY LIFE**

DETACHABLE BATTERY

WORK HEALTHIER

Without strains, musculoskeletal problems, or emissions.

COST EFFECTIVE

Purchasing and running the Professional-X Hedge Trimmer, Line Trimmer and Leaf Blower will save you over 6.000 € in 5 years, compared with their petrol-powered equivalents. Costs estimated on run times of 6 hours a day, 170 days a year.



BAX1500 PROFESSIONAL-X BACKPACK BATTERY



12V AND USB CHARGING POINTS The EGO Power⁺ Professional-X backpack battery delivers the power output and run times needed for demanding jobs. All minus the noise, emissions and vibration. The BAX1500 can work through the most extreme weathers and its tough casing is designed to withstand any drops or knocks.

| | BAX1500 |
|----------------------------|---|
| CAPACITY | 1568Wh at 56V rated |
| CONNECTION METHOD | Adapter / Plug-in |
| BATTERY WEIGHT | 9.0kg w/o harness |
| HARNESS | Supplied separately or as part of a kit |
| WEATHERPROOF PROTECTION | IP56 |
| CHARGER | CHX5500E |
| CYCLE LIFE | In excess of 1000 cycles |
| DOMESTIC WARRANTY | 3 years |
| PROFESSIONAL WARRANTY | 3 years |
| AVAILABLE AS A KIT | BAX1501: Includes backpack battery, harness and adapter |

*Dependent on the tool and based on an 8 hour working day.





MARKET-LEADING CHARGING TIMES

When it comes to recharging our range of batteries, the EGO Power⁺ charger keeps you working for longer. Charging 2.5Ah batteries in under 30 minutes, the new CH7000E reduces charging times so that you can get back to the task in hand.

The innovative fan-cooled system allows charging to start sooner and finish faster; while the intelligent battery control system constantly monitors each cell's power and temperature to deliver the most efficient and quickest charge.



NEW FOR 2023

CH7000E 700W RAPID+ CHARGER

Boasting an impressive charge time of under 30 minutes for the 2.5Ah battery, this charger features an integrated LEO charging indicator and an intelligent battery control system. This fan-cooled charger provides the most efficient charge possible.

NEW FOR 2023

320W QUICK CHARGER

Charging the 2.5Ah battery in just 35 minutes, our light-weight charger is among the fastest on the market. This fan-cooled charger, equipped with an intelligent battery control system is complete with an integrated LED charging indicator for clear battery diagnostics.





CH5500E RAPID CHARGER



LED CHARGING / DIAGNOSTICS INDICATOR
Constant feedback on battery status and recharge levels

RAPID MODE Push button to activate fast charge

CH2100E STANDARD CHARGER

CHX5500E PROFESSIONAL-X CHARGER

| PERFOR | RMANCE STATISTICS | | | | | | | | |
|-----------------|-------------------------------------|----------|---------------------|----------|----------|----------|----------|----------|--------------------------------------|
| BATTERY MODEL | | BA1400T | BA2240T/ BA2242T | | | BA4200T | BA5600T | BA6720T | BAX1500 |
| BATTERY (| BATTERY (Ah) 2.5Ah 4.0Ah | | 5.0Ah | 6.0Ah | 7.5Ah | 10.0Ah | 12.0Ah | 28.0Ah | |
| CAPACITY | (Wh) | 140 | 224 | 280 | 336 | 420 | 560 | 672 | 1568Wh at 56V rated |
| | RAPID CHARGER: CH5500E | 30 mins | 30 mins | 40 mins | 45 mins | 60 mins | 70 mins | 80 mins | 210 mins |
| | STANDARD CHARGER: CH2100E | 50 mins | 80 mins | 100 mins | 120 mins | 145 mins | 190 mins | 220 mins | - |
| CHARGE TIMES | PROFESSIONAL-X CHARGER: CHX5500E | - | - | - | - | - | - | - | Default: 420 mins Rapid: 210 mins |
| | 320W QUICK CHARGER: CH3200E | 35 mins | 55 mins | 70 mins | 80 mins | 100 mins | 130 mins | 160 mins | - |
| | 700W RAPID+ CHARGER: CH7000E | <30 mins | <30 mins | 30 mins | 35 mins | 45 mins | 60 mins | 75 mins | - |
| WEIGHT | | 1.2kg | 1.9kg/2.2kg | 2.2kg | 2.6kg | 2.8kg | 3.4kg | 3.6kg | 9.0kg |
| DOMESTIC | WARRANTY | 3 years | 3 years | 3 years | 3 years | 3 years | 3 years | 3 years | 3 years |
| PROFESSIO | ONAL WARRANTY | 2 years | 2 years | 2 years | 2 years | 2 years | 2 years | 2 years | 3 years |

26 | EGO POWER+ CHARGERS | 27





CHARGE 6 PORTABLE EGO BATTERIES AT THE SAME TIME

EGO's Professional Multi-Port Charging Case will charge any combination of up to six EGO portable batteries at the same time – ideal for professional users.

E60's intelligent power management system charges batteries with the lowest level of charge first, then brings all the batteries up to full charge at the same rate. Charging 6x 10Ah batteries in as little as 3 hours in combination with the 1600W charger.

The Multi-Port Charging Case can be used directly with the EGO CHV1600E 1600W Charger or with the EGO 550W Rapid Charger (see page 113) when combined with the ACA1000 EGO Charging Adapter.



28 | EGO POWER+ CHARGER ______EGO POWER+ MULTI-PORT CHARGING CASE | 29

















With a choice of 8 batteries and 1 battery backpack, choose the one that gives you the power and run time* you need.



- * Run time may vary and depend on battery used, charge level of battery, condition of grass/hedge and user's operation technique
- ** Run time based on a 10cm x 10cm timber
- *** Portable batteries must be used with either BH1000 or BHX1000 harnesses
- ****The light will illuminate at 10,000lm in ambient temperature 25° C for 1 hour and will run for 2 more hours in brightness level 5. Please note that the 1 hour run time is dependent on ambient temperature. In a cooler environment the "Boost" mode will have a longer run time, but in a hot environment the "Boost" mode will have a shorter run time
- Run times shown are for clearing up to 10cm of dry snow with 2x the battery listed. Run times vary based on snow depth, snow type and battery combinations

| | | | | | | | | | | | | | | | | | | | 2 |
|---------------------|--|-------------------|----------------------------|-----------------------------|-----------|--------------------|----------------------|----------|-----------------------|---------------------|----------------------|---|----------|-----------------------|--------|----------------------|----------------------|----------|----------------------------------|
| | | | | | | | | | BATTERY | | | | | | | | | | BACKPACK BATTERY |
| CODE | PRODUCT NAME | | 1400T 140Wh (Up to) | BA2240T/BA 4.0Ah / 224Wh | | | 800T 80Wh (Up to) | 6.0A | BA33607 th / 336Wh | | | BA4200T / 420Wh (Up to) | 10 | BA560 0.0Ah / 560\ | | 12.0A | BA6720 | | BAX1500 28Ah / 1568Wh (Up to) |
| EGO Power+ Mowe | ers | | ver+ Mowers | | (| | (0) | | | (| | , | | | (| | | . (-р) | (= |
| LM1700E | 42cm Mower | Cuts up to 400sqm | | | | Cuts | s up to 90 | 0sqm | Cuts u | ıp to 1200sqn | m Cuts up to 1600sgr | | 600sqm | Cuts up to 1900sqm | | 00sqm | - | | |
| LM1700E-SP | 42cm Self-Propelled Mower | Cuts up | Cuts up to 300sqm | | 80sqm | Cuts up t | to 600sqm | Cuts | s up to 80 | 0sqm | Cuts | up to 900sqm | ı Cu | uts up to 1 | 200sqm | m Cuts up to 1400sqm | | 00sqm | - |
| LM1900E-SP | 47cm Self-Propelled Mower | Cuts up | to 400sqm | Cuts up to 6 | 40sqm | Cuts up t | to 800sqm | Cuts | s up to 90 | 0sqm | Cuts u | ıp to 1200sqm | n Cu | its up to 1 | 600sqm | Cuts | up to 190 | 00sqm | _ |
| LM2020E-SP | 50cm Self-Propelled Mower | Cuts up | to 350sqm | Cuts up to 5 | 60sqm | Cuts up t | to 700sqm | Cuts | s up to 80 | 0sqm | Cuts u | ıp to 1050sqn | n Cu | uts up to 1 | 400sqm | Cuts | up to 170 | 00sqm | - |
| LM2130E-SP | 52cm Self-Propelled Mower with Select Cut Technology | Cuts up | to 333sqm | Cuts up to 5 | 33sqm | Cuts up 1 | to 666sqm | Cuts | up to 100 | Osqm | Cuts u | ıp to 1000sqn | n Cu | uts up to 1 | 333sqm | Cuts | up to 160 | 00sqm | - |
| EGO Power+ Line 1 | Trimmers, Brush Cutter and Rotocut | EGO Pov | ver+ Line Trin | nmers, Brush C | utter and | Rotocut | | | | | | | | | | | | | |
| ST1300E-S | 33cm Line Trimmer | 7 |) mins | 110 mi | ns | 140 | mins | | 170 min | 3 | 2 | 210 mins | | 280 mi | ns | | 340 mins | S | - |
| ST1400E-ST | 35cm Telescopic Line Trimmer with Powerload™ Technology | 6 |) mins | 90 min | IS | | mins | | 135 min | | | 165 mins | | 240 mi | ns | | 290 mins | | 660 mins |
| ST1510E | 38cm Line Trimmer with Powerload™ Technology | |) mins | 50 min | | | mins | | 70 mins | | | 90 mins | | 120 mi | | | 145 mins | | _ |
| ST1530E | 38cm Loop Handled Line Trimmer | | 3 mins | 36 min | | | mins | | 55 mins | | | 72 mins | | 90 mii | | | 110 mins | | 240 mins |
| ST1610E-T | 40cm Line Trimmer with Line IQ™ and Powerload™ Technology | |) mins | 65 min | | | mins | | 100 min: | | | 125 mins | | 165 mi | | | 200 mins | | 475 mins |
| BC3800E | 38cm Bike Handled Brush Cutter | 2 |) mins | 32 min | | | mins | | 50 mins | | | 65 mins | | 80 mii | | | 96 mins | | 280 mins |
| BCX3800 | Bike Handled Line Trimmer/Brush Cutter*** | | - | 40 min | | | mins | | 60 mins | | | 75 mins | | 97 mii | | | 120 mins | | 420 mins |
| STX3800 RTX2300 | Loop Handled Line Trimmer/Brush Cutter*** Petceut (Accombled on PCV/CTV2000)*** | 2 | - 5 mins | 40 min | | | mins mins | | 60 mins | | | 72 mins 80 mins | | 97 mii | | | 116 mins 125 mins | | 420 mins 325 mins |
| EGO Power+ Hedg | Rotocut (Assembled on BCX/STX3800)*** | | | | 15 | 32 | 1111115 | | 05 IIIIIS | • | | 00 1111115 | | 105 mi | 115 | | 123 111111 | 5 | 323 111115 |
| HT2000E | 51cm Hedge Trimmer | | ver+ Hedge Tr 5 mins | nimmers 120 mii | ne | 150 | mins | | 210 mins | | | 225 mins | | 300 mi | ne | | 360 mins | 9 | _ |
| HT2410E | 61cm Hedge Trimmer | | 5 mins | 120 mii | | | mins | | 180 mins | | | 225 mins 225 mins | | 300 mi | | | 360 mins | | <u> </u> |
| HT2600E | 66cm Hedge Trimmer | |) mins | 90 min | | | mins | | 145 mins | | | 180 mins | | 240 mi | | | 270 mins | | |
| HT5100E | 51cm Hedge Trimmer | |) mins | 70 min | | | mins | | 100 mins | | | 125 mins | | 164 mi | | | 195 mins | | 490 mins |
| HT6500E | 65cm Hedge Trimmer | | 3 mins | 60 min | | | mins | | 90 mins | | | 110 mins | | 144 mi | | | 170 mins | | 420 mins |
| HTX6500 | 65cm Hedge Trimmer*** | | - | 55 min | | | mins | | 83 mins | | | 105 mins | | 140 mi | | | 170 mins | | 420 mins |
| HTX7500 | 75cm Hedge Trimmer*** | | - | 45 min | | | mins | | 75 mins | | | 90 mins | | 120 mi | | | 145 mins | | 380 mins |
| EGO Power+ Chain | isaws | EGO Pov | ver+ Chainsav | ws | | - | | | | | | | | | | | | | |
| CS1400E | 35cm Chainsaw | 13 | 0 cuts | 220 cuts 300 cuts | | | 330 cuts | ; | | 450 cuts | | 600 cu | ts | 720 cuts | | 3 | - | | |
| CS1610E | 40cm Chainsaw | 13 | 0 cuts | 220 cu | ts | 300 | cuts | | 330 cuts | 3 | | 450 cuts | | 600 cu | ts | | 720 cuts | 3 | - |
| CS1800E | 45cm Chainsaw with Auto Chain Tensioning | 13 | 0 cuts | 220 cu | ts | 300 | cuts | | | 450 cuts | | 600 cu | ts | 720 cuts | | S | - | | |
| CSX3000 | 30cm Top Handle Chainsaw | 14 | 0 cuts | 225 cuts 265 cuts | | 330 cuts | | 420 cuts | | 560 cuts | | ts | | 700 cuts | 3 | - | | | |
| PS1000E | Pole Saw System | 7 | 0 cuts | 110 cu | ts | 140 | cuts | | 170 cuts | ; | | 210 cuts | | 285 cu | ts | | 340 cuts | S | 780 cuts |
| EGO Power+ Blow | ers | EGO Pov | ver+ Blowers | | | | | | | | | | | | | | | | |
| Run time in Mins | | | High Max | Low High | | | igh Ma | Low | High | Max | Low | High Max | | 3 | | Low | High | Max | Max* |
| LB5300E | Blower 900m ³ /h | 75 | 22 10 | 120 35 | 16 | | 14 20 | 180 | 53 | 24 | 225 | 66 30 | | | 40 | 360 | 105 | 48 | 110 mins |
| LB5800E | Blower 986m³/h | 100 | 15 9 | 160 24 | 14 | | 30 18 | 240 | 36 | 22 | 300 | 45 27 | 40 | | 36 | 480 | 72 | 36 | 110 mins |
| LB7650E | Blower 1300m³/h | 30 | 13 - | 120 20 | 14 | | 25 17 | 180 | 30 | 18 | 225 | 37 26 | | | 34 | 360 | 60 | 40 | |
| LB6000E | Backpack Blower 1020m³/h | 75 | 13 9 | 96 17 | 12 | | 22 15 | 150 | 27 | 18 | 180 | 33 23 | | | 30 | 290 | 52 | 36 | - |
| LBP8000E LBX6000 | Backpack Blower 1360m³/h Blower 1014m³/h*** | | - | 24 12 | 8 | | 15 10 | 38 | 18 75 mins | 12 | 47 | 22 15 90 mins | 63 | 3 29 120 mi | 20 | 75 | 35 145 mins | 24 | - 2E0 mino |
| EGO Power+ Multi- | | ECO Pou | er+ Multi-Too | 36 min | 5 | 00 | mins | | 73 111118 | | | 90 1111115 | | 120 1111 | 115 | | 145 111118 | 5 | 350 mins |
| STA1500 | Multi-Tool Line Trimmer Attachment | | 3 mins | 35 min | e | 45 | mins | | 55 mins | | | 72 mins | | 93 mir | ne . | | 110 mins | c | 300 mins |
| STA1600 | Multi-Tool Line Trimmer Attachment with Powerload™ Technology | | 3 mins | 35 min | | | mins | | 55 mins | | | 70 mins | | 90 mii | | | 110 mins | | 240 mins |
| BCA1200 | Multi-Tool Brush Cutter Attachment | | 7 mins | 50 min | | | | | 75 mins | | | 95 mins | | | | | 150 mins | | 375 mins |
| HTA2000 | Multi-Tool Hedge Trimmer Attachment | | 7 mins | 65 min | | 60 mins 82 mins | | 98 mins | | 95 mins 122 mins | | 125 mins 157 mins | | | | 188 mins | | 680 mins | |
| HTA2000S | Multi-Tool Short Hedge Trimmer Attachment | | 7 mins | 65 min | | 82 mins | | 98 mins | | | | 122 mins | 157 mins | | | | 188 mins | | 680 mins |
| PSA1000** | Multi-Tool Pole Saw Attachment | | 0 cuts | 110 cu | | | cuts | | | | 210 cuts | 285 cuts | | | | 340 cuts | | 660 cuts | |
| EA0800 | Multi-Tool Edger Attachment | | - | 50 min | | | mins | | 75 mins | | | 100 mins | | 132 mi | | | 158 mins | | 530 mins |
| CTA9500 | Multi-Tool Cultivator Attachment | 4 |) mins | 60 min | | | mins | | 100 min | | | 120 mins | | 160 mi | | | 190 mins | | 480 mins |
| BBA2100 | Multi-Tool Bristle Brush Attachment | |) mins | 120 mi | | | mins | | 140 min | | | 150 mins | | 200 mi | | | 280 mins | | 420 mins |
| 0SA1000 | Multi-Tool Olive Shaker Attachment | 50 |) mins | 80 min | IS | 100 | mins | | 120 min | | 1 | 160 mins | | 210 mi | ns | | 250 mins | S | 660 mins |
| SSA1200 | Multi-Tool Snow Shovel Attachment | 4 | 5 mins | 75 min | IS | 90 | mins | | 110 min | 3 | 1 | 135 mins | | 180 mi | ns | | 216 mins | s | 504 mins |
| RTA2300 | Multi-Tool Rotocut Attachment | 2 | 5 mins | 40 min | IS | 52 | mins | | 60 mins | | | 80 mins | | 105 mi | ns | | 125 mins | s | 325 mins |
| EGO Power+ Teles | copic Pole System | EGO Pov | ver+ Telescop | ic Pole System | | | | | | | | | | | | | | | |
| PSX2500 | Pole Saw Attachment | 11 | 0 cuts | 182 cu | ts | 231 | cuts | | 280 cuts | 3 | | 379 cuts | | 455 cu | ts | | 545 cuts | S | 1200 cuts |
| PTX5100 | Hedge Trimmer Attachment | 6 | 5 mins | 95 min | IS | 120 | mins | | 140 min | 3 | 2 | 210 mins | | 260 mi | ns | | 310 mins | S | 720 mins |
| EGO Power+ Snow | | | ver+ Snow Th | | | | | | | | | | | | | | | | |
| SNT2400E | 2 Stage Snow Thrower | 14 | 4 mins | 22 min | IS | | mins | | 30 mins | | | 44 mins | | 56 mir | | | 67 mins | | _ |
| SNT2120E-AP | Auger Propelled Snow Thrower | | - | | | 23 | mins | | 28 mins | | | 34 mins | | 45 mii | ıs | | 56 mins | 3 | |
| EGO Power+ Lifest | tyle | | ver ⁺ Lifestyle | | | | | | | | | | | | | | | | |
| Run time in Mins | | | High Max | Low High | | | igh Ma | | | Max | Low | High Max | | | | | High | Max | Max* |
| FN1800E | 45cm Misting Fan | | 132 84 | 3048 210 | | | 258 16 | | 2 312 | 198 | 5718 | | | 520 522 | | 9144 | | 396 | - |
| LT1000E | Portable Area Light | 1080 | 150 **** | 1728 240 | *** | 2160 3 | 800 *** | 2592 | 2 360 | **** | 3240 | 450 *** | ^ 43 | 320 600 | **** | 5184 | 720 | **** | _ |

30 | BATTERY COMPATIBILITY & RUNTIMES BATTERY COMPATIBILITY & RUNTIMES | 31



WITH A RANGE OF CUTTING CAPACITIES, SELF-PROPELLED MODELS, AND PUSH BUTTON START, TACKLE ANY SIZE LAWN WITH EASE.







THE POWER OF PETROL

With lower running costs, zero emissions and significantly quieter than a petrol mower, the EGO Power⁺ mower range offers a variety of key features and cutting capacities to suit any lawn.

The self-propelled motor keeps you in control and makes light work of slopes and undulations. On a single charge, our battery gives you up to 1,900 sqm cutting area*. Automatic Variable Speed on selected models, delivers optimal cutting speed to maximise battery run time whilst maintaining grass cutting performance for different conditions.

The 3-in-1 functionality lets you drop, bag or mulch clippings (mulching kits are sold separately), while the LED headlights let you work further into the day. The efficient grass collection system, uses all available space in the collection bag, meaning less-frequent emptying. And when you're done, the easy-fold design makes cleaning and storage simple.

SELF-PROPELLED MOTOR Take the strain out of mowing sloping ground PUSH BUTTON START Power up in seconds QUICK RELEASE — Telescopic handle For easy cleaning and compact storage BAG FULL INDICATOR LED HEADLIGHTS Lets you know when Work further into the day the bag needs emptying HIGH TORQUE, High-efficiency motor For operation in all conditions ADJUSTABLE HANDLE HEIGHT Easily adjusts to suit you, and the job in hand LARGE CAPACITY BAG Collects more grass and requires emptying less frequently 47cm SELF PROPELLED LARGE DIAMETER For easy motion on different terrains 6-POSITION SPRING LOADED DECK HEIGHT ADJUSTMENT AVAILABLE IN A RANGE OF CUTTING WIDTHS Easily set different grass 42, 47, 50, and 52 cm cutting heights from 20-95mm cutting width options to suit any size of lawn

*Based on a 12.0Ah battery using LM1900E-SP. Cutting area can vary depending on model and battery as well as condition of grass and user operation technique.

Model shown: LM1900E-SP

Please note: some features are not available on all models.

For convenient storage



A MOWER FOR **EVERY LAWN** THE RIGHT TOOL FOR THE JOB

The EGO Power⁺ mower range showcases a variety of specifications designed to make lawn care quicker, easier and more efficient. And with model sizes ranging from 42cm to 52cm cutting width, there's an option for every task and size of lawn.

Technologically advanced in every way, each mower packs incredible petrol-matching power as standard. Thanks to our revolutionary ARC Lithium™ 56V battery system, they make minimal noise, emit zero emissions, and start up at the touch of a button.

While these benefits apply to all EGO Power+ mowers, key differences make some models better suited to specific kinds of gardens.

Check out our handy diagram to the right to identify the size of lawn you can cut on a single charge, and therefore the mowers that are suitable for you.



LM1700E-SP **42CM MOWER CUTS UP TO** ON A SINGLE CHARGE **4Ah BATTERY**

DO LM2020E-SP **50CM MOWER CUTS UP TO** ON A SINGLE CHARGE **5Ah BATTERY**

LM1900E-SP 47CM MOWER **CUTS UP TO** ON A SINGLE CHARGE 5Ah BATTERY

LM2130E-SP

52CM MOWER

ON A SINGLE CHARGE 7.5Ah BATTERY

1000sqm is approximately the size of 4 tennis courts. Based on recommended battery supplied with kit. For all battery runtimes see pages 30-31

Choosing the RIGHT mower:



Small, tight spaces, or close to trees.

For smaller spaces and improved precision around obstacles, mowers with a smaller cutting capacity are ideal.

Our compact 42cm models LM1700E or LM1700E-SP are perfect for smaller spaces.



Bigger, open spaces.

A mower with a wider cutting capacity will help you cover more ground in fewer passes. Opting for a bigger battery will increase run time, as will variable automatic cutting speed control. For a faster cut, a larger capacity bag can collect more grass and needs emptying less often.

Try our 52cm model LM2130E-SP which makes even the biggest jobs feel small.



Sloping ground.

Using a self-propelled mower takes the strain out of pushing the mower uphill.

Our self-propelled mowers, LM1700E-SP. LM1900E-SP. LM2020E-SP and LM2130E-SP are available in different cutting capacities to suit the size of your lawn, choose a wider cutting capacity for

Additional comfort.

If comfort is a priority, poly deck models are the lightest option. Selfpropelled mowers require less effort, and with an adjustable handle, you can decide on the most suitable height.

Most of our mowers are available with a poly deck



Finishes.

The EGO Rear Roller Kit is a simple and effective way of enabling your EGO mower to stripe your lawn, giving you a manicured look whilst keeping the versatility of being able to mulch and rear discharge clippings.

REAR ROLLER KITS

Just add an EGO Rear Roller Kit to enable your EGO mower to stripe your lawn (please check that a Rear Roller Kit is available for your model - see below).



AR1700 available for LM1700F LM1700F-SP AR1900 available for LM1900E, LM1900E-SP AR2100 available for LM2130E-SP

Grass cutting options.

There are 3 different ways that EGO Power⁺ mowers deal with cut grass. Great for lawns that aren't too thick, mulching redistributes grass particles and fertilising nutrients. Drop cuttings or rear discharge (side discharge for metal deck mower) allows for quicker mowing through thick and long grass. Bag collection keeps lawns clear of any cuttings.



MULCHING KITS

The EGO Power⁺ Mulching Kit will allow the mower to cut and distribute fine grass cuttings back into the lawn to help retain moisture and nutrients for a healthier lawn.

ARP1700 available for LM1700F LM1700F-SP ABP1900 available for LM1900E, LM1900E-SP



Interchangeable multi-blade cutting system that allows you to choose between specialist mulching blade and bagging blade, to either distribute fine cuttings into your lawn or to collect cuttings into the large collection bag.

ABP2100D-E available for LM2130E-SP





LM1700E 42CM MOWER

POWER

Perfect for precision mowing in smaller spaces and medium sized gardens with level ground. Includes a 55L collection bag.





LM1900E-SP 47CM SELF-PROPELLED MOWER

POWER

The wider cutting width is perfect for precision mowing of medium sized gardens. Self-propelled for tackling sloping lawns with ease. Includes a 55L collection bag.





LM1700E-SP 42CM SELF-PROPELLED MOWER



Perfect for mowing in smaller spaces and medium sized gardens. Self-propelled for tackling sloping and undulating lawns with ease. Includes a 55L collection bag.





LM2020E-SP 50CM SELF-PROPELLED MOWER



The wide cutting width is perfect for precision mowing of medium and larger-sized gardens. Self-propelled with automatic variable cutting speed, ideal for large and sloping lawns. Includes a larger 60L collection bag.



LM2130E-SP 52CM SELF-PROPELLED MOWER





The wide cutting width is perfect for precision mowing of larger gardens and wider spaces. Self-propelled with automatic variable cutting speed, ideal for large and sloping lawns. The Select Cut interchangeable multi-blade cutting system that allows you to choose between specialist mulching blade and bagging blade. Includes an extra-large 70L collection bag.







^{*}Cutting area may vary and depend on the battery used, charge level of battery, condition of grass, and user's operation technique

38 | EGO POWER+ MOWERS | 39

^{**}Automatic Variable Speed delivers optimal cutting speed to maximise battery run time whilst maintaining grass cutting performance.
†Please note, mulching kits for models LM1700E, LM1700E-SP, LM1900E-SP and LM2130E-SP are available separate to purchase (ABP1700, ABP1900 and ABP2100D-E).

 ⁻ highlighted cutting area is optimal for battery.







EGO's ride-on mower range has returned with another industry-first for 2023, introducing its first ever Z6 steering wheel model featuring new e-Steer™ Technology for advanced steering control and confidence.

Our newest Z6 model drives like a car and turns like a zero-turn simultaneously, with a precision steering wheel and the latest in digital steering technology - as well as offering the same world-first battery platform-compatibility as all EGO ride-on models.

Delivering the equivalent power of a 22-horsepower petrol engine, with none of the emissions, EGO ZTRs cover up to 2.5 acres on a single charge with six 12Ah batteries. You can tailor the combination of batteries to suit the size of your lawn and grass-cutting preferences. The fast charger fully charges 6x 10Ah batteries in as little as just 3 hours.

> 3 CUTTING MODES Side discharge, mulching and collection





107CM Z6 ZERO TURN MOWER WITH E-STEER™ TECHNOLOGY

The new Z6 ZT4200E-S drives like a car and turns like a zero-turn ride-on mower. The innovative precision steering wheel ensures you have all controls at your fingertips for optimum ease and accuracy. Equipped with the latest in digital technology and cruise control, the Z6 takes manoeuvrability to the next level with 3 customisable driving modes: Control, Standard and Sport.



CRUISE CONTROL For mowing comfort





























POWER Z6 ZERO-TURN RIDE-ON MOWER









ZT5200E-L 132CM Z6 ZERO TURN RIDING MOWER

The new, larger ZT5200E-L 3-bladed mower has a fabricated deck and larger wheels to support any additional weight, as well as a range of comfort features. The lap bars make for an intuitive operation while the 3 driving modes and 4 blade speeds allow you to fully customise your ride.



















3 BLADES Dialling up the power for those tough tasks has never been easier.

Peak Power™ Technology combines the power from your choice of two to six EGO 56V ARC Lithium™ batteries to deliver the performance of a petrol mower. The convenience of universal battery compatibility means the battery can be used in any other EGO Power⁺ tool, so you can switch between tools in a matter of clicks.

FABRICATED DECK

EGO POWER

ZT4200E-L 107CM Z6 ZERO TURN RIDING MOWER

Ideal for larger gardens, the Z6 handles corners with ease. Customise the ride with an LCD interface featuring 3 driving modes: Control, Standard and Sport, which can be accessed with the simple touch of a finger. Includes a hydraulic seat for added comfort.











ACCESSORIES ALSO AVAILABLE



SPEED 5-13km/h











Scan here to explore our battery combinations

EGO POWER+ Z6 ZERO-TURN RIDE-ON MOWERS | 45

| | ZT4200E-S | ZT4200E-L | ZT5200E-L |
|-------------------------|---|---|---|
| NUMBER OF BLADES | 2 | 2 | 3 |
| CUTTING WIDTH | 107cm | 107cm | 132cm |
| STEERING | Steering wheel | Lap Bar | Lap Bar |
| SPEED | 5-13 km/h | 5-13 km/h | 8-13km/h |
| DECK LIFTING | Manual | Manual | Manual |
| CUTTING HEIGHT | 25mm-100mm, 10 settings | 25mm-100mm, 10 settings | 25mm-100mm, 10 settings |
| FUNCTIONS | Mulch, collect, side discharge | Mulch, collect, side discharge | Mulch, collect, side discharge |
| REAR COLLECTION | 230L | 230L | 230L |
| SEAT SUSPENSION | Hydraulic | Hydraulic | Hydraulic |
| NOISE RATING Lpa/Lwa | 84dB(A) 96dB(A) | 84dB(A) 96dB(A) | 84dB(A) 96dB(A) |
| WEIGHT | 195kg | 195kg | 217kg |
| DOMESTIC WARRANTY | 5 years | 5 years | 5 years |
| PROFESSIONAL WARRANTY | 1 year | 1 year | 1 year |
| SUPPLIED COMPLETE AS: | ZT4201E-S: Includes ride-on mower, 2x blades, mulching plug and 1600W charger | ZT4201E-L: Includes ride-on mower, mulching plug and 1600W charger | ZT5201E-L: Includes ride-on mower, 3x blades and 1600W charger |

*Run time may vary based on the batteries used, charge level of batteries, condition of grass and user's operation technique. The Z6 needs a minimum of 15Ah to function.



BUILT FOR THE TOUGHEST JOBS, POWERED TECHNOLOGY, NOTHING GETS IN THEIR WAY.





AUTO CHAIN TENSIONING

The EGO Power⁺ 18 inch chainsaw with Auto Chain

Tensioning is built to tackle tough jobs. With a high speed 20m/s chain speed and a powerful

All guesswork is removed when it comes to the

correct chain tension thanks to an auto tensioning

feature. When replacing or tensioning the chain, simply loosen the sprocket cover on the saw,

motor, nothing will get in its way.

re-tighten and you're ready to go.

BUILT For the

The EGO Power+ chainsaws are built to tackle even the hardest jobs. Trunks, logs, branches, nothing gets in their way.

Choose simple, safe Auto Chain Tensioning to maintain proper tension during use or opt for tool-free chain tensioning for easy set-up and adjustment. Check the lubrication level through the oil inspection window and you're ready to go.

EFFICIENT AND POWERFUL BRUSHLESS MOTOR

POWER

BRUSHLESS

The electronic chain brake protects against kickback while you work. And, the auto-lubrication system keeps the chain moving freely at all times.

Plus with EGO's 56V ARC Lithium™ battery delivering such an impressive run time and incredible power on a single charge, it'll keep you working cut after cut after cut.

<u>≡</u>GO

CHAIN BRAKE



FAST CHAIN SPEED - 20.0M/S For smooth, easy cut through large trunks and logs

For safe operation LED LIGHT For use in low light conditions AUTOMATIC CHAIN OILING

· 0000

For better cutting performance


AUTO CHAIN TENSIONING For simple chain tensioning*

OPAQUE OIL LEVEL INSPECTION WINDOW BUMPER SPIKES For control when cutting logs

DURABLE 45CM, 18" Guide Bar

SIMPLE ADJUSTMENT

For safe and effective chain tensioning.



*Available on selected models.













CS1800E

45CM CHAINSAW

A chain speed of 20m/s, provides all the power and torque needed to quickly cut through thick branches and larger logs up to 45cm (17.5ins) in width.





CS1400E 35CM CHAINSAW

Perfect for easily cutting through branches and medium-sized logs up to 35cm (approx. 14ins) in width.















CS1610E **40CM CHAINSAW**

An outstanding combination of high torque and chain speed – perfect for easily cutting through branches and medium-sized logs up to 40cm (approx. 16ins) in width.













BCS1000 CHAINSAW BAG

Durable bag with oil tray and folding scabbard cover for safely transporting chainsaws. Separate pockets for storing accessories.



Available separately, see page 114.

| | CS1400E | CS1610E | CS1800E |
|-------------------------|--|--|--|
| BLADE LENGTH | 35cm | 40cm | 45cm |
| CHAIN SPEED | 13.5m/s | 20m/s | 20m/s |
| CUTS UP TO* | 2.5Ah Up to 130 cuts 4.0Ah Up to 220 cuts 5.0Ah Up to 300 cuts 6.0Ah Up to 330 cuts 7.5Ah Up to 450 cuts 10.0Ah Up to 600 cuts 12.0Ah Up to 720 cuts | 2.5Ah Up to 130 cuts 4.0Ah Up to 220 cuts 5.0Ah Up to 300 cuts 6.0Ah Up to 330 cuts 7.5Ah Up to 450 cuts 10.0Ah Up to 600 cuts 12.0Ah Up to 720 cuts | 2.5Ah Up to 130 cuts 4.0Ah Up to 220 cuts 5.0Ah Up to 300 cuts 6.0Ah Up to 330 cuts 7.5Ah Up to 450 cuts 10.0Ah Up to 600 cuts 12.0Ah Up to 720 cuts |
| CHAIN BAR | AG1400 | AG1600 | AG1800 |
| CHAIN TYPE | AC1400 (90PX – 3/8" x 1.1mm) | AC1600 (90PX - 3/8" x 1.1mm) | AC1800 (91PX – 3/8" x 1.3mm) |
| OIL RESERVOIR | 150ml | 150ml | 200ml |
| CHAIN OIL | Automatic | Automatic | Automatic |
| CHAIN BRAKE | Yes | Yes | Yes |
| NOISE RATING LpA/LwA | 86dB(A) 100dB(A) | 91dB(A) 102dB(A) | 93dB(A) 104dB(A) |
| VIBRATION (M/S2) | 5.4/4.1 | 3.4/2.8 | 5.1/3.5 |
| CHAIN TENSIONING | Tool free | Semi automatic | Automatic |
| WEIGHT WITHOUT BATTERY | 3.8kg | 4.1kg | 4.5kg |
| MOTOR TYPE | Brushless | Brushless | Brushless |
| DOMESTIC WARRANTY | 5 years | 5 years | 5 years |
| PROFESSIONAL WARRANTY | 1 year | 1 year | 2 years |
| AVAILABLE AS A KIT | CS1401E: Includes chainsaw, 2.5Ah battery and standard charger | CS1614E: Includes chainsaw, 5Ah battery and fast charger | - |

^{*}Number of cuts may vary and depend on the battery used, charge level of battery and user's operation technique. Based on 100mm x 100mm cuts.

50 | EGO POWER+ CHAINSAWS EGO POWER+ CHAINSAWS | 51

[.] highlighted cutting area is optimal for battery.

NEW FOR 2023

EASIER, SAFER, TREE SURGERY

Created with arborist specialists in mind, EGO's Professional-X CSX300 Top Handle Chainsaw is an exceptional combination of torque and power.

With industry-leading ARC Lithium™ battery technology at its core, the Top Handle Chainsaw provides the optimum combination of power, torque, and chain speed.

BATTERY-LEVEL AND OIL Indicator light alerts Provides warning when power and oil levels are running low

IMPRESSIVE USER

Low vibration and

noise levels and

COMFORT AND SAFETY

Benefiting from long run-times and fast recharge, it's built to tackle tough, all-day use. The Chainsaw's unique Chain Brake Safety System stops the tool's motor if kickback occurs, reducing the risk of injury.

Additional features of Battery-Level and Oil Indicator lights alert you when you're running low, making the tool suitable for every tree-top task. With a range of chain bars from 12" to 16" available, the EGO Top Handle Chainsaw makes jobs easier, cleaner, quieter and safer.

CHAIN-BRAKE SAFETY SYSTEM Stops the motor in its tracks if kickback occurs METAL BUMPER SPIKES For better grip during cuts

> TOP HANDLE TRIGGER Provides power when you need it, no need for a pull cord

COMPATIBLE WITH A RANGE OF CHAIN BARS From 12"- 16"



SIGHTLINES Helping operators

make accurate cuts

ABH3000 BATTERY HOLSTER BA2240T



Battery holster cable integrates with the safety strop to securely attach to the belt and harness. The 4Ah battery has been designed with the optimal power-to-weight ratio for use by professional arborists.

Available separately, see pages 23 and 24.



CSX3000 PROFESSIONAL-X TOP HANDLE CHAINSAW

Designed to deliver a best-in-class combination of power, torque and chain speed for the professional arborist.



| | CSX3000 |
|-------------------------|--|
| BLADE LENGTH | 30cm |
| CHAIN SPEED | 20m/s |
| CUTS UP TO* | 2.5Ah Up to 140 cuts 4.0Ah Up to 225 cuts 5.0Ah Up to 265 cuts 6.0Ah Up to 330 cuts 7.5Ah Up to 420 cuts 10.0Ah Up to 560 cuts 12.0Ah Up to 700 cuts |
| CHAIN BAR | AG1200 |
| CHAIN TYPE | AC1200 (90PX - 3/8" x 1.1mm) |
| OIL RESERVOIR | 200ml |
| CHAIN OIL | Automatic - Worm drive adjustable |
| CHAIN BRAKE | Yes - Mechanical and Electronic |
| NOISE RATING Lpa/Lwa | 88dB(A) 98dB(A) |
| VIBRATION (M/S2) | 1.7/2.2 |
| CHAIN TENSIONING | Side |
| WEIGHT WITHOUT BATTERY | 3.5kg |
| MOTOR TYPE | Brushless |
| DOMESTIC WARRANTY | Not suitable |
| PROFESSIONAL WARRANTY | 3 years |
| AVAILABLE AS A KIT | CSX3002: Includes top handle chainsaw, 4Ah battery and rapid charger |

*Number of cuts may vary and depend on the battery used, charge level of battery and user's operation technique. Based on 100mm x 100mm cuts. . - highlighted cutting area is optimal for battery.

REACH

The EGO Pole Saw makes ladders and tricky tree maintenance a thing of the past.

With a 25cm bar and chain speeds of up to 20m/s, the EGO Pole Saw cuts through high branches with ease. The cutting head and shaft attach to the tool via a connector, allowing the Pole Saw to be stored compactly. Switch up the length of the tool up to 4m to reach any branch, however near or far, with the telescopic feature. The lightweight, sturdy, carbon fibre shaft and LED cutting guides aid manoeuvrability and keep cuts accurate.

FELLING LINE FOR ACCURATE

FRONT-MOUNTED MOTOR



PS1000E

TELESCOPIC POLE SAW

Work on those hard-to-reach areas with ease. Our lightweight EGO Telescopic Pole Saw reaches lengths of 4m when fully extended and, thanks to its motor located at the head of the tool, maintains great balance and ergonomics.







TOOL FREE FILLER

TOOL FREE CHAIN TENSIONING

BRANCH-GRABBING HOOK



TELESCOPIC FEATURE

HIGH CHAIN SPEED





| | PS1000E |
|--------------------------------|---|
| BAR LENGTH | 25cm |
| CHAIN TYPE | Gauge 0.043", pitch 1/4" |
| CUTS UP TO* | 2.5Ah Up to 70 cuts 4.0Ah Up to 110 cuts 5.0Ah Up to 140 cuts 6.0Ah Up to 170 cuts 7.5Ah Up to 210 cuts 10.0Ah Up to 285 cuts 12.0Ah Up to 340 cuts |
| CHAIN SPEED | 20m/s |
| TOTAL EXTENDED LENGTH | 296cm (tool) 396cm (with one extension pole) 496cm (with two extension poles) |
| OIL RESERVOIR | 80ml |
| CHAIN OIL | Automatic |
| NOISE RATING Lpa/Lwa | 82dB(A) 100dB(A) |
| VIBRATION (M/S ²) | 1.01/1.51 |
| CHAIN TENSIONING | Automatic |
| WEIGHT WIHOUT BATTERY | 4.25kg |
| MOTOR TYPE | Brushless |
| DOMESTIC WARRANTY | 5 years |
| PROFESSIONAL WARRANTY | 2 years |
| AVAILABLE AS A KIT | PS1003E: Includes telescopic pole saw, extension pole, 4Ah battery and standard charger |
| *Number of cuts may vary and d | enend on the battery used charge level |

*Number of cuts may vary and depend on the battery used, charge level of battery and user's operation technique. Based on 100mm x 100mm cuts. . - highlighted cutting area is optimal for battery.



EXTENSION POLE

Nothing is out of reach with this strong yet lightweight extension pole.



MAXIMUM REACH, MANOEUVRABILITY AND CUTTING POWER FOR HIGH BRANCHES AND HEDGES.



EGO

REACH HIGH BRANCHES **EQUIPMENT**

EGO's Telescopic Pole system enables you to work on those harder-to-reach jobs with ease.

Switch between a Pruning Saw or Hedge Trimmer attachment in a matter of seconds.

The Telescopic Pole houses the battery and dual-trigger controls and has an extendable reach of up to 4 metres.

When fully extended, the tool maintains great balance,



PPX1000 PROFESSIONAL-X TELESCOPIC POLE

Use with the EGO Power⁺ Professional-X Pruning Saw and Hedge Trimmer attachments*, and with any of EGO's 56V ARC Lithium™ batteries. Extends up to 4m** in length to easily reach high branches and hedges, and ideal for low hedges when set to a shorter extension.








| | PPX1000 |
|---------------------------|---|
| LENGTH | 172 - 265cm |
| IP CLASS | IPX4 |
| SPEED CONTROL | Variable speed 2 triggers |
| SHAFT MATERIAL | Oval, rubber sleeve |
| WEIGHT WITHOUT BATTERY | 3.5kg |
| DOMESTIC WARRANTY | 5 years |
| PROFESSIONAL WARRANTY | 3 years |
| AVAILABLE AS A KIT* | PPCX1000: Includes telescopic pole, pruning saw attachment and hedge trimmer attachment |

*Without battery and charger



PTX5100

PROFESSIONAL-X TELESCOPIC HENGE TRIMMER ATTACHMENT

For use with the EGO Power⁺ Professional-X Telescopic Pole (sold separately). Cut branches up to 26mm with ease. Tackle hard-to-reach areas with 6-position articulation and twist rotation.








LASER CUT, DIAMOND **CUTTING BLADES** Cleaner, more precise cutting







PTX5100

51cm

26mm

BLADE LENGTH


BLADE GAP

*Run time may vary and depend on the battery used, charge level of battery, condition of hedge and user's operation technique **Without battery and charger.

PPCX1000: Includes

telescopic pole. prunning saw attachment and hedge

PROFESSIONAL WARRANTY 3 years



PROFESSIONAL-X TELESCOPIC PRUNING SAW ATTACHMENT

For use with the EGO Power⁺ Professional-X Telescopic Pole (sold separately). Cut through branches up to 200mm in diameter with ease.











| | PSX2500 |
|------------------------|--|
| BAR LENGTH | 25cm |
| CHAIN TYPE | 90PX040X (Pitch ³ / ₈ ", Gauge 1.1mm) |
| CHAIN SPEED | 22m/s |
| RUN TIME* | 2.5Ah Up to 110 cuts 4.0Ah Up to 182 cuts 5.0Ah Up to 231 cuts 6.0Ah Up to 280 cuts 7.5Ah Up to 379 cuts 10.0Ah Up to 455 cuts 12.0Ah Up to 545 cuts |
| SPEED CONTROL | Variable Speed |
| TOTAL LENGTH | 140cm |
| TOTAL EXTENDED LENGTH | 400cm |
| OIL TANK CAPACITY | 180ml with worm gear |
| NOISE RATING LpA/LwA | 85 dB(A) / 99 dB(A) |
| WEIGHT WITHOUT BATTERY | 2.2kg |
| MOTOR TYPE | Brushless |
| VIBRATION (M/S2) | 1.2m/s ² |
| DOMESTIC WARRANTY | 5 years |
| PROFESSIONAL WARRANTY | 3 years |
| AVAILABLE AS A KIT** | PPCX1000: Includes telescopic pole, pruning saw attachment and hedge trimmer attachment |

*Number of cuts may vary and depend on the battery used, charge level of battery and user's operation technique. Based on 100mm x 100mm cuts. **Without battery and charger.

*The Telescopic Pruning Saw attachment and the Telescopic Hedge Trimmer can be purchased separately **Depending on which attachment

56 | EGO POWER+ PROFESSIONAL-X TELESCOPIC POLE SYSTEM

REAR FOOT

Replaceable carrying

handle, protection against bumping

and dropping



THE PERFECT COMBINATION OF POWER, BALANCE BRUSH CUTTERS CUT EVERY JOB DOWN TO SIZE.









ULTIMATE TRIMMING CONTROL

EGO has revolutionised its range of Power⁺ Line Trimmers once more, with the introduction of world-first Line IQ™ Technology to its newest model for non-stop performance.

EGO's latest innovation features auto-sensors which monitor and automatically feed the length of line so there's no bump needed. Coupled with EGO's patented Powerload™ Technology, it's designed to eliminate the usual hassle so you can focus on the job at hand.

With a range of cutting swathes and speeds, there's an EGO Line Trimmer suitable for every use, from smaller gardens to more demanding, professional jobs. Backed by powerful brushless motors and created with ease-of-use in mind, EGO Power+ Line Trimmers deliver optimum efficiency and runtime, as well as low vibration levels and adjustable shaft length for comfortable working conditions.





Forget frustrating line feeding issues with EGO's automatic Line IQ™ Technology. With intelligent automatic sensors, there's no need to bump the head, so you can keep trimming for non-stop performance.



































EGO" POWER

NEW FOR 2023

Overcome the tricky, time-consuming challenges of loading and feeding line with the industry's most innovative Line Trimmer. EGO Powerload™ and Line IQ™ Technologies make tackling trimming tasks the easiest they've ever been, combined with a 40cm cutting swathe and 2 pre-set speeds. The new ST1610E-T's ergonomic design and industry-first technology features make it a truly remarkable trimming tool.



















|) | |
|----------|------------|
| OAD™ | LINE IQ™ |
| D | TECHNOLOGY |

| | ST1300E-S | ST1400E-ST | ST1510E | ST1530E | ST1610E-T | | |
|------------------------------------|---|--|---|--|---|--|--|
| CUTTING WIDTH – Line trimmer head | 33cm | 35cm | 38cm | 38cm | 40cm | | |
| TOTAL LENGTH | 173cm | 165-183cm | 173cm | 167cm | 184cm | | |
| RUN TIME* | 2.5Ah Up to 70 mins 4.0Ah Up to 110 mins 5.0Ah Up to 140 mins 6.0Ah Up to 170 mins 7.5Ah Up to 210 mins 10.0Ah Up to 280 mins 12.0Ah Up to 340 mins | 2.5Ah Up to 60 mins 4.0Ah Up to 90 mins 5.0Ah Up to 120 mins 6.0Ah Up to 135 mins 7.5Ah Up to 165 mins 10.0Ah Up to 240 mins 12.0Ah Up to 290 mins | 2.5Ah Up to 30 mins 4.0Ah Up to 50 mins 5.0Ah Up to 60 mins 6.0Ah Up to 70 mins 7.5Ah Up to 90 mins 10.0Ah Up to 120 mins 12.0Ah Up to 145 mins | 2.5Ah Up to 18 mins 4.0Ah Up to 36 mins 5.0Ah Up to 45 mins 6.0Ah Up to 55 mins 7.5Ah Up to 72 mins 10.0Ah Up to 90 mins 12.0Ah Up to 110 mins | 2.5Ah Up to 40 mins 4.0Ah Up to 65 mins 5.0Ah Up to 85 mins 6.0Ah Up to 100 mins 7.5Ah Up to 125 mins 10.0Ah Up to 165 mins 12.0Ah Up to 200 mins | | |
| CDEED CONTROL | Constant speed | Variable speed | Constant speed | Constant speed | Digital 2 speed | | |
| SPEED CONTROL | Two-speed | Two-speed | Two-speed | Two-speed | Variable speed | | |
| NO LOAD SPEEDS | 5,200-6,500rpm | 3,500-5,800rpm | 4,000-5,800rpm | 6,000-7,000rpm | 3,500-5,500rpm | | |
| LINE DIAMETER SUPPLIED** | 2.0mm | 2.4mm | 2.4mm | 2.4mm | 2.4mm | | |
| LINE FEED | Bump feed head | Powerload [™] head | Powerload™ head | Rapid reload bump feed head | Line-IQ feed | | |
| DUAL LINE | Yes | Yes | Yes | Yes | Yes | | |
| ROTATING DIRECTION | Clockwise | Clockwise | Clockwise | Anti clockwise | Clockwise | | |
| AUXILIARY HANDLE | Loop and quick-adjust | Loop and quick-adjust | Loop and quick-adjust | Loop and quick-adjust | Quick adjust | | |
| HARNESS | N/A | N/A | Single shoulder | Single shoulder | Single shoulder | | |
| WEIGHT WITHOUT BATTERY | 2.7kg | 3.4kg | 3.2kg | 4.2kg | 3.4kg | | |
| VIBRATION (M/S ²) | 2.1/1.2 | 3.2/2.3 | 1.1/1.5 | 3.9/2.7 | 4.6/2.7 | | |
| MOTOR TYPE | Brushless | Brushless | Brushless | Brushless | Brushless | | |
| NOISE RATING LpA/LwA | 75dB(A) 93dB(A) | 69dB(A) 89dB(A) | 79.3dB(A) 93dB(A) | 82.6dB(A) 96dB(A) | 77dB(A) 90dB(A) | | |
| DOMESTIC WARRANTY | 5 years | 5 years | 5 years | 5 years | 5 years | | |
| PROFESSIONAL WARRANTY | 1 year | 1 year | 1 year | 2 years | 1 year | | |
| AVAILABLE AS A KIT | ST1301E-S: Includes line trimmer, 2.5Ah battery and standard charger | ST1401E-ST: Includes line trimmer, 2.5Ah battery and standard charger | ST1511E: Includes line trimmer, 2.5Ah battery and standard charger | - | ST1613E-T: Includes line trimmer, 4.0Ah battery and standard charger | | |

*Run time may vary and depend on the battery used, charge level of battery, condition of grass and user's operation technique. **Please refer to pages 30-31 for more information

 ⁻ highlighted cutting area is optimal for battery.

POWER BRUSH CUTTER/LINE TRIMMER









BC3800E

30/38CM BRUSH CUTTER / LINE TRIMMER

The three-sided blade and brushless motor has the power to clear virtually any ground. Can be used as either a brush cutter or line trimmer.





| | | BC3800E |
|--------|--|---|
| | CUTTING WIDTH | |
| | - Three-sided blade | 30cm |
| | - Line trimmer head | 38cm |
| | TOTAL LENGTH | 186cm |
| | RUN TIME* | 2.5Ah Up to 20 mins 4.0Ah Up to 32 mins 5.0Ah Up to 40 mins 6.0Ah Up to 50 mins 7.5Ah Up to 65 mins 10.0Ah Up to 80 mins 12.0Ah Up to 96 mins |
| | BLADE MATERIAL | Three-sided steel blade |
| | SPEED CONTROL | Constant variable speed |
| | LINE DIAMETER SUPPLIED** | 2.4mm |
| | LINE FEED | Rapid reload bump feed head |
| | ROTATING DIRECTION | Anti clockwise |
| | WEIGHT WITHOUT BATTERY | |
| | - Three-sided blade | 4.6kg |
| | - Line trimmer head | 4.4kg |
| | VIBRATION (M/S ²) | |
| | - Three-sided blade | 1.5/1.9 |
| | - Line trimmer head | 2.3/2.4 |
| | MOTOR TYPE | Brushless |
| | NOISE RATING Lpa/Lwa | 80dB(A) 96dB(A) |
| | DOMESTIC WARRANTY | 5 years |
| | PROFESSIONAL WARRANTY | 2 years |
| ıv vai | ry and depend on the hattery used, cha | arge level of battery condition of grass |

*Run time may vary and depend on the battery used, charge level of battery, condition of grass and user's operation technique. **Please refer to pages 68-69 for more information.








CUT WITH POWER AND PROTECTION

The EGO Professional-X Rotocut attachment cuts through grass, weeds and moss on concrete, pathways, and verges with ease.

Featuring two counter-rotating blades instead of line, Rotocut maximises run-time and reduces vibration. Most importantly, it prevents debris from being thrown, making it ideal for use in built-up areas where risk of damage or injury can be acute. With a low profile on the gear box, it can take on the most difficult-to-reach areas.

The base plate is mounted on bearings, increasing the overall life of the tool, and reducing pavement damage. The blades have been designed to ensure clean and accurate cutting performance whilst maintaining durability.

Rotocut can be used with any rear-motored tools or EGO line trimmer multi tools, making it the ultimate attachment for added precision and protection.





and longer life

RTX2300 PROFESSIONAL-X ROTOCUT

Rotocut's flat design and simple attachment process means it can fit to most rear motor brush cutters and line trimmers on the market.





| | RTX2300 | | | | | | |
|-------------------------------|---|--|--|--|--|--|--|
| CUTTING WIDTH | 23cm | | | | | | |
| RUN TIME* | 2.5Ah Up to 25 mins 4.0Ah Up to 40 mins 5.0Ah Up to 52 mins 6.0Ah Up to 65 mins 7.5Ah Up to 80 mins 10.0Ah Up to 105 mins 12.0Ah Up to 125 mins BAX1500 Up to 325 mins | | | | | | |
| ROTATING DIRECTION | Two blades counter rotation | | | | | | |
| BLADE TYPE | High strength alloy steel | | | | | | |
| WEIGHT | 1.9kg | | | | | | |
| VIBRATION (M/S ²) | 1.1/1.5 | | | | | | |
| NOISE RATING Lpa/Lwa | 79.3dB(A) 93dB(A) | | | | | | |
| CUTTING SPEED | 450rpm | | | | | | |
| COMPATIBLE EGO TOOLS | STX3800 / BCX3800 / ST1530E / BC3800E / STA1500 / BCA1200 | | | | | | |
| DOMESTIC WARRANTY | 5 years | | | | | | |
| PROFESSIONAL WARRANTY | 3 years | | | | | | |

*Run time may vary and depend on the battery used, charge level of battery and user's operation technique.

ensuring no debris is thrown

64 EGO POWER+ BRUSH CUTTER/LINE TRIMMER









BCX3800

PROFESSIONAL-X LINE TRIMMER / BRUSH CUTTER (BIKE HANDLE)

Leave the fuss and fumes of petrol behind with this powerful, pro-standard tool. Pair up with our Professional-X backpack battery BAX1500 for all-day power and comfort.













PROFESSIONAL-X LINE TRIMMER **BRUSH CUTTER (LOOP HANDLE)**

Our Professional-X line trimmer provides the same power and performance as petrol. Now with a quick adjustable handle, pair up with our Professional-X backpack battery BAX1500 for all-day power and comfort.







THE TOUGH **ANSWER TO**

EFFICIENT AND POWERFUL Brushless motor

For longer running times

Perfectly balanced for comfortable use, EGO's Professional-X line trimmers / brush cutters make short work of even the roughest ground with the ready-for-anything 2KW motor.

Light yet strong, the solid steel drive shaft is housed in a carbon fibre drive tube. Unlike alloy shafts, it won't bend and lose its shape over time, keeping vibration levels to a minimum.



RAPID RELOAD BUMP

For quick, easy line

refilling and extending

LINE FEED HEAD


Won't bend and lose shape over time, keeping vibration levels

VARIABLE SPEED TRIGGER WITH SAFETY LOCK-OFF For efficient, safe working





CARBON FIBRE DRIVE SHAFT



*Run time may vary and depend on the battery used, charge level of battery, condition of grass and user's operation technique

66 | EGO POWER+ PROFESSIONAL-X LINE TRIMMERS/BRUSH CUTTERS



LINES, BLADES AND ACCESSORIES TO SUIT EVERY JOB

EGO have a range of lines, blades and harnesses to suit any trimming or cutting job, plus a range of replacement cutting heads for all EGO Line Trimmer products.

Lines for Line Trimmers





Choose a smaller line thickness for clearing long grass and lighter vegetation, or a larger, more durable line thickness for cutting down heavier, dense vegetation. Commercial, more powerful Line Trimmers are more suitable for the heavier lines, while twisted lines are quieter during use. For simple line replacement - choose a pre-wound spool for compatible tools. See our simple guide to choosing the right line below.

Brush Cutting Blades







Cutting Heads



Replacement cutting heads are available for EGO Line Trimmer machines with standard, bump-feed, Powerload™ and Line IQ™ heads.


Straps and Harnesses





A full range of replacement straps and harnesses are available for EGO Line Trimmer machines, to make tackling the job easier.






Rotocut Blades



Replacement Rotocut blades will fit the EGO Power⁺ Rotocut attachments, which are ideal for working through tough-to-shift growth in paths and drives, and along the base of walls and curbs.



| PART | DESCRIPTION | ST | 1300E | ST1400E-ST | ST1500E-F | ST1510E | ST1530E | ST1610E-T | BC1500E-F | BC3800E | BCX3800 | STX3800 | STA1500 | STA1600 | BCA1200 | RTA2300 |
|-----------------------|--|--------------------|-------|------------|-----------|---------|---------|-----------|-----------|---------|---------|---------|---------|---------|---------|---------|
| ROTOCUT | Durfaceignal V Data and Allendar | | | | | | | | | | | | | | | |
| RTX2300 | Professional-X Rotocut Attachment Replacement blades (pair) - ROTOCUT | | | | | | 0 | | | 0 | 0 | 0 | 0 | | 0 | 0 |
| ABR2300 | RTX2300 | | | | | | 0 | | | 0 | 0 | 0 | 0 | | 0 | 0 |
| TRIMMER SPO AS1300 | ODS (WITH LINE) Spool with 2.4mm twist line for standard bump feed cutting head - ST1500E, BC1500E | | | | 0 | | | | 0 | | | | | | | |
| AS1302 | Spool with 2.0mm twist line for standard bump feed cutting head - ST1300E | | 0 | | | | | | | | | | | | | |
| AS3800 | Spool w/o line for bump feed cutting head - BCX3800, STX3800 | | | | | | | | | | 0 | 0 | | | | |
| TRIMMER LIN | E | | | | | | | | | | | | | | | |
| AL2415T | 15m 2.4mm low-noise twist line (STRATUS) | | | | | 0 | 0 | 0 | 0 | 0 | | | | | | |
| AL2015T | 15m 2.0mm low-noise twist line (STRATUS) | | 0 | 0 | | | | | | | | | | | | |
| AL2050T | 50m 2.0mm twist line - ST1300E (green) | | • | 0 | | | | | | | | | | | | |
| AL2715T | 15m 2.7mm twist line [red/green] - STX3800, BCX3800 | ♦ | | | | | | | | | 0 | 0 | | | | |
| AL3012T | 12m 3.0mm twist line [yellow/green] - STX3800, BCX3800 | \ | | | | | | | | | 0 | 0 | | | | |
| AL2475T | 75m 2.4mm twist line [orange/green] - ALL 35cm & 38cm cutting diameter grass trimmers | ♦ | | • | • | • | • | • | • | • | • | • | • | • | | |
| AL2760T | 60m 2.7mm twist line [red/green] - STX3800, BCX3800 | ♦ | | | | | | | | | 0 | 0 | | | | |
| AL3050T | 50m 3.0mm twist line [yellow/green] - STX3800, BCX3800 | \rightarrow | | | | | | | | | 0 | 0 | | | | |
| AL2415R | 15m 2.4mm round line [orange] - ALL 35cm & 38cm cutting diameter grass trimmers | • | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| AL2715R | 15m 2.7mm round line [red] - STX3800, BCX3800 | • | | | | | | | | | 0 | 0 | | | | |
| AL3012R | 12m 3.0mm round line [yellow] - STX3800, BCX3800 | • | | | | | | | | | 0 | 0 | | | | |
| AL2490R | 90m 2.4mm round line [orange] - ALL 35cm & 38cm cutting diameter grass trimmers | • | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| AL2780R | 80m 2.7mm round line [red] - STX3800, BCX3800 | • | | | | | | | | | 0 | 0 | | | | |
| AL3060R | 60m 3.0mm round line [yellow] - STX3800, BCX3800 | • | | | | | | | | | 0 | 0 | | | | |
| AL2416P | 4 x 4.0m 2.4mm Pre-cut twisted line [black/ orange] - ST1400E-ST, ST1510E | ♦ | | • | | • | | | | | | | | | | |
| CUTTING HEA | DS | | | | | | | | | | | | | | | |
| AH1520 | Powerload [™] cutting head - ST1510E | | | | | 0 | | | | | | | | | | |
| AH1522 | Powerload" cutting head - ST1400E-ST ANY INSERT cutting head - CLOCKWISE - | | | 0 | | | | | | | | | | | | |
| AH1530 | ST1500E-F, BC1500E-F | | | | 0 | | _ | | 0 | _ | | | _ | | | |
| AH1531 | ANY INSERT cutting head - ANTI-CLOCKWISE - ST1530E, BC3800E, STA1500 | | | | | | 0 | | | 0 | | | 0 | | | |
| AH1600 | Powerload [™] cutting head - STA1600 | | | | | | | _ | | | | | | 0 | | |
| AH1620 | Powerload [™] cutting head - ST1610E-T | | | | | | | 0 | | | | | | | | |
| AH3800 | Bump feed cutting head - STX3800, BCX3800 | | | | | | | | | | 0 | 0 | | | | |
| AH3810 | ANY INSERT cutting head - ANTI-CLOCKWISE - ST1530E, BC3800E, STX3800, BCX3800, STA1500, BCA1200 | | | | | | | | | | 0 | 0 | | | | |
| ABT3800 | Bump feed button - AH3800 | | | | | | | | | | 0 | 0 | | | | |
| CUTTING BLA | | | | | | | | I | | | | | | | | |
| ABB1203 | 3 point brush cutter blade - STX3800, BCX3800, ST1530E, BC3800, BCA1200 | | | | | | 0 | | | 0 | 0 | 0 | 0 | | 0 | |
| ABB0903P | Elastoblade - STX3800, BCX3800, ST1530E, BC3800, BCA1200 | | | | | | 0 | | | 0 | 0 | 0 | 0 | | 0 | |
| STRAPS AND | | | | | | | | | | | | | | | | |
| AP1500 | Single-shoulder harness with one hook - multi-tool and all grass trimmers. | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 |
| AP1500D | Double-shoulder harness with guard pad - multi-tool & all grass trimmers except BCX3800 & STX3800 (cannot be used with BH1000 or BHX1000) | | 0 | 0 | 0 | 0 | 0 | | 0 | | | 0 | 0 | | 0 | 0 |
| AHP1300 | Leg protector / line trimmer harness attachment - Only to be used with AFH1300, BH1000 | | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | | 0 | 0 |
| AHP1500 | Leg protector / line trimmer harness attachment - Only to be used with AFH1500, BHX1000 | | | | | | | | | | 0 | 0 | | | | |

= Line supplied = Compatible with 68 | EGO POWER+ ACCESSORY COMPATIBILITY EGO POWER+ ACCESSORY COMPATIBILITY 69



LIGHT, YET POWERFUL, OUR NEXT GENERATION OF CORDLESS HEDGE TRIMMERS GIVE YOU ALL THE COMFORT AND CONTROL YOU NEED TO GET THE JOB DONE.









GRASS TRIMMER ATTACHMENT Quick and easy edge trimming – 11.5cm cutting width



12V LITHIUM-ION BATTERY



COMPACT WITHOUT COMPROMISE

They may be compact, but they don't compromise on power. Brought to life by a 12V Lithium-Ion battery, the EGO Power⁺ shrub/grass shears are ideal for everyday garden maintenance.

With two attachments included, use the shrub blade to shape and maintain smaller hedges and ornamental trees, or switch to the grass trimmer blade to tackle areas of grass that mowers can't reach.

A lightweight, ergonomic design allows for unparalleled precision in either mode, so you can get the perfect result every time.

Simple to use and easy to store, they are an essential addition to every gardener's arsenal.







CHT2001E 12V SHRUB/GRASS SHEARS

Single speed 20cm blade length, 8mm blade gap with single knife edge cutting action. Can be used as either shrub or grass shears.









SIMPLE ATTACHMENT

For different blade sets

POWERFUL MOTOR 2400 spm 2.0Ah battery

| | CHT2001E |
|-------------------------------|---|
| GRASS CUTTER BLADE WIDTH | 11.5cm |
| HEDGE TRIMMER BLADE LENGTH | 20cm |
| HEDGE TRIMMER BLADE GAP | 8mm |
| RUN TIME | Up to 70 mins |
| SPEED CONTROL | Single-speed |
| NO LOAD SPEEDS | 2400 spm |
| BLADE TYPE | Laser cut |
| CUTTING ACTION | Dual action; single-sided cutting blade |
| BLADE TIP PROTECTOR | No |
| STANDARD BATTERY | 2.0Ah |
| CHARGE TIME | 3.5 hours |
| WEIGHT WITH BATTERY | 1.1kg |
| DOMESTIC WARRANTY | 5 years |
| PROFESSIONAL WARRANTY | - |

Model Shown: CHT2001E

FGO POWER+ 12V SHRUB/GRASS SHEARS 73







BLADE TIP PROTECTOR Prevents blades becoming damaged by fences and walls


BALANCED, PRECISE, **POWERFUL**

Engineered to deliver impressive cutting ability from a single charge, the EGO Power+ Hedge Trimmer's well-balanced design and clever features makes working outdoors easier and more comfortable.

The rotating handle and dual trigger system provide enhanced user comfort and safety. While the smooth and quiet brushless motor and gearbox gives you all the power you need, without the vibration, emissions and noise of a petrol engine.

EGO hedge trimmer blades are diamond ground and double sided for clean, precise cutting. All blades have large cutting capacities for tackling thicker hedges and are available in 51cm to 66cm lengths, to suit every size of hedge. Blade-tip protection stops damage from fences and walls.

For safer working, the safety blade guard helps prevent injuries while the electric brake stops the blades when the trigger is released.





ELECTRIC SAFETY BRAKE Stops blade when trigger is released

DUAL ACTION BLADES

For less vibration









Model Shown: HT2600E

Please note: some features are not available on all models.











HT2000E 51CM HEDGE TRIMMER

EGO POWER

Single-speed, single knife-edge cutting action, powerful brushless motor, ideal for cutting narrower small-to-medium hedges with thick stem widths.






POWER

61CM HEDGE TRIMMER

Single-speed, single knife-edge cutting action, powerful brushless motor, ideal for cutting wider medium hedges with thick stem widths.









HT2600E 66CM HEDGE TRIMMER

Designed with a durable 66cm diamond ground blade and innovative rotating handle, the HT2600E provides cutting precision with ease.







HT5100E

51CM HEDGE TRIMMER

Two-speed, double knife-edge cutting action, adjustable rotating rear handle for additional control, ideal for cutting narrower/long hedges with thicker stem widths.





HT6500E

65CM HEDGE TRIMMER

Two-speed, double knife-edge cutting action, adjustable rotating rear handle for additional control, ideal for cutting wider/long hedges with thicker stem widths.



| | HT2000E | HT2410E | HT2600E | HT5100E | HT6500E |
|-------------------------|---|---|--|---|--|
| BLADE LENGTH | 51cm | 61cm | 66cm | 51cm | 65cm |
| BLADE GAP | 25mm | 26mm | 30mm | 33mm | 33mm |
| BLADE TOOTH DEPTH | 20mm | 20mm | 20mm | 20mm | 20mm |
| RUN TIME* | 2.5Ah Up to 75 mins 4.0Ah Up to 120 mins 5.0Ah Up to 150 mins 6.0Ah Up to 210 mins 7.5Ah Up to 225 mins 10.0Ah Up to 300 mins 12.0Ah Up to 360 mins | 2.5Ah Up to 75 mins 4.0Ah Up to 120 mins 5.0Ah Up to 150 mins 6.0Ah Up to 180 mins 7.5Ah Up to 225 mins 10.0Ah Up to 300 mins 12.0Ah Up to 360 mins | 2.5Ah Up to 60 mins 4.0Ah Up to 90 mins 5.0Ah Up to 120 mins 6.0Ah Up to 145 mins 7.5Ah Up to 180 mins 10.0Ah Up to 240 mins 12.0Ah Up to 270 mins | 2.5Ah Up to 40 mins 4.0Ah Up to 70 mins 5.0Ah Up to 82 mins 6.0Ah Up to 100 mins 7.5Ah Up to 125 mins 10.0Ah Up to 164 mins 12.0Ah Up to 195 mins | 2.5Ah Up to 33 mins 4.0Ah Up to 60 mins 5.0Ah Up to 72 mins 6.0Ah Up to 90 mins 7.5Ah Up to 110 mins 10.0Ah Up to 144 mins 12.0Ah Up to 170 mins |
| SPEED CONTROL | Single speed | Single speed | Single speed | Two-speed | Two-speed |
| NO LOAD SPEEDS | 3,000spm | 3,000spm | 3,400spm | 2,800/3,200spm | 2,800/3,200spm |
| BLADE TYPE | Laser cut; diamond ground | Laser cut; diamond ground | Laser cut; diamond ground | Laser cut; diamond ground | Laser cut; diamond ground |
| CUTTING ACTION | Dual action; single knife edge | Dual action; single knife edge | Dual action, single knife edge | Dual action; double knife edge | Dual action; double knife edge |
| BLADE TIP PROTECTOR | Yes | Yes | Yes | Yes | Yes |
| NOISE RATING Lpa/Lwa | 81dB(A) 94dB(A) | 83dB(A) 96dB(A) | 84dB(A) 94dB(A) | 81dB(A) 92dB(A) | 81.4dB(A) 93dB(A) |
| ROTATING HANDLE | No | No | 45° and 90° left and right | 45° and 90° left and right | 45° and 90° left and right |
| WEIGHT WITHOUT BATTERY | 2.8kg | 3kg | 3.1kg | 3.6kg | 3.8kg |
| MOTOR TYPE | Brushless | Brushless | Brushless | Brushless | Brushless |
| VIBRATION (M/S²) | 2/1.5 | 1.8/1.7 | 2.4/1.7 | 3.4/1.9 | 5.3/3.1 |
| DOMESTIC WARRANTY | 5 years | 5 years | 5 years | 5 years | 5 years |
| PROFESSIONAL WARRANTY | 1 year | 1 year | 1 year | 2 years | 2 years |
| AVAILABLE AS A KIT | HT2001E: Includes hedge trimmer, 2.5Ah battery and standard charger | HT2411E: Includes hedge trimmer, 2.5Ah battery and standard charger | HT2601E: Includes hedge trimmer, 2.5Ah battery and standard charger | - | - |

*Run time may vary and depend on the battery used, charge level of battery, condition of hedge and user's operation technique.

†Available on selected models.

• - highlighted cutting area is optimal for battery.

EGO POWER* HEDGE TRIMMERS 77











HTX6500

65CM PROFESSIONAL-X HEDGE TRIMMER

Variable speed, double-knife edge cutting action makes light work of any job, big or small. Dual trigger system provides enhanced user comfort and safety.













VARIABLE SPEED

THE PROPERTY OF THE PARTY OF TH



HTX7500

75CM PROFESSIONAL-X HEDGE TRIMMER

Ideal for wider, larger hedges, the variable speed, double-knife edge cutting action makes light work of any garden job. Dual trigger system provides enhanced user comfort and safety.



















TACKLE TOUGH HEDGES WITH EASE

Designed for professionals, the Professional-X hedge trimmers are precision engineered to tackle the toughest hedges with ease.

A single charge delivers impressive run times, while the smooth and quiet brushless motor and gearbox give you all the power you need, without the vibration, emissions and noise of a petrol engine.

Blades that cut cleanly.

The high-quality EGO Power⁺ blades are made from laser-cut steel with diamond-ground edges to provide the cleanest cut and promote healthier hedges.



UNIQUE HANDLE And trigger design For switching effortlessly between horizontal and

vertical cutting

LOW CUTTER GUARD For safe and easy access

> 65CM/75CM BLADE LENGTH WITH 33MM **CUTTING CAPACITY**

| | HTX6500 | HTX7500 |
|---|--------------------------------|--------------------------------|
| BLADE LENGTH | 65cm | 75cm |
| BLADE GAP | 33mm | 33mm |
| BLADE TOOTH DEPTH | 20mm | 20mm |
| RUN TIME [*] WITH BAX1500 BATTERY | Up to 420 mins | Up to 380 mins |
| SPEED CONTROL | Variable speed | Variable speed |
| NO LOAD SPEEDS | 3200spm | 3200spm |
| BLADE TYPE | Double-sided cutting | Double-sided cutting |
| CUTTING ACTION | Dual action; double knife edge | Dual action; double knife edge |
| BLADE TIP PROTECTOR | Yes | Yes |
| ROTATING HANDLE | No | No |
| WEIGHT | 3.9kg | 4.0kg |
| MOTOR TYPE | Brushless | Brushless |
| NOISE RATING LpA/LwA | 80 dB(A) 90.1 dB(A) | 83.9 dB(A) 95.4dB(A) |
| VIBRATION (M/S ²) | 3.2/3.9 | 2.9/3.5 |
| DOMESTIC WARRANTY | 5 years | 5 years |
| PROFESSIONAL WARRANTY | 3 years | 3 years |

*Run time may vary and depend on the battery used, charge level of battery, condition of hedge and user's operation technique

BLADE TIP PROTECTOR Prevents blades becoming damaged by fences and walls

Model Shown: HTX7500

mmmmmm

DIAMOND GROUND

EGO POWER+ HEDGE TRIMMERS | 79



WITH EXCEPTIONAL AIRSPEEDS AND HIGH-EFFICIENCY BRUSHLESS MOTORS, EGO POWER+ BLOWERS DELIVER MAXIMUM AIRFLOW WITH MINIMUM EFFORT.









BLOWS PETROL-POWERED BLOWERS OUT OF THE PARK

LARGE BLOWER TUBE Greater diameter delivers

Powered by a high-efficiency brushless motor, EGO Power* blowers feature jet turbine technology and a large diameter tube to give maximum airflow.

Significantly quieter and with zero emissions, the EGO range of blowers offer a genuine alternative to petrol power.

Designed to keep you in control - from low speed, low volume airflow for those delicate areas, to high speed, high volume airflow for hard-to-shift wet leaves and objects. With more power than most handheld petrol blowers on the market, that's more than enough to clear up even the biggest windfall.



VARIABLE SPEED CONTROL Adjust between 440m³/h and 675m³/h output



For a 986m³/h petrolblower beating output



TURBINE FAN ENGINEERING Utilises advanced



HIGH-EFFICIENCY BRUSHLESS MOTOR

Delivers more power and greater

Please note: some features are not available on all models.

Model Shown: LB5800E











PROFESSIONAL

PROFESSIONAL-X

| | LB5300E | | | LB5800E | | | LB7650E | | | LBX6000 | |
|-----------------------------------|-------------------|-----------------------------|------------------|---|-------------------------|------------------|-------------------------------------|------------------|----------------------------|---------------------------------------|---|
| | LOW SPEED | HIGH SPEED | BOOST | LOW SPEED | HIGH SPEED | BOOST | LOW SPEED | HIGH SPEED | BOOST | | |
| RUN TIME* WITH 2.5Ah BATTERY | Up to 75 mins | Up to 22 mins | Up to | Up to 100 mins | Up to 15 mins | Up to 9 mins | Up to 30 mins | Up to 13 mins | - | - | - |
| RUN TIME* WITH 4.0Ah BATTERY | Up to 120 mins | Up to 35 mins | Up to 16 mins | Up to 160 mins | Up to 24 mins | Up to 14 mins | Up to 120 mins | Up to 20 mins | Up to 14 mins | Up to | 36 mins |
| RUN TIME* WITH 5.0Ah BATTERY | Up to 150 mins | Up to 44 mins | Up to 20 mins | Up to 200 mins | Up to 30 mins | Up to 18 mins | Up to 150 mins | Up to 25 mins | Up to 17 mins | Up to | 60 mins |
| RUN TIME* WITH 6.0Ah BATTERY | Up to 180 mins | Up to 53 mins | Up to 24 mins | Up to 240 mins | Up to 36 mins | Up to 22 mins | Up to 180 mins | Up to 30 mins | Up to 18 mins | Up to | 75 mins |
| RUN TIME* WITH 7.5Ah Battery | Up to 225 mins | Up to 66 mins | Up to 30 mins | Up to 300 mins | Up to 45 mins | Up to 27 mins | Up to 225 mins | Up to 37 mins | Up to 26 mins | Up to | 90 mins |
| RUN TIME* WITH 10.0Ah BATTERY | Up to 300 mins | Up to 88 mins | Up to 40 mins | Up to 400 mins | Up to 60 mins | Up to 36 mins | Up to 300 mins | Up to 50 mins | Up to 34 mins | Up to 1 | 20 mins |
| RUN TIME* WITH 12.0Ah BATTERY | Up to 360 mins | Up to 105 mins | Up to 48 mins | Up to 480 mins | Up to 72 mins | Up to 36 mins | Up to 360 mins | Up to 60 mins | Up to 40 mins | Up to 1 | 45 mins |
| RUN TIME* WITH BAX1500 BATTERY | - | - | - | - | - | - | - | - | - | Level 1 Level 2 Level 3 Level 4 Boost | Up to 350 mins Up to 210 mins Up to 140 mins Up to 100 mins Up to 70 mins |
| | | Max | | | Max | | | Max | | | |
| AIR VOLUME (M³/H) | | 900 | | | 986 | | | 1300 | | 1014n | 1 ³ /h Max |
| AIR SPEED (KM/H) | | 176 | | 270 | | 313 | | 212 | km/h | | |
| FORCE (N) | | 16 | | | 18 | | 26 | | 19.2 Max | | |
| SPEED SETTING | Varia | able speed with | boost | Constant variable speed with lock-on + boost | | | Variable speed with lock-on + boost | | 4 level settings and boost | | |
| WEIGHT WITHOUT BATTERY | | 2.2kg | | 2.2kg | | 2.2kg | | 2.1kg | | 2.7kg | |
| MOTOR TYPE | | Brushless | | | Brushless | | Brushless | | Brushless | | |
| NOISE RATING Lpa/Lwa | | 82 dB(A) 100dB(A) | | | 78.4 dB(A) 95 dB(A) | | 83dB(A) 98dB(A) | | 80 dB(A) 93dB(A) | | |
| VIBRATION (M/S2) | | 1.35 | | | 0.18 | | 0.8 | | | 1 | 1.2 |
| DOMESTIC WARRANTY | | 5 years | | | 5 years | | 5 years | | 5 y | ears | |
| PROFESSIONAL WARRANTY | 1 year | | 2 years | | 2 years | | 3 y | ears | | | |
| CONSTANT SPEED | | - | | | - | | | - | | ١ | 'es |
| AVAILABLE AS A KIT | LB5301E: Incl | udes blower, 2.5 charger | 6Ah battery | LB5804E: Incl | udes blower, 5.0 ger |)Ah battery | | - | | | - |

^{*}Run time may vary and depend on the battery used, charge level of the battery and user's operation technique.



LB5300E BLOWER

Variable speed setting, large blower tube, up to 900m³/h output in Boost, for clearing small to medium-sized spaces.







Includes AN5300 Flat Nozzle.





LB7650E **BLOWER**

Variable speed thumb selector for added airflow control with single handed use, 1,300m³/h output in Boost - by far the industry's most powerful hand-held blower, outperforms even the leading petrol-powered blowers. Perfect for completing the toughest tasks across wider areas and large gardens.











LB5800E **BLOWER**

Variable speed thumb selector for added airflow control with single handed use, 986m³/h output in Boost, for completing bigger tasks across wider areas and large gardens.







Includes AN6000R (Round) and AN6000F (Flat) Nozzles.





LBX6000

PROFESSIONAL-X BLOWER

Designed to be used with the Professional-X Backpack Battery BAX1500, this powerful blower is light and easy to handle. Plus, the smooth brushless motor reduces vibration and noise compared to its petrol-powered equivalents.







Includes AN6000R (Round) and AN6000F (Flat) Nozzles.



84 EGO POWER+ BLOWER EGO POWER+ BLOWER | 85

^{• -} highlighted run time is optimal for battery.









LBP8000E

BACKPACK BLOWER

Activate Peak Power™ Technology by combining the power of two EGO batteries for maximum output and runtime making clearing work faster. Designed with an improved user interface, control system and newer, more powerful motor, the LBP8000E takes comfortable, efficient working to the next level





THE POWER TO CLEAR **MORE GROUND**

Tough tasks need powerful tools. And that's exactly what EGO's range of Backpack Blowers deliver. In Boost mode, leaves and debris don't stand a chance.

Not only are our Blowers powerful, they also benefit from intelligent features. The brushless motors reduce vibration and noise while the comfortable backpacks ergonomically distribute the weight of the tool. Boasting five hours run time*, you can cover plenty of ground too.



BACKPACK BLOWER

The hugely powerful, yet ergonomic design is easy to use and packed with all the features you need.



60

CARRYING HANDLES



NEW. MORE POWERFUL And efficient motor

COMFORTABLE HARNESS

IMPROVED INTERFACE WITH BATTERY STATUS

VARIABLE SPEED WITH SPEED LOCK AND BOOST

| RUN TIME^ WITH 5.0Ah BATTERY | 120 mins | 22 mins | 15 mins | 30 mins | 15 mins | 10 mins |
|---|---|--|--------------|--------------------|--------------|---------|
| RUN TIME** WITH 6.0Ah BATTERY | 150 mins | 27 mins | 18 mins | 38 mins | 18 mins | 12 mins |
| RUN TIME ^{**} WITH 7.5Ah BATTERY | 180 mins | 33 mins | 23 mins | 47 mins | 22 mins | 15 mins |
| RUN TIME ^{**} WITH 10.0Ah Battery | 240 mins | 44 mins | 30 mins | 63 mins | 29 mins | 20 mins |
| RUN TIME ^{**} WITH 12.0Ah Battery | 290 mins | 52 mins | 36 mins | 75 mins | 35 mins | 24 mins |
| AIR VOLUME (M3/H) | 440 | 850 | 1020 | 350 | 650 | 1360 |
| AIR SPEED (KM/H) | 80 | 160 | 193 | 80 | 160 | 260 |
| SPEED SETTING | Variable spe | ed with boos | t | Variable spe | ed with boos | t |
| FORCE (N) | 19.2 Max | | | 26 Max | | |
| MOTOR TYPE | Brushless | | | Brushless | | |
| NOISE RATING Lpa/Lwa | 83dB(A) 97dB(A) | | | 86dB(A) 98dB(A) | | |
| VIBRATION (M/S ²) | 1.5 | | | 1.5 | | |
| WEIGHT WITHOUT BATTERY | 5.7kg | | | 7.4kg | | |
| DOMESTIC WARRANTY | 5 years | | | 5 years | | |
| PROFESSIONAL WARRANTY | 2 years | | | 2 years | | |
| AVAILABLE AS A KIT | 5.0Ah batte LB6000E-K backpack bl | icludes backp ry and rapid of 1103: Include lower, 10.0Ah rapid charge | charger s | - | | |

**Run time may vary and depend on the battery used, charge level of battery and user's operation technique. - highlighted run time is optimal for battery.

Model Shown: LBP8000E

*Based on model LBP8000E: 350min. at 350m3/h with 12.0Ah battery - Low air setting.





EXTREME POWER

EGO's Power⁺ Professional Stage Snow Throwers use Peak Power™ Technology to deliver petrol-matching performance without noise, fuss or emissions.

Peak Power™ Technology combines the power of any two industry-leading EGO 56V ARC Lithium™ batteries to tackle the toughest snowy conditions efficiently. Variable-speed self-propelled control ensures ease of use. Reverse gears and wheel drive systems make getting out of tight spots easier.

Allowing snow to be thrown THROWS SNOW UP TO 14M in any direction Multi-directional chute, LED LIGHTS For enhanced visibility **=**G0 PEAK

RUBBERISED AUGER

Providing traction allowing the Snow Thrower to be

pulled along while clearing

ADJUSTABLE CHUTE



SNT2400E

ADJUSTABLE HANDLE HEIGHT

FOLDING ALUMINIUM HANDLES

For compact storage

TREADED REAR WHEELS

For increased traction and easy transport

EASY-TO-USE CONTROL PANEL For self-propel speed and

61 CM SELF-PROPELLED 2-STAGE SNOW THROWER WITH PEAK POWER™ TECHNOLOGY

Peak Power™ Technology delivers maximum power to handle even the deepest snow with ease. The generous 61cm clearing width and 51cm intake height work with the multi-directional shoot for a clearing distance of up to 13m, while the on-board controls are easy to operate - even when wearing bulky winter gloves.





SNT2120-AP SNT2400E 223m² CLEARING AREA @ 15CM DEPTH 160m² 2 parallel 2 parallel 61cm 52cm 51cm 30cm 180° 200° Joystick control 13m Up to 14m 7.6m Metal frame/rubber auger 18cm Steel 28cm 0.4-1.2m/s Single Auger propel 68kg Brushless Brushless 5 years 5 years 1 year 2 years SNT2124E-AP: SNT2400E-K2753:




NEW FOR 2023


SNT2120E-AP

AUGER PROPELLED SNOW THROWER

The SNT2120E-AP can clear 21cm of snow and throw it up to 14 metres, making it ideal for those early morning clearing jobs along driveways and footpaths.







rapid+ charger

2x rapid+ chargers



ALL WITHOUT THE FUSS AND FUMES OF PETROL.



92 | EGO POWER+ MULTI-TOOL





ONE TOOL, MULTIPLE OPTIONS

The EGO Power⁺ Multi-Tool is the outdoor power tool you can't do without. With a single power unit and a large range of high-tech attachments, you can easily tackle every garden task, from trimming grass, edging lawns, cutting hedges, sawing branches, tilling soil, to sweeping the patio. Switching between different jobs is simple thanks to the secure toolfree coupling system on every attachment. And, with our carbon fibre extension pole, even the hardest-to-reach places are no challenge for the Multi-Tool. Combined with the 56V ARC Lithium™ battery, you have all the power you need, without the noise, fuss, or emissions of petrol-power.

New for 2023.

Power up with our new, more intelligent carbon fibre Power Head. Compatible with our latest Line Trimmer attachment and all existing Multi-Tool attachments.



94 EGO POWER+ MULTI-TOOL 95









DIGITAL SPEED

VARIABLE SPEED TRIGGER

With 2 pre-set speeds

COMPATIBLE WITH ALL Ego batteries



EP7501 EXTENSION POLE

lightweight extension pole. Just click in the



TOTAL LENGTH: 78cm

Nothing is out of reach with this strong yet attachment you need and off you go.





POWERFUL REAR MOUNTED MOTOR Suitable for all attachments



PH1420E



MULTI-TOOL POWER HEAD





With more power, better ergonomics and an upgraded motor the

PH1420E is compatible with all current and future attachments.



THE POWER TO TACKLE ANY TASK

NEW FOR 2023









PH1400E

MULTI-TOOL POWER HEAD

With a powerful and smooth high-efficiency brushless motor, it's lightweight, perfectly balanced and ready for any job, big or small.



















ADJUSTABLE LOOP HANDLE For comfortable use



| | PH1400E | PH1420E |
|-----------------------|-----------------------------|-----------------------------|
| MOTOR TYPE | Brushless | Brushless |
| SPEED CONTROL | Two speed Variable speed | Two speed Variable speed |
| DRIVE SHAFT MATERIAL | 7mm solid steel | 7mm solid steel |
| DRIVE TUBE TYPE | Aluminium | Carbon fibre |
| COUPLING MECHANISM | Tool-free quick change | Tool-free quick change |
| WEIGHT | 2.7kg | 2.8kg |
| TOTAL LENGTH | 97cm | 97cm |
| DOMESTIC WARRANTY | 5 years | 5 years |
| PROFESSIONAL WARRANTY | 2 years | 2 years |



ONE REVOLUTIONARY POWER UNIT. SO MANY WAYS TO USE IT



01 HEDGE TRIMMERS

With a choice of standard or short pole lengths available, tackling high or low hedges is made easy. The head angle is adjustable to suit the job at hand and allows for compact storage.



06 EDGER

Give lawns a professional finish with the edger attachment. Ideal for neatening edges along paths, driveways or flowerbeds.



02 POLE SAW

Slices through tree branches fast and efficiently.
Combines with the carbon fibre extension pole
to reach further and cut more.



07 CULTIVATOR

The cultivator prepares soil prior to planting.
Removing weeds and introducing
air, it creates a loose bed, encouraging
the growth of healthy plant life.





03 LINE TRIMMERS

Trim grass along fences and walls with precision. Includes our Rapid Reload head making it easy to replace line.



08 BRISTLE BRUSH & PADDLE BROOM

The bristle brush makes short work of sweeping away moss, wet leaves and ingrained dirt, whilst the paddle broom makes it easy to clear away standing water.



04 BRUSH CUTTER

The brush cutter is built to deal with difficult undergrowth. From thick grass to tough weeds, it cuts through the toughest tasks with ease.



09 OLIVE SHAKER

Shake ripe olives off branches at approximately 2000 strokes per minute, with 10 replaceable carbon fibre fingers, a durable and market tested gearbox and integrated lubrication for simple maintenance.







05 ROTOCUT

Cuts through grass, weeds and moss on concrete, pathways and verges with ease. Featuring two counter-rotating blades, preventing debris from being thrown.



10 SNOW SHOVEL

The Snow Shovel is excellent for clearing snow quickly from patios, decks and driveways.



98 | EGO POWER+ MULTI-TOOL | 99



PROFESSIONAL

HTA2000 HEDGE TRIMMER ATTACHMENT

Laser cut, diamond ground blades and simple angle adjustment makes this trimmer as precise as it is powerful.






STA1500 LINE TRIMMER ATTACHMENT

This attachment is packed with features to save you time and help you work safely, quickly and efficiently.



HTA2000S Short Hedge Trimmer Attachment

With the same sharp blades and quick cutting action, this attachment makes short work of low, deep hedges.





BCA1200 BRUSH CUTTER ATTACHMENT

Tough enough to take on anything, the three-sided metal blade makes short work of any overgrown area.





PSA1000 Pole Saw Attachment

25cm guide bar and chain make cutting branches fast and efficient.





EDGER ATTACHMENT

With quick depth adjustment and handy guide, this attachment makes achieving a perfect edge easy.



CTA9500 CULTIVATOR ATTACHMENT

The easier way to prepare soil for planting, the cultivator's rotating teeth remove weeds and aerates soil.





OSA1000 OLIVE SHAKER ATTACHMENT

10 carbon fibre fingers shake and drop olives from their branches in no time at all.



BBA2100 Bristle Brush Attachment

Clear moss and wet leaves from hard surfaces easily with the new bristle brush attachment.





SSA1200 SNOW SHOVEL ATTACHMENT

The Snow Shovel is excellent for clearing snow quickly from patios, decks and driveways.



ROTOCUT ATTACHMENT

Cuts through grass, weeds and moss with ease.
Featuring two counter rotating blades, which prevent
debris from being thrown, make it ideal for use in
delicate areas.











POWERLOAD" TECHNOLOGY

STA1600 Line trimmer attachment

This attachment is packed with features to save you time and help you work safely, quickly and efficiently. Powerload™ feature only compatible with PH1420E.













| | HTA2000 / HTA2000S | PSA1000 | STA1500 | STA1600 | BCA1200 | RTA2300 |
|-------------------------|--|---|--|---|---|---|
| WEIGHT | 2.3kg / 2.2kg | 1.9kg | 1.6kg | 1.53kg | 1.8kg | 2kg |
| TOTAL LENGTH | 160cm (99cm folded) / 120cm | 142cm | 97cm | 185cm | 102cm | - |
| RUN TIME* | 2.5Ah Up to 37 mins 4.0Ah Up to 65 mins 5.0Ah Up to 82 mins 6.0Ah Up to 98 mins 7.5Ah Up to 122 mins 10.0Ah Up to 157 mins 12.0Ah Up to 188 mins | 2.5Ah Up to 70 cuts 4.0Ah Up to 110 cuts 5.0Ah Up to 140 cuts 6.0Ah Up to 170 cuts 7.5Ah Up to 210 cuts 10.0Ah Up to 285 cuts 12.0Ah Up to 340 cuts | 2.5Ah Up to 18 mins 4.0Ah Up to 35 mins 5.0Ah Up to 45 mins 6.0Ah Up to 55 mins 7.5Ah Up to 72 mins 10.0Ah Up to 93 mins 12.0Ah Up to 110 mins | 2.5Ah Up to 18 min 4.0Ah Up to 35 min 5.0Ah Up to 45 min 6.0Ah Up to 55 min 7.5Ah Up to 70 min 10.0Ah Up to 90 min 12.0Ah Up to 110 min | 2.5Ah Up to 27 mins 4.0Ah Up to 50 mins 5.0Ah Up to 60 mins 6.0Ah Up to 75 mins 7.5Ah Up to 95 mins 10.0Ah Up to 125 mins 12.0Ah Up to 150 mins | 2.5Ah Up to 25 mins 4.0Ah Up to 40 mins 5.0Ah Up to 52 mins 6.0Ah Up to 60 mins 7.5Ah Up to 80 mins 10.0Ah Up to 105 mins 12.0Ah Up to 125 mins |
| BLADE LENGTH | 51cm | _ | - | - | - | - |
| CUTTING WIDTH | - | _ | 38cm | 40cm | 30cm | 23cm |
| LINE DIAMETER SUPPLIED | - | _ | 2.4mm dual line | 2.4mm | - | - |
| CUTTING HEAD | - | _ | Rapid reload trimmer head | Powerload™ | _ | - |
| SHAFT TYPE | - | _ | Straight | Carbon Fibre | - | - |
| ARBOUR SIZE | - | _ | _ | _ | 25.4mm | - |
| CUTTING CAPACITY | 26mm | _ | - | - | - | - |
| BLADE MATERIAL AND TYPE | Double-sided laser cut steel blade | - | _ | _ | Three-sided steel blade | - |
| FIXED CUTTING ANGLES | 12 / 9 articulating cutting angles | _ | - | - | - | - |
| GUIDE BAR LENGTH | - | 25cm | _ | _ | - | - |
| CHAIN PITCH / GAUGE | - | 9.5mm. 1.1mm | - | - | - | _ |
| MAX. CUTTING DIAMETER | - | 200mm | - | - | - | - |
| OIL TANK CAPACITY | - | 220ml | - | - | - | - |
| ROTATING DIRECTION | - | _ | _ | _ | - | Two blades counter rotation |
| BLADE TYPE | - | _ | - | - | - | High strength alloy steel |
| VIBRATION (M/S2) | - | _ | - | - | - | 1.1/1.5 |
| NOISE RATING | - | _ | - | - | - | 83dB(A) / 96dB(A) |
| CUTTING SPEED | - | _ | - | - | - | 450rpm |
| DOMESTIC WARRANTY | 5 years | 5 years | 5 years | 5 years | 5 years | 5 years |
| PROFESSIONAL WARRANTY | 2 years | 2 years | 2 years | 2 years | 2 years | 2 years |


| | EA0800 | CTA9500 | BBA2100 | OSA1000 | SSA1200 |
|-----------------------|--|---|---|--|--|
| WEIGHT | 2.3kg | 3.9kg | 5kg | 2.2kg | 5.5kg |
| TOTAL LENGTH | 92cm | 92cm | 102cm | 140cm | 176cm |
| RUN TIME* | 2.5Ah N/A 4.0Ah Up to 50 mins 5.0Ah Up to 60 mins 6.0Ah Up to 75 mins 7.5Ah Up to 100 mins 10.0Ah Up to 132 mins 12.0Ah Up to 158 mins | 2.5Ah Up to 40 mins 4.0Ah Up to 60 mins 5.0Ah Up to 80 mins 6.0Ah Up to 100 mins 7.5Ah Up to 120 mins 10.0Ah Up to 160 mins 12.0Ah Up to 190 mins | 2.5Ah Up to 50 mins 4.0Ah Up to 120 mins 5.0Ah Up to 120 mins 6.0Ah Up to 140 mins 7.5Ah Up to 150 mins 10.0Ah Up to 200 mins 12.0Ah Up to 280 mins | 2.5Ah Up to 50 mins 4.0Ah Up to 80 mins 5.0Ah Up to 100 mins 6.0Ah Up to 120 mins 7.5Ah Up to 160 mins 10.0Ah Up to 210 mins 12.0Ah Up to 250 mins | 2.5Ah Up to 45 min 4.0Ah Up to 75 min 5.0Ah Up to 90 min 6.0Ah Up to 110 min 7.5Ah Up to 135 min 10.0Ah Up to 180 min 12.0Ah Up to 216 min |
| BLADE LENGTH | 20cm | 24cm | - | _ | _ |
| ROD LENGTH / DIAMETER | - | _ | - | 33cm/0.5cm | - |
| CUTTING DEPTH | Up to 75mm | - | - | - | - |
| BLADE THICKNESS | 3mm | - | - | - | - |
| ROD QUANTITY | - | - | - | 10 (5+5) | - |
| DEBRIS GUARD MATERIAL | Aluminium with rubber skirt | Plastic | Plastic | - | - |
| CUTTING WIDTH | - | 21/24cm | - | - | - |
| CLEANING SWATH | - | - | 560mm | - | 300mm |
| TILLING SPEED | - | _ | High 240rpm, Low 210rpm | _ | 2000-1650rpm |
| WORKING RANGE | - | - | _ | 58cm-33cm | - |
| BRISTLE GAUGE | - | _ | 1.5mm | _ | - |
| ARBOUR SIZE | 25.4mm | - | - | - | - |
| DIMENSION | - | _ | 102 x 56.5 x 29.5cm | - | - |
| ROD MATERIAL | - | - | - | Carbon fibre | - |
| STROKES PER MINUTE | - | - | - | 1780/2120spm | - |
| MAX THROWING DISTANCE | - | _ | - | - | 7.5m |
| DOMESTIC WARRANTY | 5 years | 5 years | 5 years | 5 years | 5 years |
| PROFESSIONAL WARRANTY | 2 years | 2 years | 2 years | 2 years | 2 years |

^{*}Run time may vary and depend on the battery used, charge level of battery, condition of grass or hedge and user's operation technique. Cuts of PSA1000 is based on cuts of 100x100mm.

BE READY FOR ANYTHING WITH EGO POWER* MULTI-TOOL KITS

A great value way to enjoy all the benefits of petrol-free power. EGO Power⁺ multi-tool kits combine the most popular tools you'll need, with the power and performance to get the job done.





102 | EGO POWER+ MULTI-TOOL KITS | 103









PORTABLE POWER

Compatible with any EGO ARC Lithium™ battery, the Nexus Escape provides power when and wherever you need it.

Built with a powerful 240V AC outlet and three USB ports, the Nexus Escape boasts flexible power to charge mobile phones, laptops, cameras, lights, and other electrical devices up to a maximum output of 500 Watts. Ideal for camping trips, beach visits, festivals or for use at home, the Nexus Escape is light weight and small enough to carry in a rucksack or store in a tent.





150W NEXUS ESCAPE POWER INVERTER

The EGO Power⁺ Nexus Escape's 240V (150W) AC power outlet and 2 USB ports enable you to charge or power devices wherever you are. The light-weight design and carry handle make the device easy to transport.







500W NEXUS ESCAPE POWER INVERTER

With three USB ports of varying type and a 240V AC power outlet, the new EGO Power⁺ Nexus Escape is capable of charging or powering multiple power devices up to 500 Watts. The pure Sine Wave inverter makes it suitable for use with even the most sensitive electronic devices.

| | PAU15UUE | PAUSUUUE |
|---------------------------|---|---|
| CAPACITY | 150W | 500W |
| CONNECTION METHOD | Compatible with any EGO portable battery | Compatible with any EGO portable battery |
| WEIGHT WITHOUT BATTERY | 0.5kg | 1.6kg |
| DOMESTIC WARRANTY | 5 years | 5 years |
| PROFESSIONAL NARRANTY | - | - |
| AVAILABLE AS A KIT | PAD1501E: Includes Nexus power inverter, 2.5Ah battery and standard charger | PAD5001E: Includes Nexus power inverter and 2.5Ah battery |

CAPABLE OF POWERING OR CHARGING*

*Based on 7.5Ah battery BA4200T



10 LAPTOPS











106 | EGO POWER+ LIFESTYLE EGO POWER+ LIFESTYLE | 107



OUR COOLEST INNOVATION YET



With double the airflow of a standard 50cm fan, the EGO Power+ 45cm Misting Fan is an essential tool for warm conditions.

Complete with two misting modes: intermittent and continuous, five speed settings ranging between 700 L/s to 2350 L/s, the EGO Power⁺ 45cm Misting Fan has an impressive 50m² Cooling Area Capacity. With a minimal noise level of just 68 dB and up to 60 hours run time (with 5.0Ah battery) on speed one, this fan is suitable for both indoor and outdoor cooling. Its light-weight and advanced portable features make it ideal for hot working conditions, sporting events, camping trips and BBQs.



Power⁺ 45cm Misting Fan is ideal for cooling both indoor and outdoor environments.

| | FN1800E |
|------------------------|--|
| RUNTIME | 2.5Ah Up to 31 hours 4.0Ah Up to 50 hours 5.0Ah Up to 63 hours 6.0Ah Up to 76 hours 7.5Ah Up to 95 hours 10.0Ah Up to 127 hours 12.0Ah Up to 152 hours |
| WEIGHT WITHOUT BATTERY | 10.4kg |
| DOMESTIC WARRANTY | 5 years |
| PROFESSIONAL WARRANTY | 1 year |







PORTABLE POWER

With adjustable power of up to 10,000 lumens, the EGO Power⁺ Portable Area Light is the world's most powerful cordless outdoor area light.

Tailor the light level to suit you with five brightness settings and turn up the power boost mode for maximum output. The diffused, foldable panels allow for soft 360 illumination. Transporting and storing the area light is easy thanks to its compact design and integrated handle. Charge devices on the go with the built-in USB A port. This versatile tool is perfect for ambient mood lighting, task lighting and illuminating large areas.

LT1000E PORTABLE AREA LIGHT

Complete with five brightness settings, foldable panels, easy transportation and storage, the EGO Power⁺ Portable Area Light is suitable for everything from mood lighting to task lighting.

| | LT1000E | | | | | | |
|--|---------|--------|--------|--------|--------|---------|--|
| BRIGHTNESS LEVEL | 1 | 2 | 3 | 4 | 5 | BOOST | |
| LUMINOUS FLUX/BRIGHTNESS (4 PANELS COMBINED) | 600lm | 1600lm | 3200lm | 4800lm | 6400lm | 10000lm | |
| APPROXIMATE RUN TIME* (4 Panels with Ego 56V 5.0 ah Battery) | 36h | 16h | 8h | 5h | 4h | 1h | |
| WEIGHT (WITHOUT BATTERY PACK) | 4.3kg | | | | | | |
| DOMESTIC WARRANTY | 5 years | | | | | | |
| PROFESSIONAL WARRANTY | | | 1 | year | | | |

^{*}The light will illuminate at 10,000lm in ambient temperature 25° C for 1 hour and will run for 2 more hours in brightness level 5. Please note that the 1 hour run time is dependent on ambient temperature. In a cooler environment the "Boost" node will have a longer run time, but in a hot environment the "Boost" mode will have a sh<u>orter run time</u>

108 | EGO POWER+ LIFESTYLE EGO POWER+ LIFESTYLE 109



CHANGE STARTS NOW

We believe that tools designed to improve our surroundings shouldn't be damaging to the wider environment.

LOOKING TO THE FUTURE

As our cause gathers momentum, we will work closely with non-governmental organizations (NGOs) and other committed partners to petition for EU parliamentary debate. To us, the case for switching from petrol to battery power is glaringly obvious and with many regions across Europe already adopting this change, we're seeing our industry changing fast.

Together, we'll create a cleaner, quieter, safer and, most importantly, greener future.

CHALLENGE 20 25

Challenge 2025 is our commitment to educate and empower outdoor power equipment users to pick the only logical choice when purchasing new gardening equipment: battery powered. It's time to leave petrol where it belongs; in the past.

Our Challenge 2025 vision is that by 2025, battery power will become the principal power source for outdoor power equipment, leading to significant reductions in harmful emissions and noise, while increasing safety and user comfort.

Our responsibility as tech leaders.

Our expertise and world-leading technology means we have a responsibility to encourage the switch from petrol to battery power and we do this by creating tools which outperform petrol in every way.

Demand better.

Demand better from the tools you use in your garden at home.

Demand better from the groundskeeping teams that maintain the areas near your offices and schools.

Demand better from your local council managing your green spaces and parks.

ZER EMISSION

EGO battery power produces zero emissions and costs less to run and maintain than its petrol-powered equivalents.

Beyond challenge 2025.

We believe it's not just about making improvements to help the environment, but actively participating in its repair.


We have partnered with Eden Reforestation
Projects and pledge to plant a tree for every
E60 tool sold in Europe, as well as each tool
registered for extended warranty. The Eden
Reforestation Projects work with local
communities across the globe to restore
forests on a large scale to create jobs, protect
ecosystems and help mitigate climate change.
Challenge 2025 is just one initiative,
and we won't stop there.



Eden Reforestation Projects



For more information on Challenge 2025 and our five-year vision, visit our website challenge2025.eu.











110 A GREENER FUTURE 111

EVERYTHING YOU NEED TO KEEP YOU CUTTING, MOWING AND BLOWING

EGO POWER+ MULTI-TOOL BLADES, CHAINS, BARS AND TELESCOPIC POLE SAW

AEB0800

Multi-tool edger blade for EA0800



AC1001

Pole saw chain for PSA1000 and PSX2500



ACB9500

Multi-tool cultivator blade set for CTA9500



ARB2100

Paddle broom (pair) for BBA2100



ABS2100

Bristle brush (pair) for BBA2100



ANF33NN

Olive Shaker fingers (10pcs) for OSA1000



25cm Chainsaw Bar for PS1000E



AC10000

25cm Chainsaw Chain for PS1000E



EGO POWER+ MOWER **BLADES AND ROLLERS**

AB2001

Bagging blade for LM2010E, LM2010E-SP. LM2020E. LM2020E-SP [fitted as standard]



AB2101

52cm bagging blade for LM2100E-SP, LM2120E-SP [fitted as standard]



AB2102D-E

52cm dual bagging blade for LM2130E-SP (2 blade set) [fitted as standard]



AB5200

Bagging blade for ZT5200E-L



AB2000

Mulching blade for LM2000E, LM2010E. LM2010E-SP. LM2020F_LM2020F-SP



AB2100

52cm mulching blade for LM2100E-SP. LM2120E-SP 📕



AB2100D-E

52cm dual mulching blade for LM2130E-SP (2 blade set)



AB1700

42cm mulching blade for LM1700E, LM1700E-SP



AR19NN

47cm mulching blade for LM1900E, LM1900E-SP

AB1701

42cm bagging blade for LM1700E, LM1700E-SP [fitted as standard]



AB1901

47cm bagging blade for LM1900E, LM1900E-SP [fitted as standard]



AB4200

53cm standard blade (side discharge, mulching & bagging) for ZT4200E-L - single blade



53cm high-lift blade (improved bagging) for ZT4200E-L - single blade



AMP4200 Mulching plug for ZT4200E-

ABK4200-A Bagging kit for ZT4200E-I



ABK5200-A

Bagging kit for ZT5200E-I



AR1700

AR1900

47cm rear roller kit for

LM1900E. LM1900E-SP

42cm rear roller kit for LM1700F LM1700F-SP



AR2100

52cm rear roller kit for LM2130E-SP



MULCHING KITS

ABP1700

Mulching kit (blade & mulching plug) for LM1700E, LM1700E-SP

ABP1900

Mulching kit (blade & mulching plug) for LM1900E, LM1900E-SP



ABP2100D-E

52cm mulching kit (mulching blade set & mulching plug) for LM2130E-SP



ABP5200

Mulching kit for ZT5200E-L



EGO POWER+ ADAPTOR

ADB1000

Adaptor for use with BH1000. RHX1000 RAX1300 RAX1500



ACA1000

For use with the EGO 550W Rapid Charger



EGO POWER+ LINE TRIMMER SPOOLS

AS3800

Spool w/o line for bump feed cutting head - BCX3800, STX3800



AS1301

Spool with 2.0mm round line for standard bump feed cutting head - ST1210E



AS1302

Spool with 2.0mm twist line for standard bump feed cutting head - ST1300E



AS1300

Spool with 2.4mm twist line for standard bump feed cutting head - ST1500E, BC1500E



EGO POWER+ TRIMMER LINES

AL2015T 🔷

15m 2.0mm low-noise twist line (STRATUS)

AL2050T

50m 2.0mm twist line - ST1300E and ST1400E-ST

AL2715T ◆

15m 2.7mm low-noise twist line [red/green] - STX3800. BCX3800



12m 3.0mm low-noise twist line [yellow/green] - STX3800. BCX3800

AL2475T 🔷

75m 2.4mm low-noise twist line [orange/green] -ALL 35cm & 38cm cutting diameter grass trimmers

AL2760T 🔷

60m 2.7mm low-noise twist line [red/green] - STX3800, BCX3800

AL3050T 🔷

50m 3.0mm low-noise twist line [yellow/green]

- STX3800, BCX3800

AL2415R

15m 2.4mm round line [orange]

- ALL 35cm & 38cm cutting diameter grass trimmers

AL2715R



15m 2.7mm round line [red] - STX3800, BCX3800

AL3012R -

12m 3.0mm round line [yellow] - STX3800, BCX3800

AL249OR



90m 2.4mm round line [orange] - ALL 35cm & 38cm cutting diameter grass trimmers

AL278OR

80m 2.7mm round line [red] - STX3800, BCX3800

AL3060R

60m 3.0mm round line [yellow] - STX3800, BCX3800

AL2416P 🔷

4 x 4.0m 2.4mm twisted line [black/orange]

- ST1400E-ST. ST1510E

EGO POWER+ LINE TRIMMER HEADS

AH3800

Bump feed cutting head without line - STX3800, BCX3800



AH3810

ANY INSERT cutting head -ANTI-CLOCKWISE - STX3800, BCX3800, ST1530E, BC3800E, STA1500, BCA1200



AH1520

Powerload™ cutting head for ST1510E



AH1522 Powerload™ cutting head for ST1400E-ST

AH1530

CLOCKWISE - ST1500E-F. BC1500E-F

ANY INSERT cutting head -



AH1600

Powerload™ cutting head for STA1600



AH1620 Line IQ™ cutting head for ST1610E-T

ANY INSERT cutting head - ANTI-CLOCKWISE - ST1530E, BC3800E, STA1500

ABT3800

ABR2300

AH1531

Bump feed button - AH3800

Replacement blades (pair)

ROTOCUT RTX2300, RTA2300



EGO POWER⁺ **BRUSH CUTTER BLADE**

ABB1203

3 point brush cutter blade -STX3800. BCX3800. ST1530E. BC3800F BCA1200 STA1500



Elastoblade Flexible trimming blade for - STX3800, BCX3800, ST1530E, BC3800E, BCA1200, STA1500



EGO POWER+ ACCESSORIES | 113

112 | EGO POWER + ACCESSORIES

EGO POWER⁺ **HEDGE TRIMMER** TIP PROTECTOR

ATP2000

Tip protector for HTA2000. PTX5100



EGO POWER⁺ **GRASS SHEARS**



CBA0240

2.0Ah 12V battery for CHT2001E



EGO POWER+ BAGS

BCS1000

Durable Chainsaw kit bag



BMH1000

Multi-tool wheeled kit bag

CM001



Storage cover for lawnmowers



EGO POWER⁺ Chainsaw Chains

AC1201

30cm 90PX chain for CSX3000



35cm 90PX chain for CS1400F

AC1601

40cm 90PX chain for CS1600E



45cm 91PX chain for CS1800E

EGO POWER+ **CHAINSAW BARS**

AG1200

30cm guide bar for CSX3000

AG1400

35cm guide bar for CS1400E

AG1600

40cm guide bar for CS1600E

AG1800

45cm guide bar for CS1800E



EGO POWER⁺ Z6 ZTR RIDE-ON MOWER

AMG1000

Zero turn riding mower on-board storage



AMS1000

Zero turn riding mower sun shade



AMB1000

Zero turn riding mower rear bumper bar



GUTTER CLEANING PACK

AGC1001

Gutter cleaning pack and glasses for LB5300E and LB5800E



EGO POWER+ WALL HOOK

AWH1500

Wall mounted hanging frame for CHX5500E & BAX batteries



EGO POWER+ SNOW THROWER

AKS2400D

Skid shoes (pair) - SNT2400E



ACT2400

Chute cleaning tool - SNT2400E



ADC2400

Drift cutters for SNT2400E



ARP2120

52cm Snow Blower Rubber Paddle (PAIR) for SN2120E-AP



ASS2120

52cm Snow Blower Scraper Bar for SN2120E-AP



EGO POWER⁺ Shoulder Straps

AP1500

Single-shoulder harness with one hook - multi-tool, LB5300E, LB5750E and all grass trimmers except BCX3800



EGO POWER+ Harnesses

Single-shoulder harness without loop, two hook - LB4800E only



AFH1500

Frame and double-shoulder harness with padded comfort straps for BAX1500 and BHX1000



ACH1500

Cable routing clip for harness BH1000, AFH1500



AP1500D

Double-shoulder harness with guard pad for multi-tool & all grass trimmers except BCX3800



Replacement double-shoulder comfort straps for BAX1300



AHP1500

AP1300

Leg protector / line trimmer harness attachment for AFH1500



AHP1300

Leg protector / line trimmer harness attachment for AFH1300, BH1000



EGO POWER+ PROTECTIVE CLOTHING

GV001E

Multi-purpose synthetic work gloves. Sizes from Small to XX-Large available



GS001E

Essential clear safety glasses



GS002E

Essential grey safety glasses



GS003E

Essential yellow safety glasses



EGO POWER⁺ Battery Storage

BBOX2550

Transportation box that can carry 5 portable batteries of all EGO sizes. Can be connected to BBOX3000



BB0X3000

Transportation box for BAX1500 excluding harness. Can be connected to BBOX2550





POWER PRODUCT FEATURES

For comfort

extremely strong

Two-speed motor

adjustable for task

and economy needs

Wide cutting

Precisely cut

and sharpened

for great results

Automatic line

replacement in

only 10 seconds

Less vibration

to tackle the

thrown ideal in

width for fast and

effective trimming

EGO POWER+ MULTI-TOOL ICONS



ADJUSTABLE CUTTING DEPTH

VARIABLE SPEED

XXCM CUTTING WIDTH

X.XMM LINE DIAMETER

ANY INSER'

XXCM Blade Length

quickly for each task





CARBON FIBRE

|| 1

TW0 SPEED

LASER CUT: DIAMOND GROUND

POWERLOAD¹ HEAD

































































Year-round protection against dust, dirt and debris































Cutting width to Variable speed Light and suit any size lawn to suit your manoeuvrable, while walking pace remaining durable

grass conditions, saving energy

AUTOMATIC VARIABLE

MULCHING PLUG

Motor adjusts to

saving energy

Prevents grass

from leaving the

collection bag

















LOW THROW









EGO POWER+ RIDE-ON MOWER ICONS



To maximise

cutting width

Cutting width to

suit any size lawn

Prevents grass

from leaving the

collection bag

Protection on

sunny days

LCD Interface

X BLADE

MULCHING PLUG

SUNSHADE



(O)

ZERO-TURN STEERING

STEERING WHEEL

MULCHING KIT

STORAGE BIN

X.XMM LINE DIAMETER

RAPID Reload Head

USE WITH EGO POWER+ BACKPACK

Turn on the spot

Drive like a car

Allows grass to be cut

and distributed back

into the lawn

Extra storage on







For full 360°

turning







Two-speed motor

adjustable for task

EGO POWER+ LINE TRIMMER AND BRUSH CUTTER ICONS



BUMP LINE FEED

CARBON FIBRE

LINE IQ™ TECHNOLOGY

Wide cutting swathe for faster, more efficient trimming

Constantly

of the task

Simple line feeding

making work simple

and efficient

Lightweight and

extremely strong

Keen trimming

for non-stoo

performance

to match the needs adiustable speed



your mower



tool for the hest

cutting results

Fast and tool-free

line relnading

Work all day

Prevents dehris from

delicate areas

in comfort



















EGO POWER+ HEDGE TRIMMER ICONS



TW0 SPEED

Ideal length suited to the tool for best cutting results

Two-speed motor

adjustable for task

and economy needs

Rotating rear handle

for greater comfort

and versatility

Constantly

adjustable speed to match the needs of

the task



Precisely cut and sharpened for great results

Fast, precise grass

trimming attachment



versatility

Work all day

in comfort



VAV



Enabling precise

and clean cutting

Less vibration

to tackle the

toughest jobs

Generous widths clear snow efficiently



COMPATIBLE WITH PRO-X HARNESS

EGO POWER* BLOWER AND SNOW THROWER ICONS

Increased

power to clear

large areas

Work all day

in comfort

Enables snow

thrower to clear

snow quickly even in

extreme conditions

XXXM3/H BOOST

USE WITH EGO POWER+ BACKPACK

tyres and self nronel system

Constantly

the task

Work all day

in comfort

Impressive clearing

extreme conditions

distances even in

adjustable speed to

match the needs of



Variable sneed

walking pace

For use in

low light areas

Provides traction to

the snow during use

to suit your

0

SELF-PROPELLED

LED LIGHTS

X•X

DUAL STAGE

EGO POWER+ CHAINSAW ICONS



CHAIN Brake

BUMPER SPIKES

BATTERY LEVEL INDICATOR

USE WITH EGO POWER+ BACKPACK

VARIABLE SPEED





TELESCOPIC

USE WITH EGO POWER+ BACKPACK



Alerts you when it's

time to charge

Work all day

in comfort



















MULCHING KIT



Your local dealer:



www.egopowerplus.com







